

Table of Contents

| Executive Summary | 3 |
|---|----------------------|
| Community Definition Secondary Data Summary Primary Data Summary Prioritized Health Needs | 5 6 |
| Demographics of the Lutheran Hospital Community Geography and Data Sources | |
| Highlighted Demographics: Social & Economic Determinants of Health Geography and Data Sources | |
| Highlighted Demographics: Disparities and Health Equity Health Equity Race, Ethnicity, Age & Gender Disparities Geographic Disparities | 25 25 |
| Highlighted Demographics: COVID-19 Impacts Snapshot | 30 |
| Synthesis and Prioritization. Prioritized Health Topic #1: Access to Healthcare Prioritized Health Topic #2: Behavioral Health Prioritized Health Topic #3: Chronic Disease Prevention and Management Prioritized Health Topic #4: Maternal and Child Health Prioritized Health Topic #5: Socioeconomic Issues | 33 36 40 45 |
| 2022 Lutheran Hospital CHNA Alignment | 51 |
| Appendices Summary | 52 |
| Appendix A: Methodology Overview Secondary Data Sources & Analysis Secondary Data Scoring Primary Data Collection & Analysis | 53 53 54 |
| Appendix B: Impact Evaluation | 68 |
| Appendix C: Secondary Data Scoring Tables | 76 |
| Appendix D: Community Input Assessment Tools | 204 |
| Appendix E: Community Partners and Resources | 206 |
| Appendix F: Acknowledgements | 208 |
| Lutheran Hospital 2022 Implementation Strategy Report | 209 |

Executive Summary

This Community Health Needs Assessment (CHNA) was conducted by Cleveland Clinic Lutheran Hospital (the Lutheran Hospital or "the hospital") to identify significant community health needs and to inform development of an Implementation Strategy to address current needs in accordance with the Affordable Care Act¹.

Lutheran Hospital is a 192 staffed bed² acute-care facility located in Cleveland, Ohio. Lutheran Hospital offers sophisticated technology and advanced medical care within an intimate and friendly environment. From primary care physicians to leading specialists, Lutheran Hospital provides leading-edge treatments and advanced research and surgery, with specialties in: Orthopaedics and Spine, Behavioral Health and Chronic Wound Care. Additional information on the hospital and its services is available at: <u>https://my.clevelandclinic.org/locations/lutheran-hospital</u>.

The hospital is part of the Cleveland Clinic health system, which includes an academic medical center near downtown Cleveland, fourteen regional hospitals in northeast Ohio, a children's hospital, a children's rehabilitation hospital, five southeast Florida hospitals, and several other facilities and services across Ohio, Florida, and Nevada.

Cleveland Clinic is a global leader and model of healthcare for the future. We work as a team with the patient at the center of care. As a truly integrated healthcare delivery system, we take on the most complex cases and provide collaborative, multidisciplinary care supported with cutting-edge research and technology. We treat patients and fellow caregivers as family and Cleveland Clinic as our home. Our vision is to become the best place to receive healthcare anywhere, and the best place to work in healthcare. Our goals for achieving that are bold, but reachable: To serve more patients, create more value and improve the well-being of all caregivers. As we grow and double the number of patients served by 2024, everything we do and every place we are located will bear the unmistakable stamp of One Cleveland Clinic –with the same quality, experience and Care Priorities at every location.

Cleveland Clinic's ability to provide world-class patient care and best-in-class clinicians is the product of our commitment to research and education, which has also contributed significant advancements toward the diagnosis and treatment of complex medical challenges. Figure 1 shows Our Care Priorities, which are to:³

- Care for Patients as if they are our own family
- Treat fellow caregivers as if they are our own family

¹ Internal Revenue Service, Community Health Needs Assessment for Charitable Hospital Organizations – Section 501 (c) (3), https://www.irs.gov/charities-non-profits/charitable-organizations/requirements-for-501c3-hospitals-under-the-affordable-care-act-section-501r

² For the purpose of this report and consistent methodology, the Cleveland Clinic MD&A (Q4-2022) interim financial statement is referenced for official bed count. We acknowledge that staffed bed count may fluctuate and may differ from registered or licensed bed counts reflected in other descriptions.

³ The Cleveland Clinic Mission, Vision and Values https://my.clevelandclinic.org/about/overview/who-we-are/mission-vision-values

- Be committed to the communities we serve
- Treat the organization as our home



Figure 1: The Cleveland Clinic Care Priorities

Caring for the Community

Caring for the community is a long-standing priority at Cleveland Clinic. As an anchor institution –a major employer and provider of services in the community –our goal is to create the healthiest community for everyone. We do this through actions and programs to heal, hire and invest for the future.

Cleveland Clinic is much more than a healthcare organization. We are part of the social fabric of the community, creating opportunities for those around us and making the communities we serve healthier. We are listening to our neighbors to understand their needs, now and in the future. The health of every individual affects the broader community.

According to the National Academy of Medicine, only 20% of a person's health is related to the medical care they receive. There are other factors that have a lifelong impact, accounting for 80% of a person's overall health.⁴ These social determinants of health are conditions in which people grow, work and live –including employment, education, food security, housing and several others.⁵

In order to address health disparities, we lead efforts in clinical and non-clinical programming, advocacy, partnerships, sponsorship and community investment. We are actively partnering with leaders to help strengthen community resources and mitigate the

⁴ National Academy of Medicine, Social Determinants of Health 101 for Health Care Five Plus Five https://nam.edu/social-determinants-of-health-101-for-health-care-five-plus-five/

⁵ World Health Organization, Social Determinants of Health https://www.who.int/health-topics/socialdeterminants-of-health#tab=tab_1

impact of disparities in social determinants of health. By engaging with partners who share our commitment, we can make a difference in creating a better, healthier community for everyone.⁶

Additional information about Cleveland Clinic is available at: <u>https://my.clevelandclinic.org/</u>.

Each Cleveland Clinic hospital also is dedicated to the communities it serves. Each Cleveland Clinic hospital conducts a CHNA to understand and plan for the current and future health needs of residents and patients in the communities it serves. The CHNAs inform the development of strategies designed to improve community health, including initiatives designed to address social determinants of health.

These assessments are conducted using widely accepted methodologies to identify the significant health needs of a specific community. The assessments also are conducted to comply with federal and state laws and regulations including IRS requirements for 501(c) (3) Hospitals under the Affordable Care Act⁷.

Community Definition

The community definition describes the zip codes where approximately 75% of Lutheran Hospital patients reside. Figure 2 shows the service area for the Lutheran Hospital Community. A table with zip codes and the associated postal names that comprise the community definition is located in <u>Appendix C.</u>

⁶ Cleveland Clinic, Community Commitment,

https://my.clevelandclinic.org/about/community#:~:text=Caring%20for%20the%20community%20is,and%2 0invest%20for%20the%20future.

⁷ Internal Revenue Service, Requirements for 501 (c) (3) Hospitals Under the Affordable Care Act – Section 501 (r), https://www.irs.gov/charities-non-profits/charitable-organizations/requirements-for-501c3-hospitalsunder-the-affordable-care-act-section-501r




Figure 2: Lutheran Hospital Community Definition

Secondary Data Summary

Secondary data used for this assessment were collected and analyzed from Conduent Healthy Communities Institute's (HCI) community indicator database. The database, maintained by researchers and analysts at HCI, includes 300 community indicators covering at least 28 topics in the areas of health, social determinants of health, and quality of life. The data are primarily derived from state and national public secondary data sources. The value for each of these indicators is compared to other communities, nationally set targets and to previous time periods. Due to variability in which public health data sets are available, data within this report may be presented at various geographic levels:

- The Lutheran Hospital Community Definition—an aggregate of the 25 zip codes described in the Community Definition.
- Cuyahoga, Lorain and Medina Counties—the three counties comprising the Lutheran Hospital Community Definition

Primary Data Summary

Qualitative data collected from community members through key stakeholder interviews and a community engagement session comprised the primary data component of the CHNA and helped to inform selection of the significant health needs.

Conduent Healthy Communities Institute interviewed 20 key stakeholders from a diverse spectrum of community-based organizations and public health departments. To provide additional support and corroboration of vital community input, the Cleveland Clinic Foundation and Conduent Healthy Communities Institute facilitated a community engagement session featuring the Lutheran Hospital Community Advisory Council (CAC) members. During the session, CAC members offered perspectives on the most important health problems in the community, barriers and challenges to improving health, identified the most underserved populations, discussed potential solutions to health challenges faced and offered success stories from existing program implementation.

Prioritized Health Needs

Following a comprehensive review of the significant community health needs throughout the Cleveland Clinic Health System, analysis of local county and state needs assessments and emerging trends, the following priority health needs were identified:

- Access to Healthcare
- Behavioral Health
- Chronic Disease Prevention and Management
- Maternal and Child Health
- Socioeconomic Issues



Access to Healthcare secondary data analysis results describe community needs related to consumer expenditures for insurance, medical expenses, medicines and other supplies. With more expansive parameters, primary data describes limitations to accessing healthcare described in terms of transportation challenges, resource limitations and availability of primary care and other prevention services in local neighborhoods.



Behavioral Health encompasses two subtopics—Mental Health and Substance Use Disorder—into a single health need. Mental Health secondary data indicators define suicide, Alzheimer's disease, depression and self-reported poor mental health rates. Similarly, Substance Use Disorder data outline rates related to alcohol and drug use including mortality rates due to drug overdoses. Primary data links the two together as community members and key stakeholders describe mental health challenges in the community, exacerbated by COVID-19 related stressors, resulting in increased alcohol and drug use starting in adolescence as a means of coping.



This health topic encompasses several subtopics where information is available including Older Adult Health; Nutrition and Healthy Eating; Cancer; Chronic Diseases; Diabetes; Heart Disease and Stroke; and COVID-19. By addressing these issues in concert, the Cleveland Clinic Foundation hopes to impact chronic disease rates including those described in the <u>Synthesis and Prioritization</u> section of this report (page 33).



Maternal and Child Health has been a continuing health need in the community with a focus on Children's Health, Women's Health and Maternal, Fetal and Infant health. Secondary data indicators include a range of children's health needs from babies with low birth weight to consumer expenditures on childcare. Primary data describes disparities among low-income and ethnic minority populations and link access to healthcare with pre-natal care.



Socioeconomic Issues for this report are defined as a subset of social determinants of health (SDOH). Prevention & Safety, Affordable Housing, Violence, Falls and Environmental Issues were the prioritized health needs described by primary and secondary data.

Additional Community Health Themes

In addition to the Prioritized Health Needs, other themes were prevalent in considering community health. These themes are intertwined in all community health components and impact multiple areas of community health strategies and delivery.



Health Equity issues in our communities were illuminated by COVID-19. They focus on the fair distribution of health determinants, outcomes and resources across communities.⁸ Health Equity and reduction of health disparities are indicated as overarching themes in all our prioritized needs. It is described in detail and specifically as it relates to the Lutheran Hospital Community in both the <u>Disparities and Health Equity</u> section (page 25) of the report as well as in the <u>Synthesis and Prioritization</u> section (page 33). Special consideration will be given to addressing prioritized health needs through a Health Equity lens in the Lutheran Hospital implementation strategy report.



Social determinants of health (SDOH) are the conditions in the environment where people are born, live, learn, work, play, worship and age that affect a wide range of health, functioning and quality of life outcomes and risks. Social determinants of health (SDOH) are major drivers of behaviors that impact individual and community health outcomes. For a full description of social determinants of health (SDOH) see the highlighted demographic section entitled <u>Social & Economic Determinants of Health</u>.


Medical Research and Health Professions Education

Cleveland Clinic has a tripartite mission to care for the sick and to improve patient care through research and education. Through research we discover cures and treatment of diseases affecting our communities. This cross-cutting issue was evident in addressing the emergent pandemic of COVID 19. Our education programs train qualified healthcare providers to support the needs of our patients and communities, reducing healthcare access issues. This has been of historical importance to the work, care and mission of Cleveland Clinic and will continue to be incorporated as Lutheran Hospital moves toward development of the implementation strategy report.

⁸ Klein R, Huang D. Defining and measuring disparities, inequities, and inequalities in the Healthy People initiative.National Center for Health Statistics.Center for Disease Control and Prevention. https://www.cdc.gov/nchs/ppt/nchs2010/41_klein.pdf

COMMUNITY HEALTH NEEDS ASSESSMENT Lutheran Hospital

Prioritized Health Needs



life outcomes and risks. Source: Healthy People 2030, U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion

live, learn, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-

TIT

Medical Research and Health Professions Education

Cleveland Clinic has a tripartite mission to care for the sick and to improve patient care through research and education.





Our education programs train qualified healthcare providers to support the needs of our patients and communities, reducing healthcare access issues.

Demographics of the Lutheran Hospital Community

The demographics of a community significantly impact its health profile.⁹ Different racial, ethnic, age, and socioeconomic groups may have unique needs and require varied approaches to health improvement efforts. The following section explores the demographic profile of the community residing in the Lutheran Hospital Community Definition.

Geography and Data Sources

Data are presented in this section at the geographic level of the <u>Community Definition</u> comparisons to the county, state, and national value are also provided when available. All demographic estimates are sourced from Claritas Pop-Facts® (2022 population estimates) and American Community Survey¹⁰ one-year (2019) or five-year (2015-2019) estimates unless otherwise indicated.


Population

According to the 2022 Claritas Pop-Facts® population estimates, the Lutheran Hospital community has an estimated population of 1,016,939 persons. Figure 3 shows the population size by each zip code, with the darkest blue representing the zip codes with the largest population. Appendix C provides the actual population estimates for each zip code. The most populated zip code area within the Lutheran Hospital Community is zip code 44256 (Medina) with a population of 66,686.

⁹ National Academies Press (US); 2002. 2, Understanding Population Health and Its Determinants. Available from: https://www.ncbi.nlm.nih.gov/books/NBK221225/

¹⁰ American Community Survey. <u>https://www.census.gov/programs-surveys/acs</u>





County values- Claritas Pop-Facts® (2022 population estimates)

Age

Children (0-17) comprised 21.4% of the population in the Lutheran Hospital Community which is slightly less when compared to the state of Ohio (21.8%). The Lutheran Hospital Community has similar proportion of residents aged 65+ (18.7%) when compared with the state of Ohio at 18.6%. Figure 4 shows further breakdown of age categories.





Figure 4: Population by Age: Hospital and State Comparisons

County and state values- Claritas Pop-Facts® (2022 population estimates)

Sex

Figure 5 shows the population of the Lutheran Hospital Community by sex. Males comprise 48.3% of the population in the Lutheran Hospital Community, which is less than both the Ohio (49.0%) and U.S. (49.2%) values. Whereas females comprise 51.7% of the population in the Lutheran Hospital Community which is slightly greater than Ohio (51.0%) and the U.S. (50.8%) values.




American Community Survey five-year (2015-2019) estimates

Race and Ethnicity

Race and ethnicity contribute to the opportunities individuals and communities have to be healthy. The racial and ethnic composition of a population is also important in planning for future community needs, particularly for schools, businesses, community centers, healthcare, and childcare.

The racial makeup of Lutheran Hospital area shows 66.1% of the population identifying as White, as indicated in Figure 6. The proportion of Black/African American community members is the second largest of all races in the Lutheran Hospital Community at 24.9%.



County values- Claritas Pop-Facts® (2022 population estimates)

Those community members identifying as White represent a smaller proportion of the population in the Lutheran Hospital Community (66.1%) when compared to Ohio (79.7%) and the U.S. (72.5%), while Black/African American community members represent a higher proportion of population in the Lutheran Hospital Community (24.9%) when compared to Ohio (13.0%) and the U.S. (12.7%). Medina County has the lowest percentage of community members identifying as Black/African American (1.5%) compared to the other counties included in the Lutheran Hospital Community Definition (Figure 7).




Figure 7: Population by Race: Hospital, County, State, and U.S. Comparisons

County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates As shown in Figure 8, 8.1% of the population in the Lutheran Hospital Community identify as Hispanic/Latino. This is a larger proportion of the population when compared to Ohio (4.4%) but smaller when compared to the U.S. (18.0%). Lorain County has the largest percentage of community members who identify as Hispanic/Latino (11.2%).




Figure 8: Population by Ethnicity: Hospital, County, State, and U.S. Comparisons

ounty and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

Language and Immigration

Understanding countries of origin and language spoken at home can help inform the cultural and linguistic context for the health and public health system. Primary language spoken in the home can also be a proxy for acculturation into the community.

In the Lutheran Hospital Community, 87.7% of the population age five and older speak only English at home. This is lower than the state value of 92.7%, but higher than the national value of 78.4% (Figure 9). Language data indicates that 5.1% of the population in the Lutheran Hospital Community primarily speak Spanish at home; 1.5% speak an Asian/Pacific Islander language; 4.1% speak an Indo-European Language; and 1.7% speak Other Languages at home.

There has been a steady increase of the Hispanic/Latino population in all three counties within the Lutheran Hospital service area over the last decade. When comparing results from the 2010 U.S. Census to the 2020 U.S. Census, a significant increase of Hispanic/Latino residents is shown for all three counties. Medina County had the largest increase among Hispanic/Latino residents at 67.2%, followed by Cuyahoga County at 36.0%. Lorain County comes in third, with a 30.2% increase in Hispanic/Latino residents over the same 10 year time period¹¹.

¹¹ United States Census Bureau:

https://data.census.gov/cedsci/table?q=hispanic%20population%20change&tid=DECENNIALPL2020.P2




Figure 9: Population 5+ by Language Spoken at Home: Hospital, State, and U.S. Comparisons

■ Lutheran Hospital Community ■ Ohio ■ U.S. Value County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

Highlighted Demographics: Social & Economic Determinants of Health

This section explores the economic, environmental, and social determinants of health impacting the Lutheran Hospital Community. The social determinants of health are the non-medical factors that influence health outcomes. They are the conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life. These forces and systems include economic policies and systems, development agendas, social norms, social policies, and political systems¹². The Social Determinants of Health (SDOH) can be grouped into five domains. Figure 10 shows the Healthy People 2030 Social Determinants of Health domains¹³.



Figure 10: Healthy People 2030 Social Determinants of Health Domains

Geography and Data Sources

Data in this section are presented at various geographic levels (zip code and/or county) depending on data availability. When available, comparisons to county, state, and/or national values are provided. It should be noted that county level data can sometimes mask what could be going on at the zip code level in many communities. While indicators may be strong when examined at a higher level, zip code level analysis can reveal disparities.

¹² World Health Organization. Social Determinants of Health. <u>https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1</u>


¹³ Healthy People 2030, 2022. Social Determinants of Health Domains. <u>https://health.gov/healthypeople/priority-areas/social-determinants-health</u>

All demographic estimates are sourced from Claritas Pop-Facts® (2022 population estimates) and American Community Survey one-year (2019) or five-year (2015-2019) estimates unless otherwise indicated.

Income

Income has been shown to be strongly associated with morbidity and mortality, influencing health through various clinical, behavioral, social and environmental factors. Those with greater wealth are more likely to have higher life expectancy and reduced risk of a range of health conditions including heart disease, diabetes, obesity, and stroke. Poor health can also contribute to reduced income by limiting one's ability to work.¹⁴

Figure 11 provides a breakdown of households by income in the Lutheran Hospital Community Definition. A household income of \$50,000 - \$74,999 is shared by the largest proportion of households in the Lutheran Hospital Community (17.0%). Households with an income of less than \$15,000 make up 13.6% of households in the Lutheran Hospital Community.




County values- Claritas Pop-Facts® (2022 population estimates)

The median household income for the Lutheran Hospital Community is \$58,147, which is less than the state value of \$65,070 and national value of \$62,843 (Figure 12).

¹⁴ Robert Wood Johnson Foundation. Health, Income, and Poverty.

https://www.rwjf.org/en/library/research/2018/10/health--income-and-poverty-where-we-are-and-what-could-help.html



County and State values. Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

Figure 13 shows the median household income by race and ethnicity. Three racial/ethnic groups – White, Asian, and Non-Hispanic/Latino– have median household incomes above the overall median value. All other races have incomes below the overall value, with the Black/African American population having the lowest median household income at \$32,047.





Figure 13: Median Household Income by Race/Ethnicity: The Lutheran Hospital Community

County values- Claritas Pop-Facts® (2022 population estimates)

Poverty

Federal poverty thresholds are set every year by the Census Bureau and vary by size of family and ages of family members. People living in poverty are less likely to have access to healthcare, healthy food, stable housing, and opportunities for physical activity. These disparities mean people living in poverty are more likely to experience poorer health outcomes and premature death from preventable diseases.¹⁵

Figure 14 shows the percentage of families living below the poverty level by zip code. The darker blue colors represent a higher percentage of families living below the poverty level, with zip codes 44115 (Cleveland) and 44104 (Cleveland) having the highest percentages at 66.4% and 52.5%, respectively. Overall, 13.1% of families in the Lutheran Hospital Community live below the poverty level, which is higher than both the state value of 9.6% and the national value of 9.5%. The percentage of families living below poverty for each zip code in the Lutheran Hospital Community is provided in Appendix C.





County values- Claritas Pop-Facts® (2022 population estimates)

¹⁵ U.S. Department of Health and Human Services, Healthy People 2030.

https://health.gov/healthypeople/objectives-and-data/browse-objectives/economic-stability/reduce-proportion-people-living-poverty-sdoh-01

Employment

A community's employment rate is a key indicator of the local economy. An individual's type and level of employment impacts access to healthcare, work environment, health behaviors, and health outcomes. Stable employment can help provide benefits and conditions for maintaining good health. In contrast, poor or unstable work and working conditions are linked to poor physical and mental health outcomes.¹⁶

Unemployment and underemployment can limit access to health insurance coverage and preventive care services. Underemployment is described as involuntary part-time employment, poverty-wage employment, and insecure employment.^{Error! Bookmark not defined.}

Type of employment and working conditions can also have significant impacts on health. Work-related stress, injury, and exposure to harmful chemicals are examples of ways employment can lead to poorer health.^{Error! Bookmark not defined.}

Figure 15 shows the population aged 16 and over who are unemployed. The unemployment value for the Lutheran Hospital Community is 6.7%, which is higher than the state value of 4.7% and the national value of 5.3%.




Figure 15: Population 16+ Unemployed: Hospital, County, State, and U.S. Comparisons

County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

Education

Education is an important indicator of health and wellbeing. Education can lead to improved health by increasing health knowledge, providing better job opportunities and higher income, and improving social and psychological factors linked to health. People

¹⁶ U.S. Department of Health and Human Services, Healthy People 2030. <u>https://health.gov/healthypeople/objectives-and-data/social-determinants-health/literature-summaries/employment</u> with higher levels of education are likely to live longer, experience better health outcomes, and practice health-promoting behaviors.¹⁷

Figure 16 shows the percentage of the population 25 years or older by educational attainment.




Figure 16: Population 25+ by Education Attainment: The Lutheran Hospital Community

Another indicator related to education is on-time high school graduation. A high school diploma is a requirement for many employment opportunities and for higher education. Not graduating high school is linked to a variety of negative health impacts, including limited employment prospects, low wages, and poverty.¹⁸

Figure 17 shows that the Lutheran Hospital Community has a lower percentage of residents with a high school degree or higher (89.2%) when compared to the state of Ohio value (90.7%) but higher when compared to the U.S. value (88.0%). However, the Lutheran Hospital Community has a similar percentage of residents with a bachelor's degree or higher (29.2%) when compared to the state of Ohio value (29.0%) and has lesser percentage when compared to the U.S. value (32.1%) respectively.




Figure 17: Population 25+ by Education Attainment: Hospital, County, State, and U.S. Comparisons

County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

¹⁷ Robert Wood Johnson Foundation, Education and Health.

https://www.rwjf.org/en/library/research/2011/05/education-matters-for-health.html


¹⁸ U.S. Department of Health and Human Services, Healthy People 2030.

https://health.gov/healthypeople/objectives-and-data/social-determinants-health/literature-summaries/high-school-graduation

Housing

Safe, stable, and affordable housing provides a critical foundation for health and wellbeing. Exposure to health hazards and toxins in the home can cause significant damage to an individual or family's health.¹⁹

Figure 18 shows the percentage of houses with severe housing problems. This indicator measures the percentage of households with at least one of the following problems: overcrowding, high housing costs, lack of kitchen, or lack of plumbing facilities. Cuyahoga County has the highest percentage of houses with severe housing problems.



When families must spend a large portion of their income on housing, they may not have enough money to pay for things like healthy foods or healthcare. This is linked to increased stress, mental health problems, and an increased risk of disease.²⁰

Figure 19 shows the percentage of renters who are spending 30% or more of their household income on rent.

²⁰ U.S. Department of Health and Human Services, Healthy People 2030.

https://health.gov/healthypeople/objectives-and-data/browse-objectives/housing-and-homes/reduceproportion-families-spend-more-30-percent-income-housing-sdoh-04

¹⁹ County Health Rankings, Housing and Transit. <u>https://www.countyhealthrankings.org/explore-health-rankings/measures-data-sources/county-health-rankings-model/health-factors/physical-environment/housing-and-transit</u>




Figure 19: Renters Spending 30% Or More Of Household Income on Rent

County values- American Community Survey five-year (2015-2019) estimates

Neighborhood and Built Environment

Internet access is essential for basic healthcare access, including making appointments with providers, getting test results, and accessing medical records. Access to the internet is also increasingly essential for obtaining home-based telemedicine services.²¹ Internet access may also help individuals seek employment opportunities, conduct remote work, and participate in online educational activities.²¹

²¹ U.S. Department of Health and Human Services, Healthy People 2030. <u>https://health.gov/healthypeople/objectives-and-data/browse-objectives/neighborhood-and-built-environment/increase-proportion-adults-broadband-internet-hchit-05</u>

Figure 20 shows the percentage of households that have an internet subscription. 44103 (Cleveland) has the least percentage of households with internet connection, represented by darkest shade of blue on the map.




Figure 20: Households with an Internet Subscription

County values- American Community Survey five-year (2015-2019) estimates

Highlighted Demographics: Disparities and Health Equity

Identifying disparities by population groups and geography helps to inform and focus priorities and strategies. Understanding disparities also helps us better understand root causes that impact health in a community and inform action towards Health Equity.

Health Equity

Health Equity focuses on the fair distribution of health determinants, outcomes, and resources across communities.²² National trends have shown that systemic racism, poverty, and gender discrimination have led to poorer health outcomes for groups such as Black/African American, Hispanic/Latino, Indigenous communities with incomes below the federal poverty level, and LGBTQ+ communities.²³

Race, Ethnicity, Age & Gender Disparities

Primary and secondary data revealed significant community health disparities by race, ethnicity, gender, and age. It is important to note that the data is presented to show differences and distinctions by population groups. And a data variation within each population group may be as great as that between different groups. For instance, Asian or Asian and Pacific Islander persons encompasses individuals from over 40 different countries with very different languages, cultures, and histories in the U.S. Information and themes captured through key informant interviews and community engagement session discussions have been shared to provide a more comprehensive and nuanced understanding of each community's experiences.

Secondary Data

Community health disparities were assessed in the secondary data using the Index of Disparity²⁴ analysis, which identifies disparities based on how far each subgroup (by race, ethnicity, or gender) is from the overall county value. For more detailed methodology related to the Index of Disparity, see Appendix A.

Table 1 below identifies secondary data indicators with a statistically significant race or ethnic disparity for the Lutheran Hospital Community, based on the Index of Disparity.

²² Klein R, Huang D. Defining and measuring disparities, inequities, and inequalities in the Healthy People initiative. National Center for Health Statistics. Center for Disease Control and Prevention. <u>https://www.cdc.gov/nchs/ppt/nchs2010/41 klein.pdf</u>

²³ Baciu A, Negussie Y, Geller A, et al (2017). Communities in Action: Pathways to Health Equity. Washington (DC): National Academies Press (US); The State of Health Disparities in the United States. Available from: https://www.ncbi.nlm.nih.gov/books/NBK425844/

²⁴ Pearcy, J. & Keppel, K. (2002). A Summary Measure of Health Disparity. Public Health Reports, 117, 273-280.

Table 1: Indictors with Significant Race or Ethnic Disparities

| Health Indicator | Group(s) Negatively Impacted |
|--|--|
| Children Living Below Poverty Level | Black/African American, Hispanic/Latino, Other Race, Two or More Races |
| Families Living Below Poverty Level | American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other Race, Two or More Races |
| People 65+ Living Below Poverty Level | American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other Race |
| People Living Below Poverty Level | American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other Race, Two or More Races |
| Young Children Living Below Poverty Level | Black/African American, Hispanic/Latino, Native Hawaiian/Pacific Islander, Other Race, Two or More Races |
| HIV/AIDS Prevalence Rate | Black/African American, Hispanic/Latino |
| Babies with Very Low Birth Weight | Black/African American, Hispanic/Latino |
| Workers Commuting by Public Transportation | American Indian/Alaska Native, White (Non- Hispanic) |
| Persons without Health Insurance | Hispanic/Latino, Other Race |
| Age-Adjusted Death Rate due to Diabetes | Black/African American |
| Age-Adjusted Death Rate due to Kidney Disease | Black/African American |

The Index of Disparity analysis for Cuyahoga, Medina, and Lorain counties reveals that the Black/African American, Hispanic/Latino, American Indian/Alaskan Native, and Other Race group populations are disproportionately impacted by various measures of poverty, which is often associated with poorer health outcomes. These indicators include Families Living Below Poverty Level, Children Living Below Poverty Level, People 65+ Living Below Poverty Level, Young Children Living Below Poverty Level, and People Living Below Poverty Level. Furthermore, Black/African American, and Hispanic/Latino populations are disproportionately impacted in HIV/AIDS Prevalence Rate and Babies with Very Low Birth Weight. Additionally, Black/African American populations experience a heavier burden related to chronic diseases, such as diabetes and kidney disease. Hispanic/Latino and Other Race groups also have the highest rates of Persons without Health Insurance, compared to other races/ethnicities in the region.

Finally, White (Non-Hispanic) and American Indian/Alaska Native populations are disproportionately impacted across measures of public transportation (Table 1).

Geographic Disparities

In addition to disparities by race, ethnicity, gender, and age, this assessment also identified specific zip codes/municipalities with differences in outcomes related to health and social determinants of health. Geographic disparities were identified using the Health Equity Index, Food Insecurity Index and Mental Health Index. These indices have been developed by Conduent Healthy Communities Institute to easily identify areas of high socioeconomic need, food insecurity and poor mental health. For all indices, counties, zip codes, and census tracts with a population over 300 are assigned index values ranging from 0 to 100, with higher values indicating greater need. Understanding where there are communities with higher need is critical to targeting prevention and outreach activities.

Health Equity Index

Conduent's Health Equity Index (HEI) estimates areas of high socioeconomic need, which are correlated with poor health outcomes. Zip codes are ranked based on their index value to identify relative levels of need, as illustrated by the map in Figure 21. The following zip codes in the Lutheran Hospital Community had the highest level of socioeconomic need (as indicated by the darkest shades of blue): 44102, 44109, 44105, 44104, 44115, 44114, 44103, 44108, 44127, and 44110 in Cuyahoga County. Appendix A provides the index values for each zip code.




Figure 21: Health Equity Index

Food Insecurity Index

Conduent's Food Insecurity Index (FII) estimates areas of low food accessibility correlated with social and economic hardship. Zip codes are ranked based on their index value to identify relative levels of need, as illustrated by the map in Figure 22. The following zip codes had the highest level of food insecurity (as indicated by the darkest shades of green): 44102, 44109, 44105, 44128, 44127, 44104, 44115, 44103, 44108, and 44110. These high needs zip codes are all within Cuyahoga County. Appendix A provides the index values for each zip code.




Figure 22: Food Insecurity Index

Mental Health Index

Conduent's Mental Health Index (MHI) is a measure of socioeconomic and health factors correlated with self-reported poor mental health. Zip codes were ranked based on their index value to identify the relative levels of need, as illustrated by the map in Figure 23. The following zip codes are estimated to have the highest need (as indicated by the darkest shades of purple): 44135, 44102, 44109, 44105, 44127, 44115, 44103, 44108, 44110, 44106, 44104, 44120, and 44128 in Cuyahoga County. Appendix A provides the index values for all zip codes within the Lutheran Hospital Community.




Figure 23: Mental Health Index

Highlighted Demographics: COVID-19 Impacts Snapshot

On March 13, 2020, a U.S. national emergency was declared over the novel coronavirus outbreak first reported in the Wuhan Province of China in December 2019. Officially named COVID-19 by the World Health Organization (WHO) in February, WHO declared COVID-19 a pandemic on March 11, 2020. Later that month, stay-at-home orders were placed by the Ohio Governor and unemployment rates soared as companies were impacted and mass layoffs began.

At the time that the Lutheran Hospital Community began its collaborative CHNA process, the community and the state of Ohio were in a period of the pandemic that was hoped to be in its final phases. Primary data was collected virtually to ensure the health and safety of those participating.


COVID-19 Pandemic

Community Input

Key stakeholder interviews and the Lutheran Hospital Community Engagement Session served to assess the impact of the COVID-19 pandemic by asking respondents to describe how the pandemic has impacted community health outputs. Top responses focused on mental health challenges that spanned all age groups. Older adult health suffered both because of isolation borne of the fear of exposure to the COVID-19 virus, followed by sense of well-being, security, or hope, and social support/connection.

The COVID-19 Daily Average Case Incidence Rate by County

Figure 24 shows the daily average COVID-19 case incidence rate for Cuyahoga, Lorain, and Medina counties from January 2022 through early July 2022. As shown, the incidence rate has declined since the beginning of 2022, although some small spikes in incidence rates have occurred.




Vaccination Rates

As of June 2022, at least 60% of the population residing in counties within the Lutheran Hospital Community Definition are fully vaccinated against COVID-19. Cuyahoga County has the highest vaccination rates (65.5%), followed by Medina County (64.6%) and Lorain County (64.5%).

Unemployment Rates

Unemployment rates rose between March and April 2020 for Cuyahoga, Lorain and Medina counties when stay-at-home orders were first announced. Illustrated in Figure 25 below, as counties began slowly reopening some businesses in late-2020, the unemployment rate gradually began to go down. As of late 2021, unemployment rates have stabilized but still exceed pre-pandemic rates. When unemployment rates rise, there is a potential impact on health insurance coverage and healthcare access if jobs lost include employer-sponsored healthcare.





Synthesis and Prioritization

All forms of data may present strengths and limitations. Each data source used in this CHNA process was evaluated based on strengths and limitations which should be kept in mind when reviewing this report. Each health topic presented a varying scope and depth of quantitative data indicators and qualitative findings. For both quantitative and qualitative data, immense efforts were made to include as wide a range of secondary data indicators, community engagement session participants, and key stakeholders as possible. A full list of contributors can be found in the Primary Data Collection and Analysis description in <u>Appendix A</u>.

To gain a comprehensive understanding of the significant health needs for the Lutheran Hospital Community, the findings from all three data sets were compared and studied simultaneously. The secondary data scores, community engagement session themes, and key stakeholder responses were considered equally important in understanding the health issues of the community. The top health needs identified from each of these data sources were analyzed for areas of overlap. Eight health issues were identified as significant health needs across all three data sources and were used for further prioritization. To ensure alignment with state and local health department objectives, a working group analyzed these significant health needs alongside the <u>Ohio State Health Improvement Plan (SHIP)</u> as well as the <u>Cuyahoga</u>, <u>Lorain</u> and <u>Medina</u> County Community Health Improvement Plans (CHIP) most recent findings. The prioritization process distilled the significant needs into five categories.

The five prioritized health needs are summarized in Figure 26. Each prioritized health topic includes the key findings from secondary data, the community engagement session discussions and key stakeholder interviews.




Figure 26: 2022 Prioritized Health Needs

Prioritized Health Topic #1: Access to Healthcare

Access to Healthcare_

Key Themes from Community Input



- Access or access-related topics (resources, transportation and access) were top 3 barriers to improving health
- Difficulties navigating health care system due to lack of broadband access/computer knowledge, no prior experience as a healthcare consumer/history of accessing the system
- Lack of investment in local primary care and preventive care
- Racial, economical, geographical, educational, environmental inequities all affect access to care, disproportionately impacting communities of color
- Gentrification/Built Environment reduces accessibility to services



- Warning Indicators
- Consumer Expenditures: Health Insurance
- Consumer Expenditures: Medical Services
- Consumer Expenditures: Medical Supplies
- Consumer Expenditures: Prescription and Non-Prescription Drugs

Primary Data: Key Stakeholder Interviews and Community Engagement Session

Access to Healthcare was described as a top health need by the Lutheran Hospital Community Advisory Council members participating in the Community Engagement Session. Community members inability to navigate the health system successfully and sustainably was top of mind. Additionally, participants noted the limited availability of ethnically and culturally knowledgeable and sensitive service providers. General health literacy, language barriers in clinical settings, transportation challenges and lack of patient trust in the healthcare system among some community groups were described as top barriers to improving health and access to healthcare.

.....

Certainly the people who are living with Long COVID have very direct



health care issues that they're dealing with. The pandemic has definitely led to significant delays in care early on, so a lot of that

りり

preventative stuff got pushed off and I don't think we've caught up

with all that.

- Key Stakeholder

Key stakeholders noted a lack of investment in prevention practices including accessibility of primary services at a local level. Racial, economic, geographic, educational and

environmental inequities all impact access to care and disproportionately affect communities of color.

Secondary Data

From the secondary data scoring results, Health Care Access & Quality ranked as the tenth highest scoring health need, with a score of 1.44. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

The average dollar amount per consumer unit for health insurance in Medina County is \$5,410.8, which is higher than the average dollar amount spent on health insurance in the state of Ohio, where that amount is \$4,371.7 dollars per consumer unit. A consumer unit is defined as a household or any person living in a college dormitory. For this indicator, Medina and Lorain counties fell in the worst 25% of all counties in the nation. Additionally, in Cuyahoga County, 89.8% of adults have health insurance, compared to 90.6% in the United States. Medical costs in the United States are high, therefore, people without health insurance may not be able to afford medical treatment or prescription drugs. They are also less likely to get routine checkups and screenings, so if they do become ill, they will not seek treatment until the condition is more advanced and therefore more difficult and costly to treat. ²⁵Many small businesses are unable to offer health insurance to employees due to rising health insurance premiums.²⁶

The rising costs of medical care and lack of insurance affects all races and ethnicities. However, in Cuyahoga County, people identifying as Hispanic/Latino and Some Other Race are disproportionately affected (see red in Figure 27 below).





Figure 27. Persons without Health Insurance by Race/Ethnicity in Cuyahoga County

Source: American Community Survey, 2019

²⁵ Kaiser Family Foundation, 2020 and 2015

²⁶ The Commonwealth Fund, 2019

Consumer Expenditures: Medical Services ranked poorly among all three counties. This indicator measures the average dollar amount spent on medical services per consumer unit. This includes expenditures on eye care, dental care, physician care, non-physician care (e.g. chiropractors, naturopaths, psychologists, midwives), lab and blood tests, x-rays, hospital rooms and related services, nursing homes/convalescent care, and other medical services. Figure 28 shows Consumer Expenditures: Medical Services for Cuyahoga, Lorain and Medina counties in 2021. In 2021, Medina County residents spent the most on medical services at \$1,419.1 per consumer unit.





Claritas Consumer Buying Power, 2021

Prioritized Health Topic #2: Behavioral Health

Behavioral Health: Mental Health ____

Key Themes from Community Input



- Closely linked with substance use as self-medication
- Lack of meaningful investment in true community health programming
- Lack of providers to meet the increasing mental health/behavioral health needs
- Loss of green spaces in metro areas contributes to reduction in overall physical and mental health
- Need to expand provider network as the justice system works to divert folks with low-level violations to treatment and mental health care
- Reported as increasing in both teachers and schoolaged children as a result of COVID-19 isolation
- Second leading cause of death in kids 10-14 is suicide



Warning Indicators

- Age-Adjusted Death Rate due to Suicide
- Alzheimer's Disease or Dementia: Medicare Population
- Depression: Medicare Population
- Poor Mental Health: 14+ Days
- Poor Mental Health: Average Number of Days

Primary Data: Key Stakeholder Interviews and Community Engagement Sessions (Mental Health)

Members of the Lutheran Hospital Community Advisory Council, representing a range of organizations within the community attended the Community Engagement Session and described mental health as a top health problem in the community. Mental health concerns related to youth and older adults were top of mind for community members. Low availability of mental healthcare services to support growing community needs was an important barrier to addressing the challenge. The group noted that youth identifying as LGBTQIA+ require affirming care that many providers are not yet able to support and defined youth and mental health patients among the most underserved populations in the community.

There's a pretty well documented shortage of behavioral health services and providers. Before the pandemic, we didn't have enough mental health providers. Post-pandemic or in the midst of the pandemic, because of the effect of isolation and trauma and all sorts of other things that got unearthed, that has really increased the demand for those services and it's been difficult for the whole system to keep up with that demand. - Key Stakeholder

Key stakeholders also focused on the lack of mental health providers exacerbating the challenges of meeting the increased demand for mental health needs. They corroborated the Community Advisory Council's description of the mental health needs in adolescents, citing state statistics showing that suicide is the second leading cause of death in children ages 10-14 years. Stakeholders recommended an increase in meaningful investment in community health programming.

Secondary Data: Mental Health

From the secondary data scoring results, Mental Health & Mental Disorders had the 14th highest data score of all topic areas, with a score of 1.40. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

The Age-Adjusted Death Rate due to Suicide is a top area of concern related to Mental Health & Mental Disorders in Lorain County. Lorain County has a rate of 17.5 deaths per 100,000 population and the trend over the last four years is increasing significantly. Depression within the Medicare population in Lorain County also ranked poorly. While not significantly, this indicator is also increasing in Lorain County.

Age-Adjusted Death Rate due to Suicide is also an area of concern in Medina County with a data value of 15.7 deaths due to suicide per 100,000 population. Depression in the Medicare Population is also of concern with 19% of Medicare beneficiaries in Medina County treated for depression. Both indicators are increasing significantly.

Substance Use

Behavioral Health: Substance Use ____

Key Themes from Community Input




- Addiction as "self-medication" an outcome of mental health challenges
- Lack of providers/treatment sites to meet the needs of those with substance use disorder
- Overall increases in alcohol intake and drug use (opiates) during COVID-19
- Substance abuse treatment was one of the places hit hardest during COVID due to difficulties moving to a virtual visit system (so much of the recovery from substance use disorder is about relationships and being connected)





Warning Indicators



- Adults who Drink Excessively
- Age-Adjusted Drug and Opioid-Involved Overdose Death Rate
- Alcohol-Impaired Driving Deaths
- Consumer Expenditures: Alcoholic Beverages
- Death Rate due to Drug Poisoning

Primary Data: Key Stakeholder Interviews and Community Engagement Sessions (Substance Use)

Members of the Lutheran Hospital Community Advisory Council attending the Community Engagement Session described behavioral health and addiction as important health problems in the community. The strong association between trauma, poor mental health and addiction as a means of coping with stress was noted. Addictive behaviors in youth, particularly those identifying as LGBTQIA+ were discussed in detail.

.....



All that deferred care across medical, public health and social service needs is coming back along with this added challenge of the opioid overdoses and fatalities. It's been a huge challenge and in the context of the mental health challenges that have precipitated from COVID are affecting wider society, but are even more exacerbated in existing populations that already face challenges to a greater degree than the rest of the population. Communities of color and red lined neighborhoods.

- Key Stakeholder

Key stakeholders noted an overall increase in alcohol intake and opioid use during the COVID-19 pandemic. They asserted that there was a lack of space in treatment sites and low access to outpatient provider services to meet the needs of those suffering from

substance use disorder further exacerbating a worsening issue. They asserted that lack of access to outpatient providers and treatment sites further exacerbated the issue of needs not being met for those suffering from substance use disorder.

I think substance abuse treatment is one of the places hit the hardest during COVID and really had a difficult time moving to a virtual kind of visit system, because so much of the recovery from substance use disorder is about relationships and being connected.

- Key Stakeholder

Secondary Data

Substance Use is a health topic that is analyzed from two secondary data health topics— Alcohol and Drug Use and Tobacco Use. From the secondary data scoring results, Alcohol & Drug Use had the fourth highest data score of all topic areas, with a score of 1.63. Tobacco Use had the 17th highest with a score of 1.17. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Cuyahoga County fared worse than all other counties for the indicator Death Rate due to Drug Poisoning. In 2017-2019, there were 42.6 deaths due to drug poisoning per 100,000 people, which is higher than both the state and national values, and in the worst quartile (25%) of counties in the U.S. Additionally, this indicator scored poorly in Lorain County where there were 38.4 deaths due to drug poisoning per 100,000 people in 2017-2019. Even more concerning, the rate of deaths due to drug poisoning is increasing significantly in both counties.

Alcohol-Impaired Driving Deaths was the worst performing indicator in both Lorain and Medina counties. Both counties scored in the worst 25% of Ohio counties and counties across the nation. Fortunately, the value is decreasing over time for both counties.


From the secondary data results, the only indicator scoring above a 1.5 for all three counties is Consumer Expenditures: Tobacco and Legal Marijuana which measures the average dollar amount spent on tobacco products and legal marijuana per consumer unit. This includes cigarettes, cigars, pipe tobacco, and other tobacco products. This indicator excludes accessories for smoking (e.g. pipes, lighters).²⁷

²⁷ Claritas Consumer Buying Power

Prioritized Health Topic #3: Chronic Disease Prevention and Management

Chronic Disease Prevention and Management is a health topic comprised of four secondary data topics – Nutrition and Healthy Eating, Chronic Diseases, Older Adult Health and Cancer. An overview snapshot of each of these subtopics is provided below.

NUTRITION & HEALTHY EATING



- Effects of redlining are still seen—these are the neighborhoods that do not always have grocery stores in a close mile radius
- Heart disease, diabetes, obesity, cancer—all inherently tied to healthy food accessibility, built environment/walkability, safety, access to care
- People 65+ with Low Access to a Grocery Store

Primary Data: Key Stakeholder Interviews and Community Engagement Session

Participants in the Lutheran Hospital Community Engagement Session described correlations between poverty and food insecurity. Low-income neighborhoods and persons were cited as being among the most underserved populations in the community.

Key stakeholders revealed that access to healthy foods was often limited by a lack of either public or private transportation. There are only a few grocery stores in the community and few community members can access those by walking. Conditions such as hypertension, asthma, diabetes, chronic obstructive pulmonary disease (COPD) and coronary heart disease are all related to the quality of food community members have access to²⁸.


²⁸ Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion. https://www.cdc.gov/chronicdisease/resources/publications/factsheets/nutrition.htm

To this day, the effects of redlining are still seen—these are the neighborhoods that do not always have grocery stores in a close mile radius. These are the neighborhoods where you're going to see lots of dollar stores around, where people are being forced to get their fruits and veggies because there hasn't been a historical investment

in them.

- Key Stakeholder

CHRONIC DISEASES



to healthy food accessibility, built environment/walkability,

 Supporting the development of community health workers around diabetes prevention programs through grassroots

safety, access to care

approaches

· Stroke: Medicare Population

Lutheran Hospital Community Advisory Council members did not focus discussions on chronic disease prevention or management. Key stakeholders, however, said that heart disease, diabetes, obesity and cancer were all inherently tied to healthy food accessibility, built environment and access to healthcare. The built environment includes walkability to grocery stores and other services. Similarly, residents require a safe neighborhood with access to greenspace or other areas designated for physical exercise. Some recommended supporting the development of community health workers around diabetes prevention programs through grassroots approaches. A lot of our population that we work with are lower income older adults, a large percentage are people of color. There are higher incidences of some chronic health conditions that go along with poverty. So, a lot of multiple comorbidities, multiple chronic health conditions—the effect of a lifetime of being poor.

- Key Stakeholder

OLDER ADULT HEALTH

Older Adult Health

Key Themes from Community Input



- · Aging at home brings increased care requirements and isolation
- Affordable assisted living facilities in familiar neighborhoods are scarce
- Difficulties navigating health care system due to lack of broadband access/computer knowledge
- Lower income older adults disproportionately affected by chronic conditions, access to healthy food, poor housing conditions
- Older adults ranked #2 most underserved population (tied with children and refugees)



Warning Indicators

- · Adults with Arthritis
- Age-Adjusted Death Rate due to Falls
- · Atrial Fibrillation: Medicare Population
- Cancer: Medicare Population
- Chronic Kidney Disease: Medicare Population
- Hyperlipidemia: Medicare Population
- Hypertension: Medicare Population
- Osteoporosis: Medicare Population
- People 65+ Living Alone
- People 65+ with Low Access to a Grocery Store
- Rheumatoid Arthritis or Osteoarthritis: Medicare
 Population
- · Stroke: Medicare Population

Lutheran Hospital Community Engagement Session participants described older adults as an underserved population in the community. Aging in a physically and mentally healthy way was identified by some participants as an important health problem in the community. Furthermore, as with other hospital Community Advisory Councils, equity, safety, access to healthcare and affordable housing were noted as being issues with particular impact on the older adult population, also noting that COVID-19 has exacerbated each of these issues.

Key stakeholders focused on lower income older adults being disproportionately affected by chronic conditions, access to healthy food and poor housing conditions—supporting the conclusions drawn and assertions made during the Lutheran Hospital Community Engagement Session. Furthermore, difficulties navigating telehealth services as well as arranging in-person visits are attributed to lack of broadband access or lack of comfort with technologies required to access services like smart phones, computers and tablet devices in the older adult population.

.....



I think one of the challenges on the healthcare side of the equation is that it is not about the quality of the care that's available, it is about a population that for many people has had no experience being a healthcare consumer. And so at least one of the challenges for folks is they have no history of accessing the system. If they get a prescription written, do they know how to get it filled? Do they know how to navigate the system to get to the pharmacy again? - Key Stakeholder

Secondary Data

Nutrition & Healthy Eating had the eighth highest data score of all topic areas with a score of 1.51. Cancer had the sixth highest at 1.54. The Older Adult Health topic area had the fifth highest score at 1.59 and the related Other Conditions health topic ranked second with a score of 1.84. All topic areas in this group demonstrate need per as they each scored above 1.5. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

The Age-Adjusted Death Rate due to Prostate Cancer is the worst performing indicator in Cuyahoga County with a score of 2.72. Not surprisingly, the county also has a high incidence rate of prostate cancer, with Cuyahoga County performing in the worst 25% of counties in the state and nation. Similarly, the Prostate Cancer Incidence Rate is the worst-performing indicator in Medina County with a data score of 2.64. There are 135.8 cases per 100,000 males in 2014-2018.

In Lorain County, the Age-Adjusted Death Rate due to Falls and Rheumatoid Arthritis or Osteoarthritis: Medicare Population are the worst performing indicators, both scoring a 2.75 out of a possible 3.00.

Disparities also exist within the Lutheran Hospital Community Definition and Chronic Diseases. Black/African American residents of both Cuyahoga and Lorain County experience worse rates of Age-Adjusted Death Rate due to Kidney Disease than their White peers (see red in figures below). Figure 29 shows Black/African Americans in Cuyahoga County have a death rate due to Kidney Disease of 26.2 deaths per 100,000 population compared to the overall rate of 15.2. Similarly, Figure 30 shows Black/African Americans in Lorain County have a Kidney Disease death rate of 42.5 deaths per 100,000 compared to the overall value of 15.6.





Figure 29. Age-Adjusted Death Rate due to Kidney Disease by Race/Ethnicity in Cuyahoga County

Source: Centers for Disease Control and Prevention,...

Figure 30. Age-Adjusted Death Rate due to Kidney Disease by Race/Ethnicity in Lorain County



Source: Centers for Disease Control and Prevention,...

Prioritized Health Topic #4: Maternal and Child Health

Maternal & Child Health

Key Themes from Community Input



- Top issues: lead poisoning, mental/behavioral health, infant mortality, food insecurity, delays in preventative care, learning loss
- All issues are disproportionately impacting poor children
- Many AAPI (Asian American and Pacific Islander) families made the decision that their kids were safer at home, not necessarily from COVID-19, but from physical, anti-Asian hostilities. So, they kept their kids at home and that's devastating because engagement in learning is extremely difficult in that remote setting
- The mental health of children of minorities is a huge problem in the neighborhoods on the West Side





Warning Indicators

• Babies with Low Birth Weight

- Babies with Very Low Birth Weight
- Consumer Expenditures: Childcare

Primary Data: Key Stakeholder Interviews and Community Engagement Session

Maternal and Child Health has dominated community discussions for multiple assessment cycles. High maternal and infant mortality rates across communities served by Cleveland Clinic hospitals have been of particular concern. Implementation strategies precipitated investments in community health focused on reducing maternal and infant mortality. During the Lutheran Hospital Community Engagement Session, participants also touched upon infant mortality associations with poverty as well as racial and ethnic disparities. They further described mental health challenges facing youth and the lack of support systems for families within the community.

In the infant mortality space, African American babies are almost 4



times more likely to die than White babies. So that is certainly a health disparity we are seeing.

- Key Stakeholder

Key stakeholder interviews acknowledged the persistence of high infant mortality rates as well as the continuance of lead poisoning as a contributor to poor children's health outcomes. During the COVID-19 pandemic, long periods time spent indoors increased exposures and worsened lead related incidents and outcomes. Children across the service area suffered some learning loss during the pandemic as classrooms went remote and parents were often unable to provide time away from work to attend to their child's

educational needs. Parents identifying as Asian American and Pacific Islander (AAPI) reportedly opted to continue with remote options even after in-person learning resumed for fear of anti-Asian sentiment being expressed to their children by classmates. Related to learning loss and pandemic associated isolation, mental and behavioral health, including substance abuse has challenged children at increasingly younger ages. Isolation also kept parents from seeking primary care services for their children, including immunizations and well visits. Stakeholders considered nutrition for low-income families a key concern with risks to childhood obesity and juvenile diabetes as early life precursors to chronic diseases top of mind. Finally, key stakeholders expressed disparities among low-income children that exacerbated nearly all health outcomes discussed.

Secondary Data

Among all health topics, Maternal, Fetal and Infant Health ranked 12th with a score of 1.43. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Consumer Expenditures: Childcare is the worst-performing indicator in both Medina and Lorain counties, where residents spend an average of \$403.80 and \$336.90 per consumer unit, respectively. A consumer unit is defined as a household or any person living in a college dormitory. This data captures childcare, day care, nursery school, preschool, and non-institutional day camps. ²⁹Childcare is a major household expense for families with young children. Access to affordable and high-quality childcare is essential for parents to be able to provide sufficient income for their family while ensuring all their children's social and educational needs are met. In regions where childcare costs are high, family budgets are strained, and parents may be forced to sacrifice the quality of childcare arrangements they select for their children. ³⁰

Babies with Low Birth Weight and Babies with Very Low Birth Weight are some of the worst-performing indicators in Cuyahoga County. When looking at Babies with Low and Very Low Birth Weights, Cuyahoga County ranks in the worst 25% of Ohio counties. Black/African American residents in Cuyahoga County see a higher rate of Babies with Very Low Birth Weight, as shown in Figure 31. Similarly, in Lorain County, Black/African American residents and Hispanic/Latino residents are affected more than other racial and ethnic groups as shown in Figure 32.

²⁹ Claritas Consumer Buying Power

³⁰ Center for American Progress, 2021





Figure 31. Babies with Very Low Birth Weight by Race/Ethnicity in Cuyahoga County

Source: Ohio Department of Health, Vital Statistics, 2020





Source: Ohio Department of Health, Vital Statistics, 2020

Prioritized Health Topic #5: Socioeconomic Issues

Prevention and Safety-

Key Themes from Community Input



- Food insecurity increased with unemployment during the pandemic
- Generational poverty, poor housing and lack of resources available to create healthy conditions for people to live, work, and play in
- Gun violence was a top community concern
- People without safe and affordable housing are an underserved population

Secondary -Data Score:

- Warning Indicators



- Adults with Current Asthma
- Age-Adjusted Death Rate due to Falls
- Age-Adjusted Death Rate due to Unintentional Injuries
- Age-Adjusted Death Rate due to Unintentional Poisonings
- Children with Low Access to a Grocery Store
- Death Rate due to Drug Poisoning
- Farmers Market Density
- Fast Food Restaurant Density
- Grocery Store Density
- People 65+ with Low Access to a Grocery Store
- SNAP Certified Stores
- WIC Certified Stores

Primary Data: Key Stakeholder Interviews and Community Engagement Session

During the Lutheran Hospital Community Engagement Session, violence and crime in the community were raised as one of the most important health problems for community members. Resident's inability to feel safe in their neighborhoods and engage in physical activity or access greenspaces was a notable consequence of crime. Participants reasoned that increases in violent behaviors may be associated with poor mental health, poverty, lack of livable wages, low home ownership rates, lack of affordable housing and addiction.

If you don't have money to live in a safe community and clean home, that is certainly going to have an impact on health in addition to any stress that you might feel as a result of your environment or your conditions. And that's before if your basic needs aren't getting met. Then, you have additional challenges in terms of maybe potential trauma that's gonna impact your health greatly.

Key Stakeholder

Key stakeholders couched discussions around specific health needs in the context of generational poverty, poor housing and historical red lining. Generally, there is a lack of

resources individually and as a community to create healthy conditions for people to live, work and play.

The biggest disparities that we are working on right now are infant



mortality, lead poisoning, community violence and behavioral health. There is inequity imbedded into our economic and educational system that so greatly impact health outcomes.



- Key Stakeholder

Secondary Data

Prevention & Safety ranked third among all health topics with a score of 1.74. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Age-Adjusted Death Rate due to Falls ranks poorly in Lorain County with an indicator score of 2.75 and 14.5 deaths per 100,000 population. For this indicator, Lorain County falls in the worst 25% of Ohio counties and the rate is increasing significantly.

Death Rate due to Drug Poisoning ranked highest in this topic area for Cuyahoga County with a death rate of 42.6 deaths per 100,000 population, compared to Ohio's rate of 38.1 and the U.S. rate of 21. This indicator is also increasing significantly in Cuyahoga County.

In Cuyahoga County, disparities exist for males in the following indicators: Age-Adjusted Death Rate due to Falls, Age-Adjusted Death Rate due to Unintentional Poisonings, and Age-Adjusted Death Rate due to Unintentional Injuries as seen in Figures 33, 34 and 35.




Figure 33. Age-Adjusted Death Rate due to Falls by Gender in Cuyahoga County

Source: Centers for Disease Control and Prevention, 2017-2019





Figure 34. Age-Adjusted Death Rate due to Unintentional Poisonings by Gender in Cuyahoga County

Source: Centers for Disease Control and Prevention, 2017-2019





Source: Centers for Disease Control and Prevention, 2017-2019

2022 Lutheran Hospital CHNA Alignment

The final prioritized health needs from this 2022 Lutheran Hospital CHNA are in alignment with the top priorities and factors influencing health outcomes from the 2019 Ohio State Health Assessment/State Health Improvement Plan. They continue alignment with the 2019 Lutheran Hospital CHNA priority areas. The check mark icon in Figure 36 indicates areas of alignment.

| 2019 Ohio SHA/SHIP | 2019 Lutheran Hospital CHNA | 2022 Lutheran Hospital CHNA |
|--|--|---|
| Top Health Priorities: ✓ Mental Health & Addiction ✓ Chronic Disease ✓ Maternal and Infant Health Top Priority Factors Influencing Health Outcomes: ✓ Community Conditions ✓ Health Behaviors ✓ Access to Care | Priority Health Areas: ✓ Access to Affordable Healthcare ✓ Addiction and Mental Health ✓ Chronic Disease Prevention and Management ✓ Infant Mortality ✓ Socioeconomic Concerns Medical Research and Health Professions Education | Prioritized Health Needs: ✓ Access to Healthcare ✓ Behavioral health (Mental health and Substance Use Disorder) ✓ Chronic disease prevention and management ✓ Maternal and child health ✓ Socioeconomic issues |

Figure 36. Lutheran Hospital CHNA Alignment

Appendices Summary

A. Methodology

An overview of methods used to collect and analyze data from both secondary and primary sources.

B. Impact Evaluation

A detailed overview of progress made on the 2019 Implementation Strategy planning, development and roll-out as well as email and web contacts for more information on the 2022 CHNA.

C. Secondary Data Methodology and Scoring Tables

A detailed overview of the Conduent HCI data scoring methodology and indicator scoring results from the secondary data analysis.

D. Community Input Assessment Tools

Quantitative and qualitative community feedback data collection tools, stakeholders and organizations that were vital in capturing community feedback during this collaborative CHNA:

- Community Engagement Session Questions
- Key Stakeholder Interview Questions
- Key Stakeholder and Community Organizations

E. Community Partners and Resources

The tables in this section acknowledge community partners and organizations who supported the CHNA process.

F. Acknowledgements

Appendix A: Methodology

Overview

Primary and secondary data were collected and analyzed to inform the 2022 CHNA. Primary data consisted of community engagement session discussions and key stakeholder interviews. The secondary data included indicators of health outcomes, health behaviors and social determinants of health. The methods used to analyze each type of data are outlined below. This analysis was conducted at the county-level and included data for Cuyahoga, Lorain, and Medina counties. The findings from each data source were then synthesized and organized by health topic to present a comprehensive overview of health needs in the Lutheran Hospital Community.

Secondary Data Sources & Analysis

The main source for the secondary data, or data that have been previously collected, is the community indicator database maintained by Conduent Healthy Communities Institute. The following is a list of both local and national sources used in the Lutheran Hospital Community Health Needs Assessment:


- American Community Survey
- American Lung Association
- Annie E. Casey Foundation
- CDC PLACES
- Centers for Disease Control and Prevention
- Centers for Medicare & Medicaid Services
- Claritas Consumer Buying Power
- Claritas Consumer Profiles
- County Health Rankings
- Feeding America
- Healthy Communities Institute
- National Cancer Institute

- National Center for Education Statistics
- National Environmental Public Health Tracking Network
- Ohio Department of Education
- Ohio Department of Health, Infectious Diseases
- Ohio Department of Health, Vital Statistics
- Ohio Department of Public Safety, Office of Criminal Justice Services
- Ohio Public Health Information Warehouse
- Ohio Secretary of State
- U.S. Bureau of Labor Statistics
- U.S. Census County Business Patterns
- U.S. Department of Agriculture Food Environment Atlas
- U.S. Environmental Protection Agency
- United For ALICE

Secondary data used for this assessment were collected and analyzed from HCI's community indicator database. This database, maintained by researchers and analysts at HCI, includes 300 community indicators from at least 25 state and national data sources. HCI carefully evaluates sources based on the following three criteria: the source has a validated methodology for data collection and analysis; the source has scheduled, regular publication of findings; and the source has data values for small geographic areas or populations.

Secondary Data Scoring


HCI's Data Scoring Tool (Figure 37) was used to systematically summarize multiple comparisons in order to rank indicators based on highest need. This analysis was completed at the county level. For each indicator, the community value was compared to a distribution of Ohio and US counties, state and national values, Healthy People 2030, and significant trends were noted. These comparison scores range from 0-3, where 0 indicates the best outcome and 3 the worst. Availability of each type of comparison varies by indicator and is dependent upon the data source, comparability with data collected for other communities and changes in methodology over time. The comparison scores were summarized for each indicator, and indicators were then grouped into topic areas for a systematic ranking of community health needs.





Secondary Data Scoring

Data scoring is done in three stages:



Each indicator available is assigned a score based on its comparison to other communities, whether health targets have been met, and the trend of the indicator value over time. These comparison scores range from 0-3, where 0 indicates the best outcome and 3 the worst. Availability of each type of comparison varies by indicator and is dependent upon the data source, comparability with data collected for other communities and changes in methodology over time.

Indicators are categorized into topic areas and each topic area receives a score. Indicators may be categorized in more than one topic area. Topic scores are determined by the comparisons of all indicators within the topic.

This process was completed separately for the three counties within the Lutheran Hospital Community: Cuyahoga, Lorain, and Medina counties. To calculate the overall highest needs topic area scores, an average was taken for each topic area across the three counties. Each county's values were weighted the same. More details about topics scores and the average score for the Lutheran Hospital Community, see Appendix C.

Comparison to a Distribution of County Values: Within State and Nation

For ease of interpretation and analysis, indicator data on the Community Dashboard is visually represented as a green-yellowred gauge showing how the community is faring against a distribution of counties in the state or the United States. A distribution is created by taking all county values within the state or nation, ordering them from low to high, and dividing them into three groups (green, yellow, red) based on their order. Indicators with the poorest comparisons ("in the red") scored high, whereas indicators with good comparisons ("in the green") scored low.

Comparison to Values: State, National, and Targets

Each county is compared to the state value, the national value, and target values. Target values include the nation-wide Healthy People 2030 (HP2030) goals. Healthy People 2030 goals are national objectives for improving the health of the nation set by the Department of Health and Human Services' Healthy People Initiative. For all value comparisons, the scoring depends on whether the county value is better or worse than the comparison value, as well as how close the county value is to the target value.

Trend over Time

The Mann-Kendall statistical test for trend was used to assess whether the county value is increasing over time or decreasing over time, and whether the trend is statistically significant. The trend comparison uses the four most recent comparable values for the county, and statistical significance is determined at the 90% confidence level. For each indicator with values available for four time periods, scoring was determined by direction of the trend and statistical significance.

Missing Values

Indicator scores are calculated using the comparison scores, availability of which depends on the data source. If the comparison type is possible for an adequate proportion of indicators on the community dashboard, it will be included in the indicator score. After exclusion of comparison types with inadequate availability, all missing comparisons are substituted with a neutral score for the purposes of calculating the indicator's weighted average. When information is unknown due to lack of comparable data, the neutral value assumes that the missing comparison score is neither good nor bad.

Indicator Scoring

Indicator scores are calculated as a weighted average of all included comparison scores. If none of the included comparison types are possible for an indicator, no score is calculated, and the indicator is excluded from the data scoring results. A full list of indicators and their scores can be seen in Appendix C.

Topic Scoring

Indicator scores are averaged by topic area to calculate topic scores. Each indicator may be included in up to three topic areas if appropriate. Resulting scores range from 0-3, where a higher score indicates a greater level of need as evidenced by the data. A topic score is only calculated if it includes at least three indicators.

Examples of the health and quality of life topic areas available through this analysis are described as follows:

| Quality of Life | Health | |
|---|--|--|
| Community Economy Education Environmental Health | Adolescent Health Alcohol & Drug Use Cancer Children's Health Diabetes Health Care Access and Quality Heart Disease & Stroke Immunization & Infectious Diseases Maternal, Fetal & Infant Health Medications & Prescriptions Mental Health & Mental Disorders Nutrition & Healthy Eating | Older Adults Oral Health Other Conditions Prevention & Safety Physical Activity Respiratory Diseases Sexually Transmitted Infections Tobacco Use Women's Health Wellness & Lifestyle Weight Status |

Table 2 shows the health and quality of life topic scoring results for the Lutheran Hospital Community, ranked in order of highest need. Medications & Prescriptions scored as the poorest performing topic area with a score of 2.18, followed by Other Conditions with a score of 1.84. Topics that received a score of 1.50 or higher were considered a significant health need. Nine topics scored at or above the threshold. Topic areas with fewer than three indicators were considered a data gap.



Index of Disparity

An important part of the CHNA process is to identify health disparities, the needs of vulnerable populations and unmet health needs or gaps in services. There were several ways in which subpopulation disparities were examined by county. For secondary data health indicators, the Index of Disparity tool was utilized to see if there were large, negative, and concerning differences in indicator values between each subgroup data value and the overall county value. The Index of Disparity was run for each county, and the indicators with the highest race or ethnicity index value were found.

Health Equity Index

Every community can be described by various social and economic factors that can contribute to disparities in health outcomes. Conduent HCI's Health Equity Index (formerly SocioNeeds Index) considers validated indicators related to income, employment, education, and household environment to identify areas at highest risk for experiencing health inequities.

How is the index value calculated?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest socioeconomic needs correlated with preventable hospitalizations and premature death.

What do the ranks and colors mean?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the Health Equity Index, with darker coloring associated with higher relative need.

Food Insecurity Index

Every community can be described by various health, social, and economic factors that can contribute to disparities in outcomes and opportunities to thrive. Conduent HCI's Food Insecurity Index considers validated indicators related to income, household environment and well-being to identify areas at highest risk for experiencing food insecurity.

How is the index value calculated?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest food insecurity, which is correlated with household and community measures of food-related financial stress such as Medicaid and SNAP enrollment.

What do the ranks and colors mean?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5)

locally. These ranks are used to color the map and chart for the Food Insecurity Index, with darker coloring associated with higher relative need.

Mental Health Index

Every community can be described by various health, social, and economic factors that can contribute to disparities in mental health outcomes. Conduent HCI's Mental Health Index considers validated indicators related to access to care, physical health status, transportation, employment and household environment to identify areas at highest risk for experiencing poor mental health.

How is the index value calculated?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest socioeconomic and health needs correlated with self-reported poor mental health.

What do the ranks and colors mean?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the Mental Health Index, with darker coloring associated with higher relative need.

Table 3 below lists each zip code within the Lutheran Hospital Community and their respective HEI, FII, and MHI values.

| Zip Code | HEI Value | FII Value | MHI Value |
|----------|-----------|-----------|-----------|
| 44035 | 75.4 | 74 | 93.9 |
| 44039 | 15.6 | 15.8 | 49.1 |
| 44070 | 25 | 25.1 | 64.7 |
| 44102 | 96.7 | 96.6 | 98.3 |
| 44103 | 99.3 | 98.3 | 100 |
| 44104 | 99.9 | 99.8 | 100 |
| 44105 | 98.1 | 98.2 | 99.8 |
| 44106 | 88.5 | 72.4 | 98.5 |
| 44107 | 35.3 | 50.8 | 77 |
| 44108 | 98.8 | 97.6 | 100 |

Table 3: HEI, FII and MHI Values for Zip Codes within the Lutheran Hospital Community

| | | • | |
|-------|------|------|------|
| 44109 | 95.6 | 95.7 | 97.4 |
| 44110 | 98.6 | 98.4 | 99.9 |
| 44111 | 85.6 | 88.1 | 95.6 |
| 44113 | 85 | 65.8 | 95.8 |
| 44114 | 96.6 | 84.1 | 94 |
| 44115 | 99.8 | 99.4 | 99.6 |
| 44116 | 6.4 | 15.2 | 61.1 |
| 44118 | 19.8 | 41.4 | 80.5 |
| 44120 | 84 | 88.4 | 99.2 |
| 44125 | 70.2 | 81.3 | 94.5 |
| 44126 | 20.8 | 26.2 | 62 |
| 44127 | 99.8 | 99.2 | 99.5 |
| 44128 | 92.8 | 96.1 | 99.7 |
| 44129 | 42.8 | 72.2 | 77.4 |
| 44130 | 36.6 | 45.8 | 81.6 |
| 44131 | 10.8 | 4.9 | 52.3 |
| 44133 | 14.5 | 20.6 | 49.9 |
| 44134 | 45.6 | 57.3 | 81.7 |
| 44135 | 92.7 | 91.1 | 97.4 |
| 44142 | 54 | 43 | 85.1 |
| 44144 | 71 | 79.5 | 91.8 |
| 44145 | 7.8 | 10.8 | 62.8 |
| 44212 | 16.9 | 26.6 | 42.6 |
| 44256 | 11.7 | 19.9 | 43.3 |

Data Considerations

Several limitations of data should be considered when reviewing the findings presented in this report. Although the topics by which data are organized cover a wide range of health and health-related areas, data availability varies by health topic. Some topics contain a robust set of secondary data indicators, while others may have a limited number of indicators or limited subpopulations covered by those specific indicators.

Data scores represent the relative community health need according to the secondary data for each topic and should not be considered a comprehensive result on their own. In addition, these scores reflect the secondary data results for the population as a whole and do not represent the health or socioeconomic need that is much greater for some subpopulations. Moreover, many of the secondary data indicators included in the findings are collected by survey, and though specific methods are used

to best represent the population at large, these measures are subject to instability, especially for smaller populations. The Index of Disparity is also limited by data availability, where indicator data varies based on the population groups and service areas being analyzed.

Race or Ethnic and Special Population Groupings

The secondary data presented in this report derive from multiple sources, which may present race and ethnicity data using dissimilar nomenclature. For consistency with data sources throughout the report, subpopulation data may use different terms to describe the same or similar groups of community members.

Zip Codes and Zip Code Tabulation Areas

This report presents both Zip Code and Zip Code Tabulation Area (ZCTA) data. Zip Codes, which were created by the U.S. Postal Service to improve mail delivery service, are not reported in this assessment as they may change, include P.O. boxes or cover large unpopulated areas. This assessment cover ZCTAs or Zip Code Tabulation Areas which were created by the U.S. Census Bureau and are generalized representations of Zip Codes that have been assigned to census blocks.

Demographics for this report are sourced from the United States Census Bureau, which presents ZCTA estimates. Tables and figures in the Demographics section of this report reference Zip Codes in title (for purposes of familiarity) but show values of ZCTAs. Data from other sources are labeled as such.

Primary Data Collection & Analysis

Primary data used in this assessment consisted of a community engagement session and key stakeholder interviews. These findings expanded upon the information gathered from the secondary data analysis.

Community Engagement Session Methodology and Results

Lutheran Hospital invited members of the hospital Community Advisory Council (CAC) to participate in a community engagement session. The session was held virtually on May 23, 2022. Participants answered four questions including:

- 1. What are the most important health problems in the community?
- 2. What barriers or challenges to improving health exist in your community?
- 3. What community groups, populations, or neighborhoods are underserved?
- 4. What can be done to improve the health in your community?

At the end of the session, participants were also asked to describe interventions or programs they are aware of that have been successful in improving health in the community.

The project team captured detailed records of the discussion through transcripts and a polling tool (Poll Everywhere®). Figure 38 shows the results from analysis of inputs collected from these tools.

| Figure 38: Community Engagement Session Findings | | |
|---|---|---|
| Top health issues | Barriers/Social Determinants of Health | Populations most impacted |
| Access to healthcare Health Equity Mental Health Affordable housing Safety (violent crimes) | Poverty/Low Income Health Literacy Language Barriers Trust Transportation Health Disparities | Refugees and Immigrants LGBTQIA+ Latino/Latinx Mental Health Patients Older Adults Formerly Incarcerated Black/African American Low income |


Key Stakeholder Interviews Methodology and Results

The project team also captured detailed transcripts of the key stakeholder interviews. Table 4 describes the key stakeholder organizations contributing to the primary data collection process.

| Table 4: Lutheran Hospital Key Stakeholder OrganizationsKey Stakeholder and Community Organizations | | |
|---|--|--|
| City of Cleveland Department of | Neighborhood Family Practice Birthing Beautiful Communities Lead Safe Cleveland Coalition Better Health Partnerships NAMI Greater Cleveland Asian Services in Action (ASIA) Cleveland Clinic LGBTQ+ Care Benjamin Rose Institute on Aging Greater Cleveland Food Bank The Gathering Place Cuyahoga Metropolitan Housing | |
| Public Health Cuyahoga County Board of Health Lorain County Public Health Medina County Health Department Lutheran Community Advisory | Authority Esperanza The Centers for Families and | |
| Council | Children | |

10.11.12

The transcripts were analyzed using the qualitative analysis program Dedoose 2[®]. Text was coded using a pre-designed codebook-organized by themes and analyzed for significant observations. Figure 39 shows key findings from community stakeholder interviews specific to the Lutheran Hospital Community.



Findings from both the community engagement session and key stakeholder interview analyses were combined with findings from secondary data and incorporated into the Data Synthesis and Prioritized Health Needs.

Appendix B: Impact Evaluation

The CHNA process should be viewed as a three-year cycle to evaluate the impact of actions taken to address priority areas. This step affirms organizations focus and target efforts during the next CHNA cycle. The top health priorities for the Lutheran Hospital Community from the 2019 CHNA were:

- Access to Affordable Healthcare
- Addiction and Mental Health
- Chronic Disease Prevention and Management
- Infant Mortality
- Socioeconomic Concerns
- Medical Research and Health Professions Education

Implementation strategies for these health topics shifted in response to the COVID-19 pandemic. Innovative strategies were adopted to continue building capacity for addressing the community health needs.

Actions Taken Since Previous CHNA

Lutheran Hospital's previous Implementation Strategy Report (ISR) outlined a plan for addressing the following priorities identified in the 2019 CHNA: Addiction and Mental Health, Chronic Disease Prevention and Management, Infant Mortality, Socioeconomic Concerns, Access to Affordable Health Care, Medical Research and Health Professions Education.

The ISR was conducted before the onset of COVID 19, and therefore, does not reflect the pandemic's impact which dramatically affected community and hospital services. Many of our hospital services were paused or deferred as we navigated the emergent COVID 19 landscape. Caring for our community is essential, and part of that is sharing accurate, up-to-date information on health-related topics with our community. We provided COVID 19 education, vaccine distribution and collaborative services with government, health departments and community-based organizations to keep our communities safe. As we continue to serve our communities, we are committed to addressing the needs identified in the previous ISR.

Cleveland Clinic uses evidence-based approaches in the delivery of healthcare services and educational outreach with the aim of achieving healthy outcomes for the community it serves. It undertakes periodic monitoring of its programs to measure and determine their effectiveness and ensure that best practices continue to be applied. Given that the process for evaluating the impact of various services and programs on population health is longitudinal by nature, significant changes in health outcomes may not manifest for several community health needs assessment cycles. We continue to evaluate the cumulative impact.

The narrative below describes the strategies, modifications made to the action plans, and highlighted impacts for each health priority area.

Addiction and Mental Health

Actions and Highlighted Impacts:

- a. In addition to direct patient care, Cleveland Clinic's Opioid Awareness Center, provided intervention and treatment for substance abuse disorders to Cleveland Clinic caregivers and their family members.
 - Opioid misuse continues to be a public health emergency, contributing to over 50,000 U.S. deaths a year. About 40% of those deaths involve prescription opioids. Our comprehensive efforts to improve opioid prescribing have yielded reductions in these prescriptions by our providers for two years running, including a large improvement in 2021.
- b. Through the Opioid Awareness Center, participated in the Northeast Ohio Hospital Opioid Consortium and Cuyahoga County Opiate Task Force, and community-based classes and presentations. Cleveland Clinic continues to provide preventative education and share evidence-based practices.
- c. The hospital's Alcohol and Drug Recovery Center (ADRC) continued to provide evaluation, inpatient and outpatient treatment services, and supportive step-down care in partnership with other Cleveland Clinic hospitals. The hospital will participate in Project SOAR, an outpatient treatment placement program for individuals with opioid addiction and dependence.
- d. Lutheran remains a leader in mental health issues partnering with external mental health partners to provide virtual education and management skills to address stress, vaccine fears and hesitancy during the pandemic with bilingual Hispanic providers.
- e. Lutheran continues support efforts to reduce disposal of unused medications at its drop off location. Caregivers, patients and families can drop off unused prescription medications (including inhalers), over-the-counter medications and other drugs.
- f. Adolescent mental health was addressed virtually by our providers with expertise in adolescent psychiatry, along with Cleveland Schools, providing updates on increased suicides in adolescents and behavioral changes in children. During these virtual programs community, schools and professionals received education regarding signs, awareness, and resources for intervention.
- g. Continued to develop, implement, and refine strategies for reducing post-operative opioid use. Through collaboration between the pain management, physical therapy, and psychiatry teams, developed a multidisciplinary approach for managing chronic pain and reducing the risk of addiction.

h. Cleveland Clinic developed suicide and self-harm policies procedures and screening tools for patients in a variety of care settings.

Chronic Disease Prevention and Management

Actions and Highlighted Impacts:

- a. Improve management of chronic conditions through Chronic Care Clinics employing a specialized model of care.
 - COVID 19 created a delay in treatment for many community members. We launched an effort to connect patients with care, proactively contacting over 300,000 patients and scheduling 57,000 appointments. This outreach is prompting more patients to complete recommended screening tests, allowing earlier detection of cancers and other diseases when they are most treatable. For example, 1,700 precancerous lesions of the colon have been detected earlier as a result a key part of preventing colon cancer.
 - Many in-person community programs were paused by COVD 19. When COVID-19 vaccines became available, we co-led a nationwide campaign to encourage adults to get vaccinated. The coalition of 60 top hospitals and healthcare institutions communicated the vaccines' safety and effectiveness through diverse digital and traditional media. Throughout the years, our health experts explained and advocated the benefits of vaccination at every opportunity, from patient visits to national media appearances. In late 2021, when cases of the omicron variant surged and hospitals filled with unvaccinated patients, we joined with five other Northeast Ohio hospital systems in an advertising campaign urging the public to get vaccinated and take other precautions.
- b. Engaged community partners, local schools, and stakeholders to promote early cancer detection through community outreach and education, screening promotion, and patient navigation. Provided free breast and skin cancer screenings through community events and partnerships.
 - Taussig Cancer Institute, Lutheran Spanish speaking caregivers and providers continued to offer expanded cancer screenings clinics for the underserved, uninsured, and underinsured with an emphasis on the Hispanic and LGBTQ communities.
- c. Engaged community partners and stakeholders to implement health promotion messaging, health education, and outreach programs related to reducing behavioral risk factors, disease management, symptom management, and medication review. Partnered with the CMHA to upgrade the Riverview Welcome Center, a hub for community engagement and education.

- Lutheran collaborated with internal providers and external partners to provide virtual programming around various health topics such as vaccine safety, healthy eating and obesity management for the LatinX community in English and Spanish languages.
- Post COVID, Lutheran re-engaged with local schools in the planning and coordination of bike safety events in critical neighborhoods providing helmets and bike safety information. Lutheran also supports local schools with schools supply donations to offset cost to parents, reducing disparities.
- Lutheran continues to meet with community-based organizations (CBO) to address issues around homeless, housing and healthcare. Cleveland Clinic worked with community-based organizations to temporarily find housing options for homeless individuals who tested positive for COVID-19.
- d. Through the Healthy Communities Initiative (HCI), partner to fund programs designed to improve health outcomes in four core areas: physical activity, nutrition, smoking, and lifestyle management.
 - Prior to COVID 19, Healthy Communities Initiative provided in 23 programs in 59 NE Ohio zip codes with total participation of 2,813 community residents. Results indicated decreased blood pressure abnormality, increased physical activity and increased healthy eating behaviors.
 - In partnership with the Hispanic Center of Excellence, provided health education, improved access to care, and linked community members to social services. Continue to provide bilingual healthcare services at Lutheran Hospital.
 - To address health disparities among men and women 18 and over, Lutheran Hospital convened a Community Health Fair with focus on serving the LGBT, Hispanic, and Black, Immigrants, Refugee and those with disabilities. Some screenings included: lab services, cardiac, endocrine, vaccines, cancer screenings, mental health and community social service partners included to provide complimentary services.

Infant Mortality

Actions and Highlighted Impacts:

- a. Supported expanded evidence-based health education to expecting mothers and families.
 - Cleveland Clinic provided community education in efforts to support pregnant persons with resources and best practices to reduce infant and maternal health and have a successful pregnancy.

- b. Participated in First Year Cleveland, the Cuyahoga County Infant Mortality Task Force to gather data, align programs, and coordinate a CCHS systemic approach to improving infant and maternal mortality.
 - In 2020 and 2021 Cleveland Clinic physicians provided clinical and administrative expertise on the Executive Board of First Year Cleveland.
- c. Expanded capacity to offer the Centering Pregnancy group prenatal care model to expecting mothers and market the program to community members.
 - Cleveland Clinic is acting to address health disparities and give all infants a healthy start. We expanded centering programs to bring new mothers together for supportive prenatal care and parenting education. Centering Pregnancy and Centering Parenting groups provided in-person, virtually and hybrid in Cuyahoga, Summit and Lorain Counties.
 - Cleveland Clinic is providing obstetric navigators to promote maternity care and help parents with food, transport and other socioeconomic needs.

Socioeconomic Concerns

Actions and Highlighted Impacts:

- a. Implemented a system-wide social determinants screening tool for adult patients to identify needs such as alcohol abuse, depression, financial strain, food insecurity, intimate partner violence, and stress.
- b. We implemented a common community referral data platform to coordinate services and ensure optimal communication.
 - Cleveland Clinic collaborated with Unite Ohio to build a coordinated care network of health and social service providers. Cleveland Clinic went live on the platform on July 2021 and has sent nearly 2,000 referrals with a gap closure of 44%.
- c. Cleveland Clinic piloted patient navigation programming within a partnership pathway HUB model using community health workers and/or the co-location of community organizations with hospital facilities.
- d. Through partnerships with community organizations, developed health education events targeting socioeconomically depressed populations.
 - Partnered with Cleveland Hope Exchange supporting the facilitation of food distribution to residents in the Clark Fulton neighborhoods.

- e. Participated in the Robert Wood Johnson Foundation (RWJF) Cross-Sector Innovation Initiative Project in Cuyahoga County which aims to impact structural racism across various sectors.
 - Cleveland Clinic is an inclusive organization that values diversity and equity. Our caregivers and leaders continue to become more diverse. Among newly hired or promoted leaders in 2021, 21% identify as an underrepresented minority. We will continue to make our caregiver family increasingly inclusive to better serve all our communities.
- f. Sponsored and participated in *Say Yes to Education Cleveland*, a consortium focused on increasing education levels, fostering population growth, improving college access and spurring economic growth
- g. Provided workforce development and training opportunities for youth K-12 in clinical and non-clinical areas, empowering Northeast Ohio's next generation of leaders. Programs include Upward Bound, a hands-on workshop for low-income students who rotate through a variety of clinical areas and Differential Diagnosis, educating area high schoolers on the process of diagnosing and identifying medical problems.
 - Supported the Freshly Rooted SEEDs initiative with best practices, developed a curriculum to assist women who live in low-income, low-resource communities develop a healthier lifestyle via access to food, resources such as culinary training and education aimed to empower and develop women personally, professionally, and socially.
 - Cleveland Clinic created initiatives to develop a skilled community youth workforce in vulnerable communities aligning with Health Anchor Network (HAN) and Placed-based Initiatives. Examples include:
 - Connected Career Rounds provided 4,233 middle and high school students from 76 schools across 7 states including Ohio engaged career conversations with Clinic caregivers.
 - Louis Stokes Summer Internships provided high school interns a paid experience with exposure to clinical and non-clinical healthcare roles.
 - In 2021, Cleveland Clinic, an anchor institution in the Cleveland Innovation District, collaborated with the state of Ohio to launch in 2021 an initiative to advance healthcare and digital technology, attract and create new businesses, and train the workforce of the future. The state of Ohio and Cleveland Clinic pledged to contribute a combined \$565 million for the district the largest research investment in our history.
- h. Provided transportation on a space-available basis to 1) patients within 5 miles of the Stephanie Tubbs Jones Health Center and Marymount, Euclid, Lutheran, and South Pointe Hospitals and 2) radiation oncology patients within 25 miles of Cleveland Clinic Main Campus, Hillcrest, and Fairview Hospitals

Access to Affordable Health Care

Actions and Highlighted Impacts:

- a. Cleveland Clinic provided medically necessary services to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. The hospital has a financial assistance policy that is among the most generous in the region that covers both hospital services and physician services provided by physicians employed by the Cleveland Clinic. In 2021, Cleveland Clinic health system provided over \$178 million in financial assistance to its communities in Ohio, Florida, and Nevada.
- b. Bilingual Patient Financial Advocates assisted patients in evaluating eligibility for financial assistance or public health insurance programs.
- c. Provided bilingual signage, interpretation, and employ bilingual caregivers specializing in internal medicine, gastroenterology, hepatology, general surgery, and psychiatry to meet the needs of the local Spanish-speaking population.
- d. Provided walk-in care at Express Care Clinics and offer evening and weekend hours.
- e. Utilizing medically secure online and mobile platforms, connected patients with Cleveland Clinic providers for telehealth and virtual visits.
 - In 2021, Cleveland Clinic provided 841,000 virtual visits
- f. Provided an outpatient pharmacy with proximity to Cuyahoga Metropolitan Housing Authority developments.

Medical Research and Health Professions Education

Actions and Highlighted Impacts:

- a. Through medical research, advanced clinical techniques, devices and treatment protocols in the areas of cancer, heart disease, diabetes, and others.
 - Research into diseases and potential cures is an investment in people's long-term health.
 - In 2020, COVID-19 highlighted the significance of research in community health. Cleveland Clinic research findings increased knowledge about the virus and how best to respond to it. Our researchers developed the world's first COVID-19 risk-prediction model, enabling healthcare providers to calculate

an individual patient's likelihood of testing positive for infection as well as their probable outcome from the disease.

- For 2021, Cleveland Clinic's community benefit in support of research was \$101 million.
- b. Through the Center for Populations Health Research, informed clinical interventions, healthcare policy, and community partnerships
- c. Sponsored high-quality medical education training programs for physicians, nurses, and allied health professionals via Graduate Medical Education programs, and internships and residencies.
 - Cleveland Clinic provided a wide range of high-quality medical education that includes accredited training programs for residents, physicians, nurses and allied health professionals. By educating medical professionals, we ensure that the public receives the highest level of medical care and will have access to highly trained health professionals in the future. For 2021, Cleveland Clinic's community benefit in support of education was \$322 million.

Community Feedback

Community Health Needs Assessment reports from 2019 were published on the Lutheran Hospital website. No community feedback has been received as of the drafting of this report. For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementation Strategy reports, please visit <u>www.clevelandclinic.org/CHNAreports</u> or contact <u>CHNA@ccf.org</u>.

Appendix C: Secondary Data Scoring Tables

Table 5: Lutheran Hospital Community Definition

| Zip code | Postal Name |
|----------|----------------|
| 44256 | Medina |
| 44212 | Brunswick |
| 44145 | Westlake |
| 44144 | Cleveland |
| 44142 | Brook Park |
| 44135 | Cleveland |
| 44134 | Cleveland |
| 44133 | North Royalton |
| 44131 | Independence |
| 44130 | Cleveland |
| 44129 | Cleveland |
| 44128 | Cleveland |
| 44127 | Cleveland |
| 44126 | Cleveland |
| 44125 | Cleveland |
| 44120 | Cleveland |
| 44118 | Cleveland |
| 44116 | Rocky River |
| 44115 | Cleveland |
| 44114 | Cleveland |
| 44113 | Cleveland |
| 44111 | Cleveland |
| 44110 | Cleveland |
| 44109 | Cleveland |
| 44108 | Cleveland |

| 44107 | Lakewood |
|-------|-----------------|
| 44106 | Cleveland |
| 44105 | Cleveland |
| 44104 | Cleveland |
| 44103 | Cleveland |
| 44102 | Cleveland |
| 44070 | North Olmsted |
| 44039 | Nort Ridgeville |
| 44035 | Elyria |

Table 6: Population Estimates for Each Zip Code

| Zip code | City | Population |
|----------|----------------|------------|
| 44256 | Medina | 66,686 |
| 44212 | Brunswick | 45,649 |
| 44145 | Westlake | 33,466 |
| 44144 | Cleveland | 20,393 |
| 44142 | Brook Park | 17,862 |
| 44135 | Cleveland | 25,852 |
| 44134 | Cleveland | 37,062 |
| 44133 | North Royalton | 31,201 |
| 44131 | Independence | 19,872 |
| 44130 | Cleveland | 48,243 |
| 44129 | Cleveland | 27,621 |
| 44128 | Cleveland | 27,367 |
| 44127 | Cleveland | 5,016 |
| 44126 | Cleveland | 15,738 |
| 44125 | Cleveland | 26,717 |
| 44120 | Cleveland | 34,405 |
| 44118 | Cleveland | 38,730 |
| 44116 | Rocky River | 19,724 |
| 44115 | Cleveland | 8,968 |

| 44114 | Cleveland | 6,822 |
|-------|-----------------|--------|
| 44113 | Cleveland | 20,749 |
| 44111 | Cleveland | 37,302 |
| 44110 | Cleveland | 18,325 |
| 44109 | Cleveland | 37,153 |
| 44108 | Cleveland | 22,563 |
| 44107 | Lakewood | 50,128 |
| 44106 | Cleveland | 26,538 |
| 44105 | Cleveland | 35,422 |
| 44104 | Cleveland | 21,988 |
| 44103 | Cleveland | 16,179 |
| 44102 | Cleveland | 41,976 |
| 44070 | North Olmsted | 31,168 |
| 44039 | Nort Ridgeville | 35,503 |
| 44035 | Elyria | 64,551 |
| | | |

Table 7: Percentage of Families Living Below Poverty Level for Each Zip Code

| Zip code | City | Population |
|----------|----------------|------------|
| 44256 | Medina | 4.40% |
| 44212 | Brunswick | 3.90% |
| 44145 | Westlake | 3.80% |
| 44144 | Cleveland | 13.50% |
| 44142 | Brook Park | 8.30% |
| 44135 | Cleveland | 22.80% |
| 44134 | Cleveland | 6.10% |
| 44133 | North Royalton | 3.00% |
| 44131 | Independence | 2.70% |
| 44130 | Cleveland | 6.60% |
| 44129 | Cleveland | 7.50% |

| r | | |
|-------|-----------------|--------|
| 44128 | Cleveland | 21.70% |
| 44127 | Cleveland | 40.60% |
| 44126 | Cleveland | 5.10% |
| 44125 | Cleveland | 10.60% |
| 44120 | Cleveland | 16.40% |
| 44118 | Cleveland | 8.80% |
| 44116 | Rocky River | 2.60% |
| 44115 | Cleveland | 66.40% |
| 44114 | Cleveland | 40.30% |
| 44113 | Cleveland | 27.40% |
| 44111 | Cleveland | 17.60% |
| 44110 | Cleveland | 33.10% |
| 44109 | Cleveland | 22.30% |
| 44108 | Cleveland | 25.90% |
| 44107 | Lakewood | 10.30% |
| 44106 | Cleveland | 22.00% |
| 44105 | Cleveland | 31.70% |
| 44104 | Cleveland | 52.50% |
| 44103 | Cleveland | 35.10% |
| 44102 | Cleveland | 29.90% |
| 44070 | North Olmsted | 7.50% |
| 44039 | Nort Ridgeville | 3.40% |
| 44035 | Elyria | 17.30% |

| Table 8: Secondary Data Results by Health Topic—Cuyanoga, Medina and Lorain Counties | | | | | | |
|--|----------|--------|--------|------|--|--|
| HEALTH TOPICS | CUYAHOGA | MEDINA | LORAIN | AVG | | |
| Alcohol & Drug Use | 1.73 | 1.47 | 1.70 | 1.63 | | |
| Cancer | 1.71 | 1.34 | 1.57 | 1.54 | | |
| Children's Health | 1.72 | 1.34 | 1.48 | 1.52 | | |

Table 8: Secondary Data Results by Health Topic—Cuyahoga, Medina and Lorain Counties

| Diabetes | 1.17 | 0.89 | 1.33 | 1.13 |
|-------------------------------------|------|-------|------|------|
| Health Care Access & | 1.21 | 1.54 | 1.57 | 1.44 |
| Quality | | | | |
| Heart Disease & Stroke | 1.35 | 1.19 | 1.70 | 1.41 |
| Immunizations & Infectious | 1.20 | 0.82 | 1.20 | 1.07 |
| Diseases | | | | |
| Maternal, Fetal & Infant Health | 1.56 | 1.03 | 1.69 | 1.43 |
| Medications & Prescriptions | 1.72 | 2.50 | 2.33 | 2.18 |
| Mental Health & Mental Disorders | 1.39 | 1.34 | 1.48 | 1.40 |
| Nutrition & Healthy Eating | 1.31 | 1.64 | 1.58 | 1.51 |
| Older Adults | 1.65 | 1.35 | 1.77 | 1.59 |
| Oral Health | 1.14 | 1.11 | 1.14 | 1.13 |
| Other Conditions | 1.83 | 1.53 | 2.17 | 1.84 |
| Physical Activity | 1.39 | 1.36 | 1.56 | 1.43 |
| Prevention & Safety | 2.21 | 1.00 | 2.00 | 1.74 |
| Respiratory Diseases | 1.23 | 0.96 | 1.39 | 1.20 |
| Tobacco Use | 1.19 | 1.11 | 1.23 | 1.17 |
| Wellness & Lifestyle | 1.49 | 1.10 | 1.43 | 1.34 |
| Women's Health | 1.46 | 1.22 | 1.82 | 1.50 |
| QUALITY OF LIFE TOPIC | | SCORE | | |
| Community | 1.66 | 1.09 | 1.50 | 1.42 |
| Economy | 1.68 | 0.74 | 1.34 | 1.25 |
| Education | 1.55 | 1.22 | 1.71 | 1.49 |
| Environmental Health | 1.53 | 1.19 | 1.39 | 1.37 |

Secondary Data Scoring Indicators of Concern

From the secondary data scoring results, Medications and Prescriptions was identified as the top health need with a score of 2.18. Health Care Access & Quality ranked as the tenth highest scoring health need, with a score of 1.44. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 9 below. For each indicator, there is an indicator score, county value, state value, and national value (where available). Additionally, there are state and national county distributions for comparison along with indicator trend information. The legend (Figure 40 on the right shows how to interpret the distribution gauges and trend icons used in the data scoring results for each health topic by county (Table 8).

Figure 40: Prioritized Health Needs

| | If the needle is in the red, the county value is in the worst 25% (or worst quartile) of counties in the state or nation. |
|---|---|
| | · · · · · · · · · · · · · · · · · · · |
| | If the needle is in the green, the county value is in the best 50% of counties in the state or nation. |
| | The indicator is trending down, significantly, and this is not the ideal direction. |
| | The indicator is trending down and this is not the ideal direction. |
| ∕ | The indicator is trending up, significantly, and this is not the ideal direction. |
| | The indicator is trendng up and this is not the ideal direction. |
| | The indicator is trending down, signifcantly, and this is the ideal direction . |
| | The indicator is trending down and this is the ideal direction. |
| | The indicator is trending up, significantly, and this is the ideal direction. |
| | The indicator is trending up and this is the ideal direction. |

| SCORE | HEALTH CARE ACCESS & QUALITY | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
|-------|--|--------------------|--------|--------|--------|------------------|------------------|-------|
| 1.83 | Adults with Health Insurance: 18+ | 89.8 | | 90.2 | 90.6 | | | |
| 1.83 | Consumer Expenditures: Medical Services | 1057.6 | | 1098.6 | 1047.4 | | | |
| 1.83 | Consumer Expenditures: Medical Supplies | 199.2 | | 204.8 | 194.9 | | | |
| 1.50 | Adults who Visited a Dentist | 51.3 | | 51.6 | 52.9 | | | |
| 1.50 | Consumer Expenditures: Prescription and Non-Prescription Drugs | 627.2 | | 638.9 | 609.6 | | | |

Table 9. Data Scoring Results for Healthcare Access & Quality for the Lutheran Hospital Community Cuyahoga County

| | 1 | Lorain Cour | nty | [| [| 1 | 1 | 1 |
|-------|--|------------------|--------|--------|------------|------------------|------------------|-------|
| SCORE | HEALTH CARE ACCESS & QUALITY | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.33 | Consumer Expenditures: Medical Services | 1181.4 | | 1098.6 | 1047.4 | | | |
| 2.33 | Consumer Expenditures: Medical Supplies | 217.8 | | 204.8 | 194.9 | | | |
| 2.33 | Consumer Expenditures: Prescription and Non-Prescription Drugs | 687.1 | | 638.9 | 609.6 | | | |
| 2.17 | Consumer Expenditures: Health Insurance | 4676.2 | | 4371.7 | 4321.1 | | | |
| 1.75 | Adults without Health Insurance | 13.7 | | | 13 | | | |
| 1.72 | Primary Care Provider Rate | 54.6 | | 76.7 | | | | |
| 1.56 | Persons without Health Insurance | 6.1 | | 6.6 | - UD2020 # | | | |

Medina County

| SCORE | HEALTH CARE ACCESS & QUALITY | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
|-------|--|------------------|--------|--------|--------|------------------|------------------|-------|
| 2.50 | Consumer Expenditures: Health Insurance | 5410.8 | | 4371.7 | 4321.1 | | | |
| 2.50 | Consumer Expenditures: Medical Services | 1419.1 | | 1098.6 | 1047.4 | | | |
| 2.50 | Consumer Expenditures: Medical Supplies | 259.4 | | 204.8 | 194.9 | | | |
| 2.50 | Consumer Expenditures: Prescription and Non-Prescription Drugs | 781.2 | | 638.9 | 609.6 | | | |
| 1.72 | Primary Care Provider Rate | 60.3 | | 76.7 | | | | |
| 1.50 | Non-Physician Primary Care Provider Rate | 63.4 | | 108.9 | | | | |

Table 10: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #2: Behavioral Health (Mental Health and Substance Misuse)

From the secondary data scoring results, Mental Health & Mental Disorders had the 14th highest data score of all topic areas, with a score of 1.40. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 10 below.

| | | | Cuya | hoga County | | | | |
|-------|-------------------------------------|--------------------|--------|-------------|------|------------------|------------------|-------|
| SCORE | MENTAL HEALTH & MENTAL DISORDERS | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| | Alzheimer's Disease or | | | | | | | |
| | Dementia: Medicare | | | | | | | |
| 2.17 | Population | 11.4 | | 10.4 | 10.8 | | | |
| | Poor Mental | | | | | | | |
| | Health: Average | | | | | | | |
| 1.83 | Number of Days | 5 | | 4.8 | 4.1 | | • | |
| | Depression: | | | | | | | |
| | Medicare | | | | | | | 1 |
| 1.75 | Population | 18.5 | | 20.4 | 18.4 | | | |
| | | | | | | | | |
| | Poor Mental | | | | | | | |
| 1.75 | Health: 14+ Days | 16 | | | 13.6 | | | |
| | Age-Adjusted | | | | | | | |
| | Death Rate due to | | | | | | | 1 |
| 1.61 | Suicide | 14 | 12.8 | 15.1 | 14.1 | | - • - | |

| | | Lorain County | 1 | | | Γ | 1 | |
|-------|---|------------------|--------|------|------|------------------|------------------|-------|
| SCORE | MENTAL HEALTH & MENTAL DISORDERS | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.67 | Age-Adjusted Death Rate due to Suicide | 17.5 | 12.8 | 15.1 | 14.1 | | | |
| 1.92 | Depression: Medicare Population | 19.9 | | 20.4 | 18.4 | | | |
| 1.67 | Poor Mental Health: Average Number of Days | 4.8 | | 4.8 | 4.1 | | | |
| 1.64 | Alzheimer's Disease or Dementia: Medicare Population | 10.4 | | 10.4 | 10.8 | | | |
| 1.58 | Poor Mental Health: 14+ Days | 15.7 | | | 13.6 | | | |

| | | Medina Cou | unty | | | | • | |
|-------|--|---------------|--------|------|------|---------------|---------------|-------|
| SCORE | MENTAL HEALTH & MENTAL DISORDERS | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 1.92 | Depression: Medicare Population | 19 | | 20.4 | 18.4 | | | |
| 1.89 | Age-Adjusted Death Rate due to Suicide | 15.7 | 12.8 | 15.1 | 14.1 | | | |
| 1.58 | Adults Ever Diagnosed with Depression | 21.2 | | | 18.8 | | | |

Table 11. Data Scoring Results for Behavioral Health (Substance Abuse) for the Lutheran Hospital Community

Substance Use is a health topic that is analyzed from two secondary data health topics— Alcohol and Drug Use and Tobacco Use. From the secondary data scoring results, Alcohol & Drug Use had the fourth highest data score of all topic areas, with a score of 1.63. Tobacco fUse had the 17th highest with a score of 1.17. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 11 and 12 below.

| | | Cuyahoga Coun | ty | 1 | 1 | | | |
|-------|--|--------------------|--------|-------|-------|------------------|------------------|-------|
| SCORE | ALCOHOL & DRUG USE | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.64 | Death Rate due to Drug Poisoning | 42.6 | | 38.1 | 21 | | | |
| 2.44 | Alcohol-Impaired Driving Deaths | 41.4 | 28.3 | 32.2 | 27 | | | |
| 2.00 | Adults who Drink Excessively | 19.6 | | 18.5 | 19 | | | |
| 1.92 | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | 43.8 | | 42 | 22.8 | | | |
| 1.67 | Consumer Expenditures: Alcoholic Beverages | | | 651.5 | 701.9 | | | |

| | r | Lorain Count | у | r | 1 | | | |
|-------|--|------------------|--------|-------|-------|------------------|------------------|-------|
| SCORE | ALCOHOL & DRUG USE | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.44 | Alcohol-Impaired Driving Deaths | 39.7 | 28.3 | 32.2 | 27 | | | |
| 2.31 | Death Rate due to Drug Poisoning | 38.4 | | 38.1 | 21 | | | |
| 2.00 | Consumer Expenditures: Alcoholic Beverages | 679.4 | | 651.5 | 701.9 | | | |
| 1.92 | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | 44.3 | | 42 | 22.8 | | | |

| | | Medina Co | ounty | T | 1 | 1 | 1 | |
|-------|---|------------------|--------|-------|-------|------------------|------------------|-------|
| SCORE | ALCOHOL & DRUG USE | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.58 | Alcohol-Impaired Driving Deaths | 40.7 | 28.3 | 32.2 | 27 | | | |
| 2.50 | Consumer Expenditures: Alcoholic Beverages | 821.2 | | 651.5 | 701.9 | | | |
| 1.92 | Adults who Binge Drink | 17.6 | | | 16.7 | | | |

Table 12. Data Scoring Results for Tobacco Use for the Lutheran Hospital Community

Cuyahoga County

| SCORE | Tobacco Use | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
|-------|---|--------------------|--------|-------|-------|------------------|------------------|-------|
| 2.00 | Consumer Expenditures: Tobacco and Legal Marijuana | 485.5 | | 487.9 | 422.4 | | | |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

| | | Lorain County | 1 | | | | | |
|------|---|------------------|--------|-------|-------|------------------|------------------|-------|
| SCOR | E Tobacco Use | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 1.67 | Consumer Expenditures: Tobacco and Legal Marijuana | 474.5 | | 487.9 | 422.4 | | | |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Medina County

| sco | E Tobacco Use | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
|-----|---|------------------|--------|-------|-------|------------------|------------------|-------|
| 1.6 | Consumer Expenditures: Tobacco and Legal Marijuana | 472.9 | | 487.9 | 422.4 | | | |

Table 13: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #3: Chronic Disease Prevention & Management

Nutrition & Healthy Eating had the eighth highest data score of all topic areas with a score of 1.51. The Older Adult Health topic area had the fifth highest score at 1.59 and the related Other Conditions health topic ranked second with a score of 1.84. All topic areas in this group demonstrate need per as they each scored above 1.5. Further analysis was done to identify specific indicators of concern which include indicators with high data scores (scoring at or above the threshold of 1.50) and seen in Table 13.

| | | Cuyahoga Cou | nty | 1 | | | I | 1 1 |
|-------|---|--------------------|--------|-------|-------|------------------|------------------|-------|
| SCORE | CHRONIC DISEASE PREVENTION & MANAGEMENT | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.72 | Age-Adjusted Death Rate due to Prostate Cancer | 23.8 | 16.9 | 19.4 | 18.9 | | | |
| 2.58 | Breast Cancer Incidence Rate | 134.8 | | 129.6 | 126.8 | | | |
| 2.36 | Prostate Cancer Incidence Rate | 128 | | 107.2 | 106.2 | | | |
| 2.31 | Cancer: Medicare Population | 9 | | 8.4 | 8.4 | | | |
| 2.28 | Age-Adjusted Death Rate due to Breast Cancer | 23.6 | 15.3 | 21.6 | 19.9 | | | |
| 2.25 | All Cancer Incidence Rate | 479.7 | | 467.5 | 448.6 | | | |

| 2.14 | Colorectal Cancer Incidence Rate | 44.2 | | 41.3 | 38 | | |
|------|---|-------|-------|-------|--------|------|--|
| 1.78 | Age-Adjusted Death Rate due to Cancer | 171 | 122.7 | 169.4 | 152.4 | | |
| 1.67 | Colon Cancer Screening | 63.7 | 74.4 | | 66.4 | | |
| 1.67 | Consumer Expenditures: Fruits and Vegetables | 838.8 | | 864.6 | 1002.1 | | |
| 1.50 | Consumer Expenditures: High Sugar Foods | 502.1 | | 519 | 530.2 | | |
| 2.64 | People 65+ Living Alone | 34.8 | | 28.8 | 26.1 | | |
| 2.47 | People 65+ Living Below Poverty Level | 10.9 | | 8.1 | 9.3 | | |
| 2.31 | Age-Adjusted Death Rate due to Falls | 11.6 | | 10.5 | 9.5 | | |
| 2.17 | Alzheimer's Disease or Dementia: Medicare Population | 11.4 | | 10.4 | 10.8 | | |

| | | 1 | | | | 1 |
|------|---|------|------|------|--|---|
| 2.14 | Atrial Fibrillation: Medicare Population | 9 | 9 | 8.4 | | |
| 2.08 | Osteoporosis: Medicare Population | 6.3 | 6.2 | 6.6 | | |
| 2.03 | Asthma: Medicare Population | 5.2 | 4.8 | 5 | | |
| 1.92 | Chronic Kidney Disease: Medicare Population | 25.2 | 25.3 | 24.5 | | |
| 1.92 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 35.4 | 36.1 | 33.5 | | |
| 1.75 | Adults 65+ who Received Recommended Preventive Services: Females | 28.6 | | 28.4 | | |
| 1.75 | Depression: Medicare Population | 18.5 | 20.4 | 18.4 | | |
| 1.69 | Heart Failure: Medicare Population | 15.3 | 14.7 | 14 | | |
| 1.67 | People 65+ with Low Access to a Grocery Store | 3.4 | | | | |

| 1. | 58 | Adults 65+ with Total Tooth Loss | 15.5 | | 13.5 | | |
|-----|----|--|------|------|------|--|--|
| 1.9 | 92 | Adults with Kidney Disease | 3.6 | | 3.1 | | |
| 1.0 | 69 | Age-Adjusted Death Rate due to Kidney Disease | 15.2 | 14.5 | 12.9 | | |

| | | Lorain Coun | ty | | | | - | |
|-------|---|------------------|--------|-------|-------|------------------|------------------|-------|
| SCORE | CHRONIC DISEASE PREVENTION & MANAGEMENT | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.31 | Breast Cancer Incidence Rate | 134.8 | | 129.6 | 126.8 | | | |
| 2.31 | Cancer: Medicare Population | 8.9 | | 8.4 | 8.4 | | | |
| 2.25 | All Cancer Incidence Rate | 475.8 | | 467.5 | 448.6 | | | |
| 2.22 | Age-Adjusted Death Rate due to Breast Cancer | 22.2 | 15.3 | 21.6 | 19.9 | | | |

| | | | | 1 | | | |
|------|---|--------|-------|-------|--------|--|--|
| 2.22 | Cervical Cancer Incidence Rate | 9.2 | | 7.9 | 7.7 | | |
| 2.00 | Prostate Cancer Incidence Rate | 115.9 | | 107.2 | 106.2 | | |
| 1.78 | Age-Adjusted Death Rate due to Lung Cancer | 45.4 | 25.1 | 45 | 36.7 | | |
| 1.61 | Age-Adjusted Death Rate due to Cancer | 167.8 | 122.7 | 169.4 | 152.4 | | |
| 1.50 | Colon Cancer Screening | 64.5 | 74.4 | | 66.4 | | |
| 2.17 | Consumer Expenditures: High Sugar Foods | 548.3 | | 519 | 530.2 | | |
| 2.00 | Consumer Expenditures: Fast Food Restaurants | 1521.4 | | 1461 | 1638.9 | | |
| 1.83 | Consumer Expenditures: High Sugar Beverages | 330.4 | | 319.7 | 357 | | |
| 2.75 | Age-Adjusted Death Rate due to Falls | 14.5 | | 10.5 | 9.5 | | |

| | | | | | | · · · · · · · · |
|------|--|------|------|------|--|-----------------|
| 2.75 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 38.4 | 36.1 | 33.5 | | |
| 2.64 | Atrial Fibrillation: Medicare Population | 10.2 | 9 | 8.4 | | |
| 2.64 | Stroke: Medicare Population | 4.7 | 3.8 | 3.8 | | |
| 2.58 | Osteoporosis: Medicare Population | 6.8 | 6.2 | 6.6 | | |
| 2.47 | Hyperlipidemia: Medicare Population | 53.1 | 49.4 | 47.7 | | |
| 2.25 | Chronic Kidney Disease: Medicare Population | 25.8 | 25.3 | 24.5 | | |
| 2.19 | Ischemic Heart Disease: Medicare Population | 30.6 | 27.5 | 26.8 | | |
| 2.00 | COPD: Medicare Population | 14.5 | 13.2 | 11.5 | | |
| 1.97 | Hypertension: Medicare Population | 61.2 | 59.5 | 57.2 | | |

| 1.92 | Depression: Medicare Population | 19.9 | 20.4 | 18.4 | | |
|------|---|------|------|------|--|--|
| 1.83 | People 65+ with Low Access to a Grocery Store | 4 | | | | |
| 1.81 | People 65+ Living Alone | 27.5 | 28.8 | 26.1 | | |
| 1.75 | Adults with Arthritis | 31.1 | | 25.1 | | |
| 1.75 | Heart Failure: Medicare Population | 14.2 | 14.7 | 14 | | |
| 1.64 | Alzheimer's Disease or Dementia: Medicare Population | 10.4 | 10.4 | 10.8 | | |
| 2.25 | Age-Adjusted Death Rate due to Kidney Disease | 15.6 | 14.5 | 12.9 | | |
| 1.75 | Adults with Arthritis | 31.1 | | 25.1 | | |

| | | Medina Cou | nty | • | | | | |
|-------|---|------------------|--------|-------|--------|------------------|------------------|-------|
| SCORE | CHRONIC DISEASE PREVENTION & MANAGEMENT | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.64 | Prostate Cancer Incidence Rate | 135.8 | | 107.2 | 106.2 | | | |
| 2.58 | Breast Cancer Incidence Rate | 134.7 | | 129.6 | 126.8 | | | |
| 2.58 | Cancer: Medicare Population | 9 | | 8.4 | 8.4 | | | |
| 2.25 | All Cancer Incidence Rate | 486.3 | | 467.5 | 448.6 | | | |
| 1.92 | Adults with Cancer | 8.3 | | | 7.1 | | | |
| 2.50 | Consumer Expenditures: Fast Food Restaurants | 1814.2 | | 1461 | 1638.9 | | | |
| 2.50 | Consumer Expenditures: High Sugar Foods | 627 | | 519 | 530.2 | | | |
| 2.33 | Consumer Expenditures: High Sugar Beverages | 370 | | 319.7 | 357 | | | |

| | | | 1 | | 1 | 1 | |
|------|--|------|------|------|---|---|--|
| 2.58 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 37.2 | 36.1 | 33.5 | | | |
| 2.31 | Atrial Fibrillation: Medicare Population | 9.4 | 9 | 8.4 | | | |
| 2.14 | Osteoporosis: Medicare Population | 6.6 | 6.2 | 6.6 | | | |
| 1.92 | Depression: Medicare Population | 19 | 20.4 | 18.4 | | | |
| 1.81 | Hyperlipidemia: Medicare Population | 50 | 49.4 | 47.7 | | | |
| 1.75 | Adults with Arthritis | 30 | | 25.1 | | | |
| 1.67 | Consumer Expenditures: Eldercare | 24.4 | 20.5 | 34.3 | | | |
| 1.50 | People 65+ with Low Access to a Grocery Store | 2.5 | | | | | |

Table 14: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #4: Maternal and Child Health

Among all health topics, Maternal, Fetal and Infant Health ranked 12th with a score of 1.43. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 14 below. See Appendix C for the full list of indicators categorized within this topic.

| | | Cuyahoga | County | | | | | |
|-------|-----------------------------------|-----------------|--------|------|------|---------------|---------------|-------|
| SCORE | MATERNAL, FETAL & INFANT HEALTH | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.11 | Babies with Low Birth Weight | 10.8 | | 8.5 | 8.2 | (1 | | |
| 2.11 | Babies with Very Low Birth Weight | 1.7 | | 1.4 | 1.3 | 1 | | |
| 1.78 | Infant Mortality Rate | 8.6 | 5 | 6.9 | | | | |

| | | Lorain C | County | | | | 1 | |
|-------|--|---------------|--------|-------|-------|---------------|---------------|-------|
| SCORE | MATERNAL, FETAL & INFANT HEALTH | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.17 | Consumer Expenditures: Childcare | 336.9 | | 301.6 | 368.2 | | | |
| 2.06 | Babies with Very Low Birth Weight | 1.5 | | 1.4 | 1.3 | | | |
| 2.06 | Mothers who Received Early Prenatal Care | 67 | | 68.9 | 76.1 | | | |
| 1.89 | Preterm Births | 10.5 | 9.4 | 10.3 | | | | |
| 1.75 | Babies with Low Birth Weight | 9 | | 8.5 | 8.2 | | | |
| 1.53 | Teen Birth Rate: 15-17 | 6.9 | | 6.8 | | | | |

| | | Medina | County | | | | | |
|-------|----------------------------------|---------------|--------|-------|-------|---------------|---------------|-------|
| SCORE | MATERNAL, FETAL & INFANT HEALTH | Medina County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.33 | Consumer Expenditures: Childcare | 403.8 | | 301.6 | 368.2 | | | |

Table 15: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #5: Socioeconomic Issues

Prevention & Safety ranked third among all health topics with a score of 1.74. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 15 below. Medina County did not have any indicators of concern. See Appendix C for the full list of indicators categorized within this topic.

| | | Cuyahoga County | / | | | | | |
|-------|--|--------------------|--------|------|------|------------------|------------------|-------|
| SCORE | PREVENTION & SAFETY | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.31 | Age-Adjusted Death Rate due to Falls | 11.6 | | 10.5 | 9.5 | | | |
| 2.00 | Age-Adjusted Death Rate due to Motor Vehicle Collisions | 3.6 | | 2.8 | 2.5 | | | |
| 2.22 | Age-Adjusted Death Rate due to Unintentional Injuries | 69.7 | 43.2 | 68.8 | 48.9 | | | |
| 2.31 | Age-Adjusted Death Rate due to Unintentional Poisonings | 42 | | 40.2 | 21.4 | | | |
| 2.64 | Death Rate due to Drug Poisoning | 42.6 | | 38.1 | 21 | | | |
| 1.75 | Severe Housing Problems | 17.1 | | 13.7 | 18 | | | |

| | I | orain County | T | | | | 1 | · · · · · · · · · · · · · · · · · · · |
|-------|--|------------------|--------|------|------|------------------|------------------|---------------------------------------|
| SCORE | PREVENTION & SAFETY | Lorain County | HP2030 | Ohio | U.S. | Ohio Counties | U.S. Counties | Trend |
| 2.75 | Age-Adjusted Death Rate due to Falls | 14.5 | | 10.5 | 9.5 | | | |
| 2.39 | Age-Adjusted Death Rate due to Unintentional Injuries | 71.1 | 43.2 | 68.8 | 48.9 | | | |
| 2.31 | Age-Adjusted Death Rate due to Unintentional Poisonings | 41.2 | | 40.2 | 21.4 | | | |
| 2.31 | Death Rate due to Drug Poisoning | 38.4 | | 38.1 | 21 | | | |
| 1.50 | Age-Adjusted Death Rate due to Motor Vehicle Collisions | 2.7 | | 2.8 | 2.5 | | | |

Table 16: Secondary Data Scoring Results by Health Topic for The Lutheran Hospital Community in Rank Order by Topic Score

| HEALTH TOPICS | AVG |
|-------------------------------------|-------|
| Medications & Prescriptions | 2.18 |
| Other Conditions | 1.84 |
| Prevention & Safety | 1.74 |
| Alcohol & Drug Use | 1.63 |
| Older Adults | 1.59 |
| Cancer | 1.54 |
| Children's Health | 1.52 |
| Nutrition & Healthy Eating | 1.51 |
| Women's Health | 1.50 |
| Health Care Access & Quality | 1.44 |
| Physical Activity | 1.43 |
| Maternal, Fetal & Infant Health | 1.43 |
| Heart Disease & Stroke | 1.41 |
| Mental Health & Mental Disorders | 1.40 |
| Wellness & Lifestyle | 1.34 |
| Respiratory Diseases | 1.20 |
| Tobacco Use | 1.17 |
| Diabetes | 1.13 |
| Oral Health | 1.13 |
| Immunizations & Infectious Diseases | 1.07 |
| QUALITY OF LIFE TOPIC | SCORE |
| Education | 1.49 |
| Community | 1.42 |
| Environmental Health | 1.37 |
| Economy | 1.25 |

| SCORE | ALCOHOL & DRUG USE | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | SOURCE |
|-------|---|---|--------------------|--------|-------|-------|-----------------------|--------|
| 2.64 | Death Rate due to Drug Poisoning | deaths/ 100,000 population | 42.6 | | 38.1 | 21 | 2017-2019 | 9 |
| 2.44 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 41.4 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.00 | Adults who Drink Excessively | percent | 19.6 | | 18.5 | 19 | 2018 | 9 |
| 1.92 | Age-Adjusted Drug and Opioid- Involved Overdose Death Rate | Deaths per 100,000 population | 43.8 | | 42 | 22.8 | 2017-2019 | 5 |
| 1.67 | Consumer Expenditures: Alcoholic Beverages | average dollar amount per consumer unit | 637.1 | | 651.5 | 701.9 | 2021 | 7 |
| 1.42 | Health Behaviors Ranking | ranking | 31 | | | | 2021 | 9 |
| 1.31 | Liquor Store Density | stores/ 100,000 population | 6.4 | | 5.6 | 10.5 | 2019 | 22 |
| 1.25 | Adults who Binge Drink | percent | 16 | | | 16.7 | 2019 | 4 |
| 0.92 | Mothers who Smoked During Pregnancy | percent | 6.1 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| SCORE | CANCER | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| | Age-Adjusted | | | | | | | |
|------|---------------------------------------|-----------------------------------|-------|-------|--------|-------|-----------|-----|
| 2.72 | Death Rate due to Prostate Cancer | deaths/ 100,000 males | 23.8 | 16.9 | 19.4 | 18.9 | 2015-2019 | 12 |
| | | | 20.0 | 10.5 | 10.1 | 10.5 | 2010 2010 | |
| 2.58 | Breast Cancer Incidence Rate | <i>cases/ 100,000 females</i> | 134.8 | | 129.6 | 126.8 | 2014-2018 | 12 |
| | Prostate Cancer | cases/ 100,000 | | | | | | |
| 2.36 | Incidence Rate | males | 128 | | 107.2 | 106.2 | 2014-2018 | 12 |
| | Cancer: Medicare | | | | | | | |
| 2.31 | Population | percent | 9 | | 8.4 | 8.4 | 2018 | 6 |
| | Age-Adjusted | | | | | | | |
| | Death Rate due to | deaths/ 100,000 | | | | | | |
| 2.28 | Breast Cancer | females | 23.6 | 15.3 | 21.6 | 19.9 | 2015-2019 | 12 |
| 0.05 | All Cancer | cases/ 100,000 | 470 7 | | 467 5 | 110.0 | 0014 0010 | 10 |
| 2.25 | Incidence Rate | population | 479.7 | | 467.5 | 448.6 | 2014-2018 | 12 |
| 2.14 | Colorectal Cancer Incidence Rate | cases/ 100,000 population | 44.2 | | 41.3 | 38 | 2014-2018 | 12 |
| 2.14 | Age-Adjusted | ροριτατιοπ | 44.2 | | 41.5 | 50 | 2014-2018 | 12 |
| 1 70 | Death Rate due to | deaths/ 100,000 | 1 – 1 | 100 7 | 1.00.4 | 150.4 | 0015 0010 | 1.0 |
| 1.78 | Cancer | population | 171 | 122.7 | 169.4 | 152.4 | 2015-2019 | 12 |
| 1.67 | Colon Cancer | paraant | 63.7 | 74.4 | | 66.4 | 2018 | 4 |
| 1.07 | Screening | percent | 03.7 | /4.4 | | 00.4 | 2016 | 4 |
| | Age-Adjusted | 1 11 (100 000 | | | | | | |
| 1.44 | Death Rate due to Lung Cancer | deaths/ 100,000 population | 42.9 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
| | ~ | | | | | | | |
| | Lung and Bronchus Cancer Incidence | cases/ 100.000 | | | | | | |
| 1.36 | Rate | population | 63.7 | | 67.3 | 57.3 | 2014-2018 | 12 |
| | Ago Adjusted | | | | | | | |
| | Age-Adjusted Death Rate due to | deaths/ 100,000 | | | | | | |
| 1.28 | Colorectal Cancer | population | 14.5 | 8.9 | 14.8 | 13.4 | 2015-2019 | 12 |

| 1.25 | Adults with Cancer | percent | 7.5 | | | 7.1 | 2019 | 4 |
|-------|--|-----------------------------------|--------------------|--------|------|------|-----------------------|--------|
| 1.14 | Oral Cavity and Pharynx Cancer Incidence Rate Mammogram in | cases/ 100,000 population | 11.5 | | 12.2 | 11.9 | 2014-2018 | 12 |
| 0.94 | Past 2 Years: 50- 74 | percent | 75.2 | 77.1 | | 74.8 | 2018 | 4 |
| 0.89 | Cervical Cancer Screening: 21-65 | Percent | 85.3 | 84.3 | | 84.7 | 2018 | 4 |
| 0.61 | Cervical Cancer Incidence Rate | <i>cases/ 100,000 females</i> | 6.4 | | 7.9 | 7.7 | 2014-2018 | 12 |
| | | | | | | | | |
| SCORE | CHILDREN'S HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.17 | Child Food Insecurity Rate | percent | 20.7 | | 17.4 | 14.6 | 2019 | 10 |
| 2.08 | Projected Child Food Insecurity Rate | percent | 23.4 | | 18.5 | | 2021 | 10 |
| 1.94 | Substantiated Child Abuse Rate | cases/ 1,000 children | 10 | 8.7 | 6.8 | | 2020 | 3 |
| 1.86 | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent | 1.7 | | 0.5 | | 2020 | 19 |
| 1.58 | Blood Lead Levels in Children (>=5 micrograms per deciliter) | percent | 5.8 | | 1.9 | | 2020 | 19 |

| | Children with Low | | | | | | | |
|-------|------------------------------------|---|--------------------|--------|-------|-------|-----------------------|--------|
| 1.50 | Access to a Grocery Store | percent | 4.3 | | | | 2015 | 23 |
| | Children with | , | | | | | | |
| 1.33 | Health Insurance | percent | 97.1 | | 95.2 | 94.3 | 2019 | 1 |
| | Consumer Expenditures: | average dollar amount per | | | | | | |
| 1.33 | Childcare | consumer unit | 272.1 | | 301.6 | 368.2 | 2021 | 7 |
| | | | | | | | | |
| SCORE | COMMUNITY | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| | People 65+ Living | | | | | | | |
| 2.64 | Alone | percent | 34.8 | | 28.8 | 26.1 | 2015-2019 | 1 |
| 2.50 | Single-Parent Households | percent | 37.6 | | 27.1 | 25.5 | 2015-2019 | 1 |
| 2.47 | Homeownership | percent | 50.9 | | 59.4 | 56.2 | 2015-2019 | 1 |
| 2.44 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 41.4 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.39 | Violent Crime Rate | crimes/ 100,000 population | 637 | | 303.5 | 394 | 2017 | 18 |
| 2.31 | Social Associations | <i>membership associations/ 10,000 population</i> | 9.2 | | 11 | 9.3 | 2018 | 9 |
| 2.14 | Linguistic Isolation | percent | 2.9 | | 1.4 | 4.4 | 2015-2019 | 1 |
| | Households | , | | | | | | |
| 2.08 | without a Vehicle | percent | 12.8 | | 7.9 | 8.6 | 2015-2019 | 1 |

| | Age-Adjusted Death Rate due to | | | | | | | |
|------|---|---|-------|-----|-------|-------|-----------|----|
| 2.00 | Motor Vehicle Collisions | deaths/ 100,000 population | 3.6 | | 2.8 | 2.5 | 2015-2019 | 5 |
| 2.00 | People Living Below Poverty Level | percent | 17.5 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| 1.94 | Substantiated Child Abuse Rate | cases/ 1,000 children | 10 | 8.7 | 6.8 | | 2020 | 3 |
| 1.92 | Children Living Below Poverty Level | percent | 25.5 | | 19.9 | 18.5 | 2015-2019 | 1 |
| 1.75 | Median Household Income | dollars | 50366 | | 56602 | 62843 | 2015-2019 | 1 |
| 1.75 | Social and Economic Factors Ranking | ranking | 72 | | | | 2021 | 9 |
| 1.75 | Young Children Living Below Poverty Level | percent | 27.3 | | 23 | 20.3 | 2015-2019 | 1 |
| 1.75 | Youth not in School or Working | percent | 2.3 | | 1.8 | 1.9 | 2015-2019 | 1 |
| 1.69 | Voter Turnout: Presidential Election | percent | 71 | | 74 | | 2020 | 20 |
| 1.67 | Consumer Expenditures: Local Public Transportation | average dollar amount per consumer unit | 122.3 | | 121.7 | 148.8 | 2021 | 7 |

| | Households with | | | | | | | |
|------|-----------------------------------|---------|--------|-----|------|------|-----------|----|
| 1.67 | an Internet Subscription | percent | 79.1 | | 82.4 | 83 | 2015-2019 | 1 |
| | | percent | ,,,,,, | | 0211 | | 2010 2010 | - |
| | Households with | | | | | | | |
| | One or More Types of Computing | | | | | | | |
| 1.67 | Devices | percent | 87.4 | | 89.1 | 90.3 | 2015-2019 | 1 |
| | Mean Travel Time | | | | | | | |
| 1.53 | to Work | minutes | 24.3 | | 23.7 | 26.9 | 2015-2019 | 1 |
| | Adults with | | | | | | | |
| 1.50 | Internet Access | percent | 94.3 | | 94.5 | 95 | 2021 | 8 |
| 4.56 | Households with a | | | | 05.0 | | 2221 | |
| 1.50 | Computer | percent | 84.2 | | 85.2 | 86.3 | 2021 | 8 |
| | Persons with an | | | | | | | |
| 1.50 | Internet Subscription | percent | 84 | | 86.2 | 86.2 | 2015-2019 | 1 |
| 1.50 | · · | percent | 04 | | 00.2 | 00.2 | 2013-2013 | 1 |
| 1.36 | Solo Drivers with a Long Commute | percent | 32.3 | | 31.1 | 37 | 2015-2019 | 9 |
| | Households with a | , | | | | | | |
| 1.33 | Smartphone | percent | 80.3 | | 80.5 | 81.9 | 2021 | 8 |
| | | | | | | | | |
| | Workers Commuting by | | | | | | | |
| | Public | | | | | | | |
| 1.06 | Transportation | percent | 4.6 | 5.3 | 1.6 | 5 | 2015-2019 | 1 |
| 1.00 | Workers who Drive | , | 70.0 | | | 76.0 | 2015 2012 | - |
| 1.03 | Alone to Work Households with | percent | 79.3 | | 82.9 | 76.3 | 2015-2019 | 1 |
| | No Car and Low | | | | | | | |
| 1.00 | Access to a | | 1.0 | | | | 2015 | 22 |
| 1.00 | Grocery Store | percent | 1.3 | | | | 2015 | 23 |

| 0.83 | Households with Wireless Phone Service | percent | 97.2 | | 96.8 | 97 | 2020 | 8 |
|-------|---|-------------------------------|--------------------|--------|-------|-------|-----------------------|--------|
| 0.69 | Workers who Walk to Work | percent | 2.7 | | 2.2 | 2.7 | 2015-2019 | 1 |
| 0.58 | Per Capita Income | dollars | 33114 | | 31552 | 34103 | 2015-2019 | 1 |
| 0.25 | People 25+ with a Bachelor's Degree or Higher | percent | 32.5 | | 28.3 | 32.1 | 2015-2019 | 1 |
| SCORE | DIABETES | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.50 | Adults 20+ with Diabetes | percent | 9 | | | | 2019 | 5 |
| 1.14 | Diabetes: Medicare Population | percent | 25.3 | | 27.2 | 27 | 2018 | 6 |
| 0.86 | Age-Adjusted Death Rate due to Diabetes | deaths/ 100,000 population | 22.4 | | 25.3 | 21.5 | 2017-2019 | 5 |
| SCORE | ECONOMY | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.47 | Homeownership | percent | 50.9 | | 59.4 | 56.2 | 2015-2019 | 1 |
| 2.47 | People 65+ Living Below Poverty Level | percent | 10.9 | | 8.1 | 9.3 | 2015-2019 | 1 |
| 2.17 | Child Food Insecurity Rate | percent | 20.7 | | 17.4 | 14.6 | 2019 | 10 |
| 2.17 | Income Inequality | | 0.5 | | 0.5 | 0.5 | 2015-2019 | 1 |

| | Persons with | | | | | | | |
|------|---|---------|------|---|------|------|-----------|----|
| 2.08 | Disability Living in Poverty (5-year) | percent | 33.9 | | 29.5 | 26.1 | 2015-2019 | 1 |
| 2.08 | Projected Child Food Insecurity Rate | percent | 23.4 | | 18.5 | | 2021 | 10 |
| 2.00 | Adults who Feel Overwhelmed by Financial Burdens | percent | 15.1 | | 14.6 | 14.4 | 2021 | 8 |
| 2.00 | Food Insecurity Rate | percent | 13.9 | | 13.2 | 10.9 | 2019 | 10 |
| 2.00 | Households that are Below the Federal Poverty Level | percent | 17.7 | | 13.8 | | 2018 | 25 |
| 2.00 | People Living Below Poverty Level | percent | 17.5 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| 1.92 | Children Living Below Poverty Level | percent | 25.5 | | 19.9 | 18.5 | 2015-2019 | 1 |
| 1.92 | Families Living Below Poverty Level | percent | 13 | | 9.9 | 9.5 | 2015-2019 | 1 |
| 1.92 | Projected Food Insecurity Rate | percent | 15.6 | | 14.1 | | 2021 | 10 |
| 1.83 | Renters Spending 30% or More of Household Income on Rent | percent | 48.4 | | 44.9 | 49.6 | 2015-2019 | 1 |

| | Households with Cash Public | | | | | | |
|------|---|-----------------------------|--------|-------|-------|-----------|----------|
| 1.75 | Assistance Income | percent | 3.1 | 2.9 | 2.4 | 2015-2019 | 1 |
| | Median Household | | | | | | |
| 1.75 | Income | dollars | 50366 | 56602 | 62843 | 2015-2019 | 1 |
| | Severe Housing | | | | | | |
| 1.75 | Problems | percent | 17.1 | 13.7 | 18 | 2013-2017 | 9 |
| 1.75 | Social and Economic Factors Ranking | ranking | 72 | | | 2021 | 9 |
| 1.75 | Young Children Living Below Poverty Level | percent | 27.3 | 23 | 20.3 | 2015-2019 | 1 |
| 1.75 | Youth not in School or Working | percent | 2.3 | 1.8 | 1.9 | 2015-2019 | 1 |
| 1.67 | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | percent | 58.8 | 61.6 | | 2018 | 25 |
| 1.64 | Size of Labor Force | • | 582791 | 01.0 | | Sep-21 | 23 |
| 1.04 | | persons | 302/91 | | | 35p-21 | <u> </u> |
| 1.64 | SNAP Certified Stores | stores/ 1,000 population | 0.9 | | | 2017 | 23 |
| 1.50 | Households with a Savings Account | percent | 67.7 | 68.8 | 70.2 | 2021 | 8 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | 2016 | 23 |

| | People Living | | | | | | |
|------|---|---|--------|----------|--------|-----------|----|
| | 200% Above | | | | | | |
| 1.42 | Poverty Level | percent | 64.7 | 68.8 | 69.1 | 2015-2019 | 1 |
| | Consumer Expenditures: | average dollar | | | | | |
| | Homeowner | amount per | | | | | |
| 1.33 | Expenses | consumer unit | 7600 | 7828 | 8900.1 | 2021 | 7 |
| 1.33 | Households that are Asset Limited, Income Constrained, Employed (ALICE) | percent | 23.5 | 24.5 | | 2018 | 25 |
| 1.33 | Low-Income and Low Access to a Grocery Store | percent | 4.3 | | | 2015 | 23 |
| 1.31 | Overcrowded Households | percent of households | 1.2 | 1.4 | | 2015-2019 | 1 |
| 1.25 | Unemployed Workers in Civilian Labor Force | percent | 4.6 | 4.3 | 4.6 | Sep-21 | 21 |
| 1.17 | Consumer Expenditures: Home Rental Expenses | average dollar amount per consumer unit | 3928.7 | 3798.7 | 5460.2 | 2021 | 7 |
| | Mortgaged Owners Spending 30% or More of Household | | | | | | |
| 1.00 | Income on Housing | percent | 22.7 | 19.7 | 26.5 | 2019 | 1 |
| 0.58 | Per Capita Income | dollars | 33114 | 31552 | 34103 | 2015-2019 | 1 |

| | Students Eligible for the Free Lunch | | | | | | | |
|-------|--|---|--------------------|--------|--------|--------|-----------------------|--------|
| 0.58 | Program | percent | 12.9 | | | | 2019-2020 | 13 |
| | | | | | | | | |
| SCORE | EDUCATION | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| | 4th Grade Students Proficient in English/Language | | | | | | | |
| 1.86 | Arts | percent | 46.6 | | 63.3 | | 2018-2019 | 15 |
| 1.86 | 4th Grade Students Proficient in Math | percent | 52.5 | | 74.3 | | 2018-2019 | 15 |
| 1.86 | 8th Grade Students Proficient in English/Language Arts | percent | 43.1 | | 58.3 | | 2018-2019 | 15 |
| 1.86 | 8th Grade Students Proficient in Math | percent | 39.5 | | 57.3 | | 2018-2019 | 15 |
| 1.33 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 272.1 | | 301.6 | 368.2 | 2021 | 7 |
| 1.67 | Consumer Expenditures: Education | average dollar amount per consumer unit | 1196.7 | | 1200.4 | 1492.4 | 2021 | 7 |
| 1.44 | High School Graduation | percent | 89.5 | 90.7 | 92 | | 2019-2020 | 15 |
| 0.25 | People 25+ with a Bachelor's Degree or Higher | percent | 32.5 | | 28.3 | 32.1 | 2015-2019 | 1 |

| 1.81 | Student-to-Teacher Ratio | students/ teacher | 16.5 | | | | 2019-2020 | 13 |
|-------|--|----------------------------------|--------------------|--------|------|------|-----------------------|--------|
| | | | | | | | | |
| SCORE | ENVIRONMENTAL HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.25 | Adults with Current Asthma | percent | 11 | | | 8.9 | 2019 | 4 |
| 2.14 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.9 | | | | 2016 | 23 |
| 2.08 | Houses Built Prior to 1950 | percent | 39.2 | | 26.2 | 17.5 | 2015-2019 | 1 |
| 2.03 | Asthma: Medicare Population | percent | 5.2 | | 4.8 | 5 | 2018 | 6 |
| 1.86 | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent | 1.7 | | 0.5 | | 2020 | 19 |
| 1.75 | Annual Ozone Air Quality | | F | | | | 2017-2019 | 2 |
| 1.75 | Physical Environment Ranking | ranking | 88 | | | | 2021 | 9 |
| 1.75 | Severe Housing Problems | percent | 17.1 | | 13.7 | 18 | 2013-2017 | 9 |
| 1.67 | Farmers Market Density | markets/ 1,000 population | 0 | | | | 2018 | 23 |
| 1.67 | People 65+ with Low Access to a Grocery Store | percent | 3.4 | | | | 2015 | 23 |

| | Number of | | | | | | |
|------|---|-----------------------------|-----|-----|-----|-----------|----|
| 1.64 | Extreme Precipitation Days | days | 34 | | | 2019 | 14 |
| 1.64 | SNAP Certified Stores | stores/ 1,000 population | 0.9 | | | 2017 | 23 |
| 1.58 | Blood Lead Levels in Children (>=5 micrograms per deciliter) | percent | 5.8 | 1.9 | | 2020 | 19 |
| 1.53 | Food Environment Index | index | 7.3 | 6.8 | 7.8 | 2021 | 9 |
| 1.50 | Children with Low Access to a Grocery Store | percent | 4.3 | | | 2015 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | 2016 | 23 |
| 1.44 | Annual Particle Pollution | | В | | | 2017-2019 | 2 |
| 1.36 | Number of Extreme Heat Days | days | 12 | | | 2019 | 14 |
| 1.36 | Number of Extreme Heat Events | events | 6 | | | 2019 | 14 |
| 1.36 | Weeks of Moderate Drought or Worse | weeks per year | 0 | | | 2020 | 14 |
| 1.33 | Low-Income and Low Access to a Grocery Store | percent | 4.3 | | | 2015 | 23 |
| 1.31 | Grocery Store Density | stores/ 1,000 population | 0.2 | | | 2016 | 23 |

| | Liquor Store | stores/ 100,000 | | | | | | |
|-------|---|---|--------------------|----------|--------|--------|-----------------------|--------|
| 1.31 | Density | population | 6.4 | | 5.6 | 10.5 | 2019 | 22 |
| | Overcrowded | percent of | | | | | | |
| 1.31 | Households | households | 1.2 | | 1.4 | | 2015-2019 | 1 |
| 1.08 | PBT Released | pounds | 234591.7 | | | | 2020 | 24 |
| 1.00 | Households with No Car and Low Access to a Grocery Store | percent | 1.3 | | | | 2015 | 23 |
| 1.00 | | / | 1.5 | | | | 2015 | 25 |
| 1.00 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 0.50 | Access to Exercise Opportunities | percent | 97.5 | | 83.9 | 84 | 2020 | 9 |
| | | | | | | | | |
| SCORE | HEALTH CARE ACCESS & QUALITY | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| JOOKE | | | COONTI | 111 2030 | Unio | 0.5. | TENIOD | Source |
| 1.83 | Adults with Health Insurance: 18+ | percent | 89.8 | | 90.2 | 90.6 | 2021 | 8 |
| 1.83 | Consumer Expenditures: Medical Services | average dollar amount per consumer unit | 1057.6 | | 1098.6 | 1047.4 | 2021 | 7 |
| 1.83 | Consumer Expenditures: Medical Supplies | average dollar amount per consumer unit | 199.2 | | 204.8 | 194.9 | 2021 | 7 |
| 1.50 | Adults who Visited a Dentist | percent | 51.3 | | 51.6 | 52.9 | 2021 | 8 |

| | | | | | | |] |
|------|--|---|--------|--------|--------|------|---|
| 1.50 | Consumer Expenditures: Prescription and Non-Prescription Drugs | average dollar amount per consumer unit | 627.2 | 638.9 | 609.6 | 2021 | 7 |
| 1.42 | Adults without Health Insurance | percent | 13 | | 13 | 2019 | 4 |
| 1.39 | Persons without Health Insurance | percent | 5.3 | 6.6 | | 2019 | 1 |
| 1.33 | Adults with Health Insurance | percent | 92.2 | 90.9 | 87.1 | 2019 | 1 |
| 1.33 | Children with Health Insurance | percent | 97.1 | 95.2 | 94.3 | 2019 | 1 |
| 1.33 | Consumer Expenditures: Health Insurance | average dollar amount per consumer unit | 4238.3 | 4371.7 | 4321.1 | 2021 | 7 |
| 1.25 | Adults who have had a Routine Checkup | percent | 78.2 | | 76.6 | 2019 | 4 |
| 1.25 | Clinical Care Ranking | | 10 | | | 2021 | 9 |
| 0.61 | Primary Care Provider Rate | providers/ 100,000 population | 112.7 | 76.7 | | 2018 | 9 |
| 0.33 | Dentist Rate | dentists/ 100,000 population | 109.6 | 64.2 | | 2019 | 9 |
| 0.33 | Mental Health Provider Rate | providers/ 100,000 population | 401.4 | 261.3 | | 2020 | 9 |

| | Non-Physician | providers/ | | | | | | |
|-------|-------------------------------|-----------------|----------|--------|-------|------|-------------|----------|
| | Primary Care | 100,000 | | | | | | |
| 0.33 | Provider Rate | population | 180.6 | | 108.9 | | 2020 | 9 |
| | | | | | | | | |
| | HEART DISEASE & | | CUYAHOGA | | | | MEASUREMENT | |
| SCORE | | UNITS | COUNTY | HP2030 | Ohio | U.S. | PERIOD | Source |
| | Atrial Fibrillation: | | | | | | | |
| | Medicare | | | | | | | |
| 2.14 | Population | percent | 9 | | 9 | 8.4 | 2018 | 6 |
| | | percent | | | | 0.1 | 2010 | <u> </u> |
| | Adults who | | | | | | | |
| | Experienced a | | | | | | | _ |
| 1.92 | Stroke | percent | 4.2 | | | 3.4 | 2019 | 4 |
| | Heart Failure: | | | | | | | |
| | Medicare | | | | | | | |
| 1.69 | Population | percent | 15.3 | | 14.7 | 14 | 2018 | 6 |
| | | | | | | | | |
| | Age-Adjusted | | | | | | | |
| | Death Rate due to | | | | | | | |
| 4 0 | Coronary Heart | deaths/ 100,000 | 107.0 | | | | 0017 0010 | _ |
| 1.50 | Disease | population | 107.8 | 71.1 | 101.4 | 90.5 | 2017-2019 | 5 |
| | High Blood Pressure | | | | | | | |
| 1.50 | Prevalence | percent | 35.4 | 27.7 | | 32.6 | 2019 | 4 |
| | | porocine | | | | 02.0 | 2010 | |
| | Age-Adjusted | | | | | | | |
| | Death Rate due to | | | | | | | |
| | Cerebrovascular | deaths/ 100,000 | | | | | | |
| 1.44 | Disease (Stroke) | population | 36.6 | 33.4 | 42.5 | 37.2 | 2017-2019 | 5 |
| | | | | | | | | |
| | Adults who | | | | | | | |
| | Experienced Coronary Heart | | | | | | | |
| 1.42 | Disease | percent | 7.4 | | | 6.2 | 2019 | 4 |
| | | | · · · · | 1 | 1 | · · | | • |

| 1.36 | Stroke: Medicare Population | percent | 3.8 | | 3.8 | 3.8 | 2018 | 6 |
|-------|--|--|--------------------|--------|-------|------|-----------------------|--------|
| 1.31 | Hypertension: Medicare Population | percent | 57.2 | | 59.5 | 57.2 | 2018 | 6 |
| 1.25 | Adults who Have Taken Medications for High Blood Pressure | percent | 78.7 | | | 76.2 | 2019 | 4 |
| 1.25 | Cholesterol Test History | percent | 86.3 | | | 87.6 | 2019 | 4 |
| 1.00 | Hyperlipidemia: Medicare Population | percent | 45.2 | | 49.4 | 47.7 | 2018 | 6 |
| 1.00 | Ischemic Heart Disease: Medicare Population | percent | 25.8 | | 27.5 | 26.8 | 2018 | 6 |
| 0.92 | High Cholesterol Prevalence: Adults 18+ | percent | 32.2 | | | 33.6 | 2019 | 4 |
| 0.58 | Age-Adjusted Death Rate due to Heart Attack | deaths/ 100,000 population 35+ years | 42.3 | | 55.4 | | 2019 | 14 |
| SCORE | IMMUNIZATIONS & INFECTIOUS DISEASES | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.39 | Chlamydia Incidence Rate | cases/ 100,000 population | 949.5 | | 561.9 | 551 | 2019 | 16 |

| | Gonorrhea | cases/ 100,000 | | | | | | |
|-------|--|---------------------------------|--------------------|--------|-------|-------|-----------------------|--------|
| 2.39 | Incidence Rate | population | 432.9 | | 224 | 187.8 | 2019 | 16 |
| 1.61 | Tuberculosis Incidence Rate | cases/ 100,000 population | 1.2 | 1.4 | 1.1 | | 2020 | 16 |
| 1.53 | COVID-19 Daily Average Case- Fatality Rate | deaths per 100 cases | 0 | | 0 | 0.5 | 28-Jan-22 | 11 |
| 1.31 | Overcrowded Households | percent of households | 1.2 | | 1.4 | | 2015-2019 | 1 |
| 1.17 | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent | 48.6 | | 48.6 | 49.4 | 2021 | 8 |
| 0.83 | Salmonella Infection Incidence Rate | cases/ 100,000 population | 10 | 11.1 | 12.9 | | 2018 | 16 |
| 0.58 | Persons Fully Vaccinated Against COVID-19 | percent | 62.8 | | | | 28-Jan-22 | 5 |
| 0.08 | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population | 11.1 | | 14.4 | 13.8 | 2017-2019 | 5 |
| 0.08 | COVID-19 Daily Average Incidence Rate | cases per 100,000 population | 30.6 | | 128.4 | 177.3 | 28-Jan-22 | 11 |
| SCORE | MATERNAL, FETAL & INFANT HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| | Babies with Low | | | | | | | |
|-------|--|---|--------------------|--------|--------|--------|-----------------------|--------|
| 2.11 | Birth Weight | percent | 10.8 | | 8.5 | 8.2 | 2020 | 17 |
| | Babies with Very | | | | | | | |
| 2.11 | Low Birth Weight | percent | 1.7 | | 1.4 | 1.3 | 2020 | 17 |
| 1.33 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 272.1 | | 301.6 | 368.2 | 2021 | 7 |
| 1.78 | Infant Mortality Rate | deaths/ 1,000 live births | 8.6 | 5 | 6.9 | | 2019 | 17 |
| 1.00 | Mothers who Received Early Prenatal Care | percent | 72.4 | | 68.9 | 76.1 | 2020 | 17 |
| 0.92 | Mothers who Smoked During Pregnancy | percent | 6.1 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| 1.67 | Preterm Births | percent | 11.4 | 9.4 | 10.3 | | 2020 | 17 |
| 1.53 | Teen Birth Rate: 15·17 | live births/ 1,000 females aged 15- 17 | 7.2 | | 6.8 | | 2020 | 17 |
| 1.58 | Teen Pregnancy Rate | pregnancies/ 1,000 females aged 15-17 | 23.9 | | 19.5 | | 2016 | 17 |
| SCORE | MEDICATIONS & PRESCRIPTIONS | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.83 | Consumer Expenditures: Medical Services | average dollar amount per consumer unit | 1057.6 | | 1098.6 | 1047.4 | 2021 | 7 |

| | Consumer | average dollar | | | | | | |
|-------|--------------------------------|-----------------------|----------|--------|-------|-------|-------------|--------|
| | Expenditures: | amount per | | | | | | |
| 1.83 | Medical Supplies | consumer unit | 199.2 | | 204.8 | 194.9 | 2021 | 7 |
| | Consumer | | | | | | | |
| | Expenditures: | | | | | | | |
| | Prescription and | average dollar | | | | | | |
| | Non-Prescription | amount per | | | | | | |
| 1.50 | Drugs | consumer unit | 627.2 | | 638.9 | 609.6 | 2021 | 7 |
| | | | | | | | | |
| | MENTAL HEALTH | | | | | | | |
| | & MENTAL | | CUYAHOGA | | | | MEASUREMENT | |
| SCORE | DISORDERS | UNITS | COUNTY | HP2030 | Ohio | U.S. | PERIOD | Source |
| | Adulta Even | | | | | | | |
| | Adults Ever Diagnosed with | | | | | | | |
| 1.42 | Depression | percent | 20.9 | | | 18.8 | 2019 | 4 |
| | Age-Adjusted | / | | | | | | |
| | Death Rate due to | | | | | | | |
| 0.64 | Alzheimer's | deaths/ 100,000 | 01 | | 24 | 20 5 | 0017 0010 | - |
| 0.64 | Disease Age-Adjusted | population | 21 | | 34 | 30.5 | 2017-2019 | 5 |
| | Death Rate due to | deaths/ 100,000 | | | | | | |
| 1.61 | Suicide | population | 14 | 12.8 | 15.1 | 14.1 | 2017-2019 | 5 |
| | Alzheimer's | | | | | | | |
| | Disease or | | | | | | | |
| | Dementia: | | | | | | | |
| 0.17 | Medicare | | 11 / | | 104 | 10.0 | 2010 | c |
| 2.17 | Population | percent | 11.4 | | 10.4 | 10.8 | 2018 | 6 |
| | Depression: | | | | | | | |
| | Medicare | | | | | | | |
| 1.75 | Population | percent | 18.5 | | 20.4 | 18.4 | 2018 | 6 |
| | Marshall I. III | providers/ | | | | | | |
| 0.33 | Mental Health Provider Rate | 100,000 population | 401.4 | | 261.3 | | 2020 | 9 |
| 0.55 | | ρορυιατιοπ | 401.4 | 1 | 201.3 | | 2020 | 9 |

| | Poor Mental | | | | | | | |
|-------|--|---|--------------------|--------|-------|--------|-----------------------|--------|
| 1.75 | Health: 14+ Days | percent | 16 | | | 13.6 | 2019 | 4 |
| 1.83 | Poor Mental Health: Average Number of Days | days | 5 | | 4.8 | 4.1 | 2018 | 9 |
| 1.00 | Self-Reported General Health Assessment: Good or Better | percent | 85.8 | | 85.6 | 86.5 | 2021 | 8 |
| SCORE | NUTRITION & HEALTHY EATING | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.67 | Consumer Expenditures: Fruits and Vegetables | average dollar amount per consumer unit | 838.8 | | 864.6 | 1002.1 | 2021 | 7 |
| 1.50 | Consumer Expenditures: High Sugar Foods | average dollar amount per consumer unit | 502.1 | | 519 | 530.2 | 2021 | 7 |
| 1.33 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 41.1 | | 41.5 | 41.2 | 2021 | 8 |
| 1.33 | Consumer Expenditures: Fast Food Restaurants | average dollar amount per consumer unit | 1415.1 | | 1461 | 1638.9 | 2021 | 7 |
| 1.17 | Consumer Expenditures: High Sugar Beverages | average dollar amount per consumer unit | 310.6 | | 319.7 | 357 | 2021 | 7 |

| | Adult Sugar- Sweetened | | | | | | | |
|-------|--|-------------------------------|--------------------|--------|------|------|-----------------------|--------|
| | Beverage | | | | | | | |
| 0.83 | Consumption: Past 7 Days | percent | 79.6 | | 80.9 | 80.4 | 2021 | 8 |
| 0.05 | 7 Days | percent | 75.0 | | 00.5 | 00.4 | 2021 | 0 |
| SCORE | OLDER ADULT HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.64 | People 65+ Living Alone | percent | 34.8 | | 28.8 | 26.1 | 2015-2019 | 1 |
| 2.47 | People 65+ Living Below Poverty Level | percent | 10.9 | | 8.1 | 9.3 | 2015-2019 | 1 |
| 2.31 | Age-Adjusted Death Rate due to Falls | deaths/ 100,000 population | 11.6 | | 10.5 | 9.5 | 2017-2019 | 5 |
| 2.31 | Cancer: Medicare Population | percent | 9 | | 8.4 | 8.4 | 2018 | 6 |
| 2.17 | Alzheimer's Disease or Dementia: Medicare Population | percent | 11.4 | | 10.4 | 10.8 | 2018 | 6 |
| 2.14 | Atrial Fibrillation: Medicare Population | percent | 9 | | 9 | 8.4 | 2018 | 6 |
| 2.08 | Osteoporosis: Medicare Population | percent | 6.3 | | 6.2 | 6.6 | 2018 | 6 |
| 2.03 | Asthma: Medicare Population | percent | 5.2 | | 4.8 | 5 | 2018 | 6 |

| | Chronic Kidney Disease: Medicare | | | | | | | |
|------|-------------------------------------|---------------------------------------|------|------|------|------|------|----|
| 1.92 | Population | percent | 25.2 | | 25.3 | 24.5 | 2018 | 6 |
| | | / | | | | | | |
| | Rheumatoid | | | | | | | |
| | Arthritis or Osteoarthritis: | | | | | | | |
| | Medicare | | | | | | | |
| 1.92 | Population | percent | 35.4 | | 36.1 | 33.5 | 2018 | 6 |
| | | | | | | | | |
| | Adults 65+ who Received | | | | | | | |
| | Recommended | | | | | | | |
| 1.75 | Preventive Services: Females | percent | 28.6 | | | 28.4 | 2018 | 4 |
| 1.75 | | percent | 20.0 | | | 20.4 | 2010 | |
| | Depression: Medicare | | | | | | | |
| 1.75 | Population | percent | 18.5 | | 20.4 | 18.4 | 2018 | 6 |
| | Heart Failure: | | | | | | | |
| | Medicare | | | | | | | |
| 1.69 | Population | percent | 15.3 | | 14.7 | 14 | 2018 | 6 |
| | Colon Cancer | | | | | | | |
| 1.67 | Screening | percent | 63.7 | 74.4 | | 66.4 | 2018 | 4 |
| | People 65+ with | | | | | | | |
| 1.67 | Low Access to a Grocery Store | percent | 3.4 | | | | 2015 | 23 |
| 1.07 | | ρειτεπι | 5.4 | | | | 2013 | 23 |
| 1.58 | Adults 65+ with Total Tooth Loss | percent | 15.5 | | | 13.5 | 2018 | 4 |
| | Adults with | i | | | | | | |
| 1.42 | Arthritis | percent | 29.3 | | | 25.1 | 2019 | 4 |
| 1.00 | Stroke: Medicare | · · · · · · · · · · · · · · · · · · · | 2.0 | | 2.0 | | 2012 | C |
| 1.36 | Population | percent | 3.8 | | 3.8 | 3.8 | 2018 | 6 |

| 1.31 | Hypertension: Medicare Population | percent | 57.2 | | 59.5 | 57.2 | 2018 | 6 |
|-------|--|---|--------------------|--------|------|------|-----------------------|--------|
| 1.14 | Diabetes: Medicare Population | percent | 25.3 | | 27.2 | 27 | 2018 | 6 |
| 1.00 | Consumer Expenditures: Eldercare | average dollar amount per consumer unit | 20.8 | | 20.5 | 34.3 | 2021 | 7 |
| 1.00 | Hyperlipidemia: Medicare Population | percent | 45.2 | | 49.4 | 47.7 | 2018 | 6 |
| 1.00 | Ischemic Heart Disease: Medicare Population | percent | 25.8 | | 27.5 | 26.8 | 2018 | 6 |
| 0.97 | COPD: Medicare Population | percent | 11.2 | | 13.2 | 11.5 | 2018 | 6 |
| 0.92 | Adults 65+ who Received Recommended Preventive Services: Males | percent | 34.5 | | | 32.4 | 2018 | 4 |
| 0.64 | Age-Adjusted Death Rate due to Alzheimer's Disease | deaths/ 100,000 population | 21 | | 34 | 30.5 | 2017-2019 | 5 |
| SCORE | ORAL HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.58 | Adults 65+ with Total Tooth Loss | percent | 15.5 | | | 13.5 | 2018 | 4 |

| 1.50 | Adults who Visited a Dentist | percent | 51.3 | | 51.6 | 52.9 | 2021 | 8 |
|-------|---|---------------------------------|--------------------|--------|------|------|-----------------------|--------|
| 1.14 | Oral Cavity and Pharynx Cancer Incidence Rate | cases/ 100,000 population | 11.5 | | 12.2 | 11.9 | 2014-2018 | 12 |
| 0.33 | Dentist Rate | dentists/ 100,000 population | 109.6 | | 64.2 | | 2019 | 9 |
| SCORE | OTHER CONDITIONS | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.08 | Osteoporosis: Medicare Population | percent | 6.3 | | 6.2 | 6.6 | 2018 | 6 |
| 1.92 | Adults with Kidney Disease | Percent of adults | 3.6 | | | 3.1 | 2019 | 4 |
| 1.92 | Chronic Kidney Disease: Medicare Population | percent | 25.2 | | 25.3 | 24.5 | 2018 | 6 |
| 1.92 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | percent | 35.4 | | 36.1 | 33.5 | 2018 | 6 |
| 1.69 | Age-Adjusted Death Rate due to Kidney Disease | deaths/ 100,000 population | 15.2 | | 14.5 | 12.9 | 2017-2019 | 5 |
| 1.42 | Adults with Arthritis | percent | 29.3 | | | 25.1 | 2019 | 4 |
| | | | | | | | | |

| SCORE | PHYSICAL ACTIVITY | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|----------------------------------|--------------------|--------|------|------|-----------------------|--------|
| 2.22 | Adults 20+ who are Obese | percent | 34.2 | 36 | | | 2019 | 5 |
| 2.14 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.9 | | | | 2016 | 23 |
| 1.67 | Farmers Market Density | markets/ 1,000 population | 0 | | | | 2018 | 23 |
| 1.67 | People 65+ with Low Access to a Grocery Store | percent | 3.4 | | | | 2015 | 23 |
| 1.64 | Adults 20+ who are Sedentary | percent | 25.1 | | | | 2019 | 5 |
| 1.64 | SNAP Certified Stores | stores/ 1,000 population | 0.9 | | | | 2017 | 23 |
| 1.53 | Food Environment Index | index | 7.3 | | 6.8 | 7.8 | 2021 | 9 |
| 1.50 | Children with Low Access to a Grocery Store | percent | 4.3 | | | | 2015 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.42 | Health Behaviors Ranking | ranking | 31 | | | | 2021 | 9 |
| 1.33 | Low-Income and Low Access to a Grocery Store | percent | 4.3 | | | | 2015 | 23 |
| 1.31 | Grocery Store Density | stores/ 1,000 population | 0.2 | | | | 2016 | 23 |

| | Households with No Car and Low | | | | | | | |
|-------|--|---------------------------------|--------------------|--------|------|------|-----------------------|--------|
| 1.00 | Access to a Grocery Store | percent | 1.3 | | | | 2015 | 23 |
| 1.00 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 0.83 | Adult Sugar- Sweetened Beverage Consumption: Past 7 Days | percent | 79.6 | | 80.9 | 80.4 | 2021 | 8 |
| 0.69 | Workers who Walk to Work | percent | 2.7 | | 2.2 | 2.7 | 2015-2019 | 1 |
| 0.50 | Access to Exercise Opportunities | percent | 97.5 | | 83.9 | 84 | 2020 | 9 |
| SCORE | PREVENTION & SAFETY | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.31 | Age-Adjusted Death Rate due to Falls | deaths/ 100,000 population | 11.6 | | 10.5 | 9.5 | 2017-2019 | 5 |
| 2.00 | Age-Adjusted Death Rate due to Motor Vehicle Collisions | deaths/ 100,000 population | 3.6 | | 2.8 | 2.5 | 2015-2019 | 5 |
| 2.22 | Age-Adjusted Death Rate due to Unintentional Injuries | deaths/ 100,000 population | 69.7 | 43.2 | 68.8 | 48.9 | 2017-2019 | 5 |

| 2.31 | Age-Adjusted Death Rate due to Unintentional Poisonings | deaths/ 100,000 population | 42 | | 40.2 | 21.4 | 2017-2019 | 5 |
|-------|--|---|--------------------|--------|-------|-------|-----------------------|--------|
| 2.64 | Death Rate due to Drug Poisoning | deaths/ 100,000 population | 42.6 | | 38.1 | 21 | 2017-2019 | 9 |
| 1.75 | Severe Housing Problems | percent | 17.1 | | 13.7 | 18 | 2013-2017 | 9 |
| SCORE | RESPIRATORY DISEASES | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.25 | Adults with Current Asthma | percent | 11 | | | 8.9 | 2019 | 4 |
| 2.03 | Asthma: Medicare Population | percent | 5.2 | | 4.8 | 5 | 2018 | 6 |
| 2.00 | Consumer Expenditures: Tobacco and Legal Marijuana | average dollar amount per consumer unit | 485.5 | | 487.9 | 422.4 | 2021 | 7 |
| 1.61 | Tuberculosis Incidence Rate | cases/ 100,000 population | 1.2 | 1.4 | 1.1 | | 2020 | 16 |
| 1.58 | Adults with COPD | Percent of adults | 8.6 | | | 6.6 | 2019 | 4 |
| 1.53 | COVID-19 Daily Average Case- Fatality Rate | deaths per 100 cases | 0 | | 0 | 0.5 | 28-Jan-22 | 11 |
| 1.44 | Age-Adjusted Death Rate due to Lung Cancer | deaths/ 100,000 population | 42.9 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
| 1.42 | Adults who Smoke | percent | 20.9 | 5 | 21.4 | 17 | 2018 | 9 |

| | Lung and Bronchus | | | | | | | |
|-------|---|---------------------------------|--------------------|--------|-------|-------|-----------------------|--------|
| 1.36 | Cancer Incidence Rate | cases/ 100,000 population | 63.7 | | 67.3 | 57.3 | 2014-2018 | 12 |
| 0.97 | COPD: Medicare Population | percent | 11.2 | | 13.2 | 11.5 | 2018 | 6 |
| 0.83 | Adults Who Used Electronic Cigarettes: Past 30 Days | percent | 4 | | 4.3 | 4.1 | 2021 | 8 |
| 0.81 | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | deaths/ 100,000 population | 38.4 | | 47.8 | 39.6 | 2017-2019 | 5 |
| 0.50 | Adults Who Used Smokeless Tobacco: Past 30 Days | percent | 1.2 | | 2.2 | 2 | 2021 | 8 |
| 0.08 | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population | 11.1 | | 14.4 | 13.8 | 2017-2019 | 5 |
| 0.08 | COVID-19 Daily Average Incidence Rate | cases per 100,000 population | 30.6 | | 128.4 | 177.3 | 28-Jan-22 | 11 |
| SCORE | TOBACCO USE | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| amount per consumer unit | | | | | | |
|-----------------------------|--|---|---|---|--|---|
| | 485.5 | | 487.9 | 422.4 | 2021 | 7 |
| percent | 20.9 | 5 | 21.4 | 17 | 2018 | 9 |
| percent | 4 | | 4.3 | 4.1 | 2021 | 8 |
| porcept | 1.2 | | 2.2 | 2 | 2021 | 8 |
| percem | 1.2 | | 2.2 | 2 | 2021 | 0 |
| UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| percent | 44.9 | 31.4 | 40.6 | 35 | 2018 | 9 |
| ranking | 76 | | | | 2021 | 9 |
| days | 4.2 | | 4.1 | 3.7 | 2018 | 9 |
| percent | 14.3 | | | 12.5 | 2019 | 4 |
| percent | 21.1 | | | 18.6 | 2019 | 4 |
| | | 27.7 | | | | 4 |
| <i>'</i> | | 27.7 | 77 | | | 9 |
| | percent percent UNITS percent ranking days | percent4percent1.2UNITSCUYAHOGA COUNTYpercent44.9ranking76days4.2percent14.3percent21.1percent35.4 | percent4percent1.2percent1.2UNITSCUYAHOGA COUNTYpercent44.931.4ranking76days4.2percent14.3percent21.1percent35.427.7 | percent 4 4.3 percent 1.2 2.2 UNITS CUYAHOGA COUNTY HP2030 Ohio percent 44.9 31.4 40.6 ranking 76 4.1 days 4.2 4.1 percent 14.3 4.1 percent 21.1 4.1 percent 35.4 27.7 | percent 4 4.3 4.1 percent 1.2 2.2 2 UNITS CUYAHOGA COUNTY HP2030 Ohio U.S. percent 44.9 31.4 40.6 35 ranking 76 | percent 4 4.3 4.1 2021 percent 1.2 2.2 2 2021 units CUYAHOGA COUNTY HP2030 Ohio U.s. MEASUREMENT PERIOD percent 44.9 31.4 40.6 35 2018 ranking 76 12.5 2021 days 4.2 4.1 3.7 2018 percent 14.3 12.5 2019 percent 21.1 18.6 2019 percent 35.4 27.7 32.6 2019 |

| 1.33 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 41.1 | | 41.5 | 41.2 | 2021 | 8 |
|-------|--|---|--------------------|--------|-------|--------|-----------------------|--------|
| 1.33 | Consumer Expenditures: Fast Food Restaurants | average dollar amount per consumer unit | 1415.1 | | 1461 | 1638.9 | 2021 | 7 |
| 1.17 | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent | 48.6 | | 48.6 | 49.4 | 2021 | 8 |
| 1.00 | Self-Reported General Health Assessment: Good or Better | percent | 85.8 | | 85.6 | 86.5 | 2021 | 8 |
| 0.83 | Adult Sugar- Sweetened Beverage Consumption: Past 7 Days | percent | 79.6 | | 80.9 | 80.4 | 2021 | 8 |
| SCORE | WOMEN'S HEALTH | UNITS | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.58 | Breast Cancer Incidence Rate | cases/ 100,000 females | 134.8 | | 129.6 | 126.8 | 2014-2018 | 12 |
| 2.28 | Age-Adjusted Death Rate due to Breast Cancer | deaths/ 100,000 females | 23.6 | 15.3 | 21.6 | 19.9 | 2015-2019 | 12 |

| 0.94 | Mammogram in Past 2 Years: 50- 74 | percent | 75.2 | 77.1 | | 74.8 | 2018 | 4 |
|------|---|---------------------------|------|------|-----|------|-----------|----|
| 0.89 | Cervical Cancer Screening: 21-65 | Percent | 85.3 | 84.3 | | 84.7 | 2018 | 4 |
| 0.61 | Cervical Cancer Incidence Rate | cases/ 100,000 females | 6.4 | | 7.9 | 7.7 | 2014-2018 | 12 |

Cuyahoga Data Sources

Key

Source Name

- 1 American Community Survey
- 2 American Lung Association
- 3 Annie E. Casey Foundation
- 4 CDC PLACES
- 5 Centers for Disease Control and Prevention
- 6 Centers for Medicare & Medicaid Services
- 7 Claritas Consumer Buying Power
- 8 Claritas Consumer Profiles
- 9 County Health Rankings
- 10 Feeding America
- 11 Healthy Communities Institute
- 12 National Cancer Institute
- 13 National Center for Education Statistics
- 14 National Environmental Public Health Tracking Network
- 15 Ohio Department of Education
- 16 Ohio Department of Health, Infectious Diseases
- 17 Ohio Department of Health, Vital Statistics Ohio Department of Public Safety, Office of Criminal Justice
- 18 Services
- 19 Ohio Public Health Information Warehouse
- 20 Ohio Secretary of State
- 21 U.S. Bureau of Labor Statistics
- 22 U.S. Census County Business Patterns
- 23 U.S. Department of Agriculture Food Environment Atlas
- 24 U.S. Environmental Protection Agency
- 25 United For ALICE

| SCORE | ALCOHOL & DRUG USE | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | SOURCE |
|-------|---|---|------------------|--------|-------|-------|-----------------------|--------|
| 2.44 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 39.7 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.31 | Death Rate due to Drug Poisoning | deaths/ 100,000 population | 38.4 | | 38.1 | 21 | 2017-2019 | 9 |
| 2.00 | Consumer Expenditures: Alcoholic Beverages | average dollar amount per consumer unit | 679.4 | | 651.5 | 701.9 | 2021 | 7 |
| 1.92 | Age-Adjusted Drug and Opioid- Involved Overdose Death Rate | Deaths per 100,000 population | 44.3 | | 42 | 22.8 | 2017-2019 | 5 |
| 1.42 | Adults who Binge Drink | percent | 16.2 | | | 16.7 | 2019 | 4 |
| 1.42 | Health Behaviors Ranking | ranking | 25 | | | | 2021 | 9 |
| 1.42 | Mothers who Smoked During Pregnancy | percent | 12.6 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| 1.19 | Liquor Store Density | stores/ 100,000 population | 7.1 | | 5.6 | 10.5 | 2019 | 22 |
| 1.17 | Adults who Drink Excessively | percent | 18 | | 18.5 | 19 | 2018 | 9 |
| | | | | | | | | |

| SCORE | CANCER | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|-------------------------------|------------------|--------|-------|-------|-----------------------|--------|
| 2.31 | Breast Cancer Incidence Rate | cases/ 100,000 females | 134.8 | | 129.6 | 126.8 | 2014-2018 | 12 |
| 2.31 | Cancer: Medicare Population | percent | 8.9 | | 8.4 | 8.4 | 2018 | 6 |
| 2.25 | All Cancer Incidence Rate | cases/ 100,000 population | 475.8 | | 467.5 | 448.6 | 2014-2018 | 12 |
| 2.22 | Age-Adjusted Death Rate due to Breast Cancer | deaths/ 100,000 females | 22.2 | 15.3 | 21.6 | 19.9 | 2015-2019 | 12 |
| 2.22 | Cervical Cancer Incidence Rate | cases/ 100,000 females | 9.2 | | 7.9 | 7.7 | 2014-2018 | 12 |
| 2.00 | Prostate Cancer Incidence Rate | cases/ 100,000 males | 115.9 | | 107.2 | 106.2 | 2014-2018 | 12 |
| 1.78 | Age-Adjusted Death Rate due to Lung Cancer | deaths/ 100,000 population | 45.4 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
| 1.61 | Age-Adjusted Death Rate due to Cancer | deaths/ 100,000 population | 167.8 | 122.7 | 169.4 | 152.4 | 2015-2019 | 12 |
| 1.50 | Colon Cancer Screening | percent | 64.5 | 74.4 | | 66.4 | 2018 | 4 |
| 1.39 | Cervical Cancer Screening: 21-65 | Percent | 84.3 | 84.3 | | 84.7 | 2018 | 4 |
| 1.25 | Adults with Cancer | percent | 7.7 | | | 7.1 | 2019 | 4 |

| | | | | r | | | | |
|-------|---|---|------------------|--------|-------|-------|-----------------------|--------|
| 1.11 | Age-Adjusted Death Rate due to Colorectal Cancer | deaths/ 100,000 population | 13.8 | 8.9 | 14.8 | 13.4 | 2015-2019 | 12 |
| 1.08 | Lung and Bronchus Cancer Incidence Rate | cases/ 100,000 population | 65.8 | | 67.3 | 57.3 | 2014-2018 | 12 |
| 1.06 | Age-Adjusted Death Rate due to Prostate Cancer | deaths/ 100,000 males | 17.5 | 16.9 | 19.4 | 18.9 | 2015-2019 | 12 |
| 0.97 | Oral Cavity and Pharynx Cancer Incidence Rate | cases/ 100,000 population | 11.2 | | 12.2 | 11.9 | 2014-2018 | 12 |
| 0.94 | Mammogram in Past 2 Years: 50-74 | percent | 74.9 | 77.1 | | 74.8 | 2018 | 4 |
| 0.75 | Colorectal Cancer Incidence Rate | cases/ 100,000 population | 39.1 | | 41.3 | 38 | 2014-2018 | 12 |
| SCORE | CHILDREN'S HEALTH | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.17 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 336.9 | | 301.6 | 368.2 | 2021 | 7 |
| 1.83 | Children with Low Access to a Grocery Store | percent | 6.7 | | | | 2015 | 23 |
| 1.56 | Substantiated Child Abuse Rate | cases/ 1,000 children | 7.1 | 8.7 | 6.8 | | 2020 | 3 |

| c | | | | | | | | |
|-------|--|---|------------------|--------|------|------|-----------------------|--------|
| 1.50 | Child Food Insecurity Rate | percent | 17.1 | | 17.4 | 14.6 | 2019 | 10 |
| | | , | | | | | | |
| 1.42 | Projected Child Food Insecurity Rate | percent | 18.7 | | 18.5 | | 2021 | 10 |
| 1.33 | Children with Health Insurance | percent | 96.1 | | 95.2 | 94.3 | 2019 | 1 |
| 1.03 | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent | 0.3 | | 0.5 | | 2020 | 19 |
| 1.03 | Blood Lead Levels in Children (>=5 micrograms per deciliter) | percent | 1.4 | | 1.9 | | 2020 | 19 |
| SCORE | COMMUNITY | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.44 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 39.7 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.25 | Social Associations | membership associations/ 10,000 population | 9.5 | | 11 | 9.3 | 2018 | 9 |
| 2.19 | Single-Parent Households | percent | 29.4 | | 27.1 | 25.5 | 2015-2019 | 1 |

| | | | | | | | | 1 |
|------|--|--------------------------|------|-----|------|------|-----------|----|
| 2.19 | Youth not in School or Working | percent | 2.6 | | 1.8 | 1.9 | 2015-2019 | 1 |
| 2.17 | Young Children Living Below Poverty Level | percent | 27.6 | | 23 | 20.3 | 2015-2019 | 1 |
| 2.17 | Level | percent | 27.0 | | 23 | 20.5 | 2013-2019 | 1 |
| 1.97 | Workers who Walk to Work | percent | 2 | | 2.2 | 2.7 | 2015-2019 | 1 |
| 1.81 | Mean Travel Time to Work | minutes | 24.6 | | 23.7 | 26.9 | 2015-2019 | 1 |
| 1.81 | People 65+ Living Alone | percent | 27.5 | | 28.8 | 26.1 | 2015-2019 | 1 |
| 1.69 | Solo Drivers with a Long Commute | percent | 35.6 | | 31.1 | 37 | 2015-2019 | 9 |
| 1.69 | Voter Turnout: Presidential Election | percent | 72.6 | | 74 | | 2020 | 20 |
| | | | | | | | | |
| 1.58 | Children Living Below Poverty Level | percent | 20.6 | | 19.9 | 18.5 | 2015-2019 | 1 |
| 1.58 | Social and Economic Factors Ranking | ranking | 49 | | | | 2021 | 9 |
| 1.56 | Substantiated Child Abuse Rate | cases/ 1,000 children | 7.1 | 8.7 | 6.8 | | 2020 | 3 |
| 1.53 | Linguistic Isolation | percent | 1.5 | | 1.4 | 4.4 | 2015-2019 | 1 |

| 1.50 | Age-Adjusted Death Rate due to Motor Vehicle Collisions | deaths/ 100,000 population | 2.7 | | 2.8 | 2.5 | 2015-2019 | 5 |
|------|--|---|-------|-----|------------|-------|-----------|----|
| | | , , | | | | | | |
| 1.50 | Consumer Expenditures: Local Public Transportation | average dollar amount per consumer unit | 121.5 | | 121.7 | 148.8 | 2021 | 7 |
| | | | | | | | | |
| 1.50 | Households with a Smartphone | percent | 80.1 | | 80.5 | 81.9 | 2021 | 8 |
| 1.50 | Households with an Internet Subscription | percent | 80.8 | | 82.4 | 83 | 2015-2019 | 1 |
| 1.50 | Persons with an Internet Subscription | percent | 84.5 | | 86.2 | 86.2 | 2015-2019 | 1 |
| 1.44 | People Living Below Poverty Level | percent | 13.5 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| | Workers Commuting by Public | percent | | | <u>↓</u> ⊤ | 10.7 | | |
| 1.44 | Transportation | percent | 0.7 | 5.3 | 1.6 | 5 | 2015-2019 | 1 |
| 1.39 | Violent Crime Rate | crimes/ 100,000 population | 242 | | 303.5 | 394 | 2017 | 18 |

| 1.33 | Households with No Car and Low Access to a Grocery Store | percent | 2.1 | | | 2015 | 23 |
|------|---|---------|-------|-------|-------|-----------|----|
| 1.25 | People 25+ with a Bachelor's Degree or Higher | percent | 24.9 | 28.3 | 32.1 | 2015-2019 | 1 |
| 1.25 | Workers who Drive Alone to Work | percent | 83.3 | 82.9 | 76.3 | 2015-2019 | 1 |
| 1.17 | Adults with Internet Access | percent | 94.5 | 94.5 | 95 | 2021 | 8 |
| 1.17 | Households with a Computer | percent | 85.5 | 85.2 | 86.3 | 2021 | 8 |
| 1.17 | Households with Wireless Phone Service | percent | 96.6 | 96.8 | 97 | 2020 | 8 |
| 1.08 | Per Capita Income | dollars | 30928 | 31552 | 34103 | 2015-2019 | 1 |
| 0.92 | Median Household Income | dollars | 58427 | 56602 | 62843 | 2015-2019 | 1 |
| 0.83 | Households with One or More Types of Computing Devices | percent | 90.4 | 89.1 | 90.3 | 2015-2019 | 1 |
| 0.75 | Households without a Vehicle | percent | 6.8 | 7.9 | 8.6 | 2015-2019 | 1 |

| 0.25 | Homeownership | percent | 66.3 | | 59.4 | 56.2 | 2015-2019 | 1 |
|-------|--|-------------------------------|------------------|--------|------|------|-----------------------|--------|
| | | | | | | | | |
| SCORE | DIABETES | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.00 | Adults 20+ with Diabetes | percent | 11.5 | | | | 2019 | 5 |
| 1.14 | Age-Adjusted Death Rate due to Diabetes | deaths/ 100,000 population | 21.6 | | 25.3 | 21.5 | 2017-2019 | 5 |
| 0.86 | Diabetes: Medicare Population | percent | 26.3 | | 27.2 | 27 | 2018 | 6 |
| SCORE | ECONOMY | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.75 | Households with Cash Public Assistance Income | percent | 3.2 | | 2.9 | 2.4 | 2015-2019 | 1 |
| | Renters Spending 30% or More of | | | | | | | |
| 2.33 | Household Income on Rent | percent | 49.9 | | 44.9 | 49.6 | 2015-2019 | 1 |
| 2.19 | Youth not in School or Working | percent | 2.6 | | 1.8 | 1.9 | 2015-2019 | 1 |
| 2.17 | Young Children Living Below Poverty Level | percent | 27.6 | | 23 | 20.3 | 2015-2019 | 1 |

| 2.00 | Consumer Expenditures: Homeowner Expenses | average dollar amount per consumer unit | 8253.1 | 7828 | 8900.1 | 2021 | 7 |
|------|--|---|--------|------|--------|-----------|----|
| 1.69 | Families Living Below Poverty Level | percent | 10 | 9.9 | 9.5 | 2015-2019 | 1 |
| 1.67 | Households that are Below the Federal Poverty Level | percent | 14.2 | 13.8 | | 2018 | 25 |
| 1.67 | Low-Income and Low Access to a Grocery Store | percent | 7.9 | | | 2015 | 23 |
| 1.64 | Income Inequality | | 0.5 | 0.5 | 0.5 | 2015-2019 | 1 |
| 1.64 | Size of Labor Force | persons | 148191 | | | Oct-21 | 21 |
| 1.58 | Children Living Below Poverty Level | percent | 20.6 | 19.9 | 18.5 | 2015-2019 | 1 |
| 1.58 | Social and Economic Factors Ranking | ranking | 49 | | | 2021 | 9 |
| 1.53 | Persons with Disability Living in Poverty (5-year) | percent | 28.2 | 29.5 | 26.1 | 2015-2019 | 1 |
| 1.53 | SNAP Certified Stores | stores/ 1,000 population | 0.7 | | | 2017 | 23 |

| | | | | | 1 | | | 1 |
|------|---|-----------------------------|------|---|------|------|-----------|----|
| 1.50 | Child Food Insecurity Rate | percent | 17.1 | | 17.4 | 14.6 | 2019 | 10 |
| 1.50 | Food Insecurity Rate | percent | 12.4 | | 13.2 | 10.9 | 2019 | 10 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.44 | People Living Below Poverty Level | percent | 13.5 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| | | percent | 10.0 | | 1-7 | 10.+ | 2010 2013 | - |
| 1.42 | Projected Child Food Insecurity Rate | percent | 18.7 | | 18.5 | | 2021 | 10 |
| | | | | | | | | |
| | | | | | | | | |
| 1.33 | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | percent | 63.7 | | 61.6 | | 2018 | 25 |
| 1.05 | | · · · | 10 5 | | 14.1 | | 2021 | 10 |
| 1.25 | Projected Food Insecurity Rate | percent | 13.5 | | 14.1 | | 2021 | 10 |
| | | | | | | | | |
| 1.17 | Adults who Feel Overwhelmed by Financial Burdens | percent | 14.1 | | 14.6 | 14.4 | 2021 | 8 |

| | Households that are Asset Limited, Income Constrained, Employed | | | | | | |
|------|--|-----------------------------|--------|--------|--------|-----------|----|
| 1.17 | (ALICE) | percent | 22.1 | 24.5 | | 2018 | 25 |
| 1.08 | Per Capita Income | dollars | 30928 | 31552 | 34103 | 2015-2019 | 1 |
| | | | | | | | |
| 1.00 | Households with a Savings Account | percent | 69.6 | 68.8 | 70.2 | 2021 | 8 |
| | | | | | | | |
| 0.92 | Median Household Income | dollars | 58427 | 56602 | 62843 | 2015-2019 | 1 |
| | | percent of | | | | | |
| 0.86 | Overcrowded Households | households | 0.9 | 1.4 | | 2015-2019 | 1 |
| | | | | | | | |
| 0.75 | People Living 200% Above Poverty Level | percent | 71.2 | 68.8 | 69.1 | 2015-2019 | 1 |
| 0.75 | | percent | / 1.2 | 00.0 | 05.1 | 2013-2015 | 1 |
| 0.75 | Severe Housing Problems | percent | 12.8 | 13.7 | 18 | 2013-2017 | 9 |
| 7 | | , | | | | | |
| | Students Eligible for the Free Lunch | | | | | | |
| 0.75 | Program | percent | 20.4 | | | 2019-2020 | 13 |
| | | | | | | | |
| | Unemployed Workers in Civilian | | | | | | |
| 0.75 | Labor Force | percent | 3.6 | 3.8 | 4.3 | Oct-21 | 21 |
| | | | | | | | |
| | | average dollar | | | | | |
| 0.67 | Consumer Expenditures: Home Rental Expenses | amount per consumer unit | 3419.6 | 3798.7 | 5460.2 | 2021 | 7 |
| 0.07 | Nental Expenses | consumer unit | 3419.0 | 3/90./ | 5400.2 | 2021 | / |

| | | | | r | 1 | | | |
|-------|--|---|------------------|--------|--------|--------|-----------------------|--------|
| 0.53 | People 65+ Living Below Poverty Level | percent | 7 | | 8.1 | 9.3 | 2015-2019 | 1 |
| | | | | | | | | |
| 0.50 | Mortgaged Owners Spending 30% or More of Household Income on Housing | percent | 19.6 | | 19.7 | 26.5 | 2019 | 1 |
| 0.25 | Homeownership | percent | 66.3 | | 59.4 | 56.2 | 2015-2019 | 1 |
| SCORE | EDUCATION | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.17 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 336.9 | | 301.6 | 368.2 | 2021 | 7 |
| 1.97 | 4th Grade Students Proficient in Math | percent | 55.6 | | 59.4 | | 2020-2021 | 15 |
| 1.83 | Consumer Expenditures: Education | average dollar amount per consumer unit | 1217.2 | | 1200.4 | 1492.4 | 2021 | 7 |
| | | | | | | | | |
| 1.81 | 4th Grade Students Proficient in English/Language Arts | percent | 55.3 | | 56 | | 2020-2021 | 15 |

| 1.69 | Student-to-Teacher Ratio | students/ teacher | 17.1 | | | | 2019-2020 | 13 |
|-------|---|----------------------|--------|--------|------|------|-------------|--------|
| 1.05 | | leacher | 17.1 | | | | 2013-2020 | 15 |
| | | | | | | | | |
| 1.67 | 8th Grade Students Proficient in Math | percent | 39.8 | | 42.6 | | 2020-2021 | 15 |
| 1.07 | | percent | 55.0 | | 72.0 | | 2020 2021 | 15 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 1.50 | 8th Grade Students Proficient in English/Language Arts | percent | 53.5 | | 52.7 | | 2020-2021 | 15 |
| 1.00 | | percent | 00.0 | | 02.7 | | | 10 |
| 1.50 | High School Graduation | percent | 91.5 | 90.7 | 92 | | 2019-2020 | 15 |
| | | | | | _ | | | |
| | Deeple 25 , with a Deeple lark Deepe | | | | | | | |
| 1.25 | People 25+ with a Bachelor's Degree or Higher | percent | 24.9 | | 28.3 | 32.1 | 2015-2019 | 1 |
| | | , | | | | | | |
| | | | LORAIN | | | | MEASUREMENT | |
| SCORE | ENVIRONMENTAL HEALTH | UNITS | COUNTY | HP2030 | Ohio | U.S. | PERIOD | Source |
| | | | | | | | | |
| | Children with Low Access to a | | | | | | | |
| 1.83 | Grocery Store | percent | 6.7 | | | | 2015 | 23 |
| | | markets/ 1,000 | | | | | | |
| 1.83 | Farmers Market Density | population | 0 | | | | 2018 | 23 |
| | | | | | | | | |
| | People 65+ with Low Access to a | | | | | | | |
| 1.83 | Grocery Store | percent | 4 | | | | 2015 | 23 |

| | | | | r | r | | | |
|------|---|----------------------------------|---------|---|-----|-----|-----------|----|
| 1.75 | Adults with Current Asthma | percent | 10.2 | | | 8.9 | 2019 | 4 |
| | | | | | | | | |
| 1.67 | Low-Income and Low Access to a Grocery Store | percent | 7.9 | | | | 2015 | 23 |
| 1.64 | Food Environment Index | index | 7.5 | | 6.8 | 7.8 | 2021 | 9 |
| 1.64 | Number of Extreme Heat Events | events | 10 | | | | 2019 | 14 |
| 1.64 | Number of Extreme Precipitation Days | days | 36 | | | | 2019 | 14 |
| 1.64 | PBT Released | pounds | 18388.7 | | | | 2020 | 24 |
| 1.53 | SNAP Certified Stores | stores/ 1,000 population | 0.7 | | | | 2017 | 23 |
| 1.50 | Grocery Store Density | stores/ 1,000 population | 0.2 | | | | 2016 | 23 |
| 1.50 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.42 | Annual Ozone Air Quality | | В | | | | 2017-2019 | 2 |
| 1.36 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.6 | | | | 2016 | 23 |

| | | | | | | | 1 1 |
|------|---|-----------------|--------|------|------|-----------|-----|
| 1.36 | Number of Extreme Heat Days | days | 15 | | | 2019 | 14 |
| | | | | | | | |
| | Recognized Carcinogens Released | | | | | | |
| 1.36 | into Air | pounds | 5610.5 | | | 2020 | 24 |
| | | | | | | | |
| 1.00 | | , | 0 | | | 2222 | 1.4 |
| 1.36 | Weeks of Moderate Drought or Worse | weeks per year | 0 | | | 2020 | 14 |
| | | | | | | | |
| | | | | | | | |
| 1.33 | Households with No Car and Low Access to a Grocery Store | percent | 2.1 | | | 2015 | 23 |
| 1.55 | | percent | 2.1 | | | 2015 | 23 |
| 1.25 | Annual Particle Pollution | | А | | | 2017-2019 | 2 |
| 1.25 | | | ~ | | | 2017-2015 | 2 |
| | | | | | | | |
| 1.25 | Physical Environment Ranking | ranking | 3 | | | 2021 | 9 |
| | | | | | | | |
| 1.19 | Asthma: Medicare Population | percent | 4.7 | 4.8 | 5 | 2018 | 6 |
| | | | | | | | |
| 1.19 | Houses Built Prior to 1950 | percent | 21.7 | 26.2 | 17.5 | 2015-2019 | 1 |
| | | stores/ 100,000 | | | | | |
| 1.19 | Liquor Store Density | population | 7.1 | 5.6 | 10.5 | 2019 | 22 |
| | | | | | | | |
| | | | | | | | |
| | Blood Lead Levels in Children (>=10 | | | | | | |
| 1.03 | micrograms per deciliter) | percent | 0.3 | 0.5 | | 2020 | 19 |

| | Blood Lead Levels in Children (>=5 | | | | | | | |
|-------|---|---|------------------|--------|--------|--------|-----------------------|--------|
| 1.03 | micrograms per deciliter) | percent | 1.4 | | 1.9 | | 2020 | 19 |
| 0.86 | Overcrowded Households | percent of households | 0.9 | | 1.4 | | 2015-2019 | 1 |
| 0.83 | Access to Exercise Opportunities | percent | 90.9 | | 83.9 | 84 | 2020 | 9 |
| 0.75 | Severe Housing Problems | percent | 12.8 | | 13.7 | 18 | 2013-2017 | 9 |
| | | | | | | | | |
| SCORE | HEALTH CARE ACCESS & QUALITY | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.33 | Consumer Expenditures: Medical Services | average dollar amount per consumer unit | 1181.4 | | 1098.6 | 1047.4 | 2021 | 7 |
| 2.33 | Consumer Expenditures: Medical Supplies | average dollar amount per consumer unit | 217.8 | | 204.8 | 194.9 | 2021 | 7 |
| 2.33 | Consumer Expenditures: Prescription and Non-Prescription Drugs | average dollar amount per consumer unit | 687.1 | | 638.9 | 609.6 | 2021 | 7 |
| 2.17 | Consumer Expenditures: Health Insurance | average dollar amount per consumer unit | 4676.2 | | 4371.7 | 4321.1 | 2021 | 7 |

| | | | | | - | | |
|------|---|-------------------------------------|-------|-------|------|------|---|
| | | | | | | | |
| 1.75 | Adults without Health Insurance | percent | 13.7 | | 13 | 2019 | 4 |
| 1.72 | Primary Care Provider Rate | providers/ 100,000 population | 54.6 | 76.7 | | 2018 | 9 |
| 1.72 | Filling Care Fronder Rate | ρορυιατιοπ | 54.0 | /0./ | | 2010 | 9 |
| | | | | | | | |
| 1.56 | Persons without Health Insurance | percent | 6.1 | 6.6 | | 2019 | 1 |
| | | | | | | | |
| 1.42 | Clinical Care Ranking | ranking | 40 | | | 2021 | 9 |
| | | 1011118 | | | | | |
| 1.00 | | | | 00.0 | 07 1 | 2010 | - |
| 1.33 | Adults with Health Insurance | percent | 91 | 90.9 | 87.1 | 2019 | 1 |
| | | | | | | | |
| 1.33 | Children with Health Insurance | percent | 96.1 | 95.2 | 94.3 | 2019 | 1 |
| | | | | | | | |
| | | providers/ | | | | | |
| 1.33 | Non-Physician Primary Care Provider Rate | 100,000 | 66.2 | 108.9 | | 2020 | 9 |
| 1.55 | Rale | population | 00.2 | 108.9 | | 2020 | 9 |
| | | | | | | | |
| | Adults who have had a Routine | | | | | | |
| 1.25 | Checkup | percent | 78.4 | | 76.6 | 2019 | 4 |
| | | dentists/ | | | | | |
| | | 100,000 | | | | | |
| 1.17 | Dentist Rate | population | 51 | 64.2 | | 2019 | 9 |
| | | providers/ 100,000 | | | | | |
| 1.17 | Mental Health Provider Rate | population | 177.8 | 261.3 | | 2020 | 9 |
| 1.1/ | | population | 1,7.0 | 201.0 | | 2020 | |
| | | | | | | | |
| 1.00 | Adults who Visited a Dentist | percent | 52.9 | 51.6 | 52.9 | 2021 | 8 |
| | | | | | | | |
| 1.00 | Adults with Health Insurance: 18+ | percent | 90.9 | 90.2 | 90.6 | 2021 | 8 |

| SCORE | HEART DISEASE & STROKE | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|--|-------------------------------|------------------|--------|------|------|-----------------------|--------|
| 2.64 | Atrial Fibrillation: Medicare Population | percent | 10.2 | | 9 | 8.4 | 2018 | 6 |
| 2.64 | Stroke: Medicare Population | percent | 4.7 | | 3.8 | 3.8 | 2018 | 6 |
| 2.47 | Hyperlipidemia: Medicare Population | percent | 53.1 | | 49.4 | 47.7 | 2018 | 6 |
| 2.19 | Ischemic Heart Disease: Medicare Population | percent | 30.6 | | 27.5 | 26.8 | 2018 | 6 |
| 2.00 | Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | deaths/ 100,000 population | 40 | 33.4 | 42.5 | 37.2 | 2017-2019 | 5 |
| 1.97 | Hypertension: Medicare Population | percent | 61.2 | | 59.5 | 57.2 | 2018 | 6 |
| 1.75 | Heart Failure: Medicare Population | percent | 14.2 | | 14.7 | 14 | 2018 | 6 |
| 1.58 | Adults who Experienced a Stroke | percent | 3.8 | | | 3.4 | 2019 | 4 |

| 1.58 | Adults who Experienced Coronary Heart Disease | percent | 7.6 | | | 6.2 | 2019 | 4 |
|-------|--|---|------------------|--------|-------|------|-----------------------|--------|
| 1.58 | Adults who Have Taken Medications for High Blood Pressure | percent | 77.9 | | | 76.2 | 2019 | 4 |
| 1.50 | High Blood Pressure Prevalence | percent | 35.1 | 27.7 | | 32.6 | 2019 | 4 |
| 1.42 | Cholesterol Test History | percent | 85.3 | | | 87.6 | 2019 | 4 |
| 1.08 | High Cholesterol Prevalence: Adults 18+ | percent | 32.6 | | | 33.6 | 2019 | 4 |
| 0.58 | Age-Adjusted Death Rate due to Heart Attack | <i>deaths/ 100,000 population 35+ years</i> | 41.8 | | 55.4 | | 2019 | 14 |
| 0.50 | Age-Adjusted Death Rate due to Coronary Heart Disease | deaths/ 100,000 population | 82.1 | 71.1 | 101.4 | 90.5 | 2017-2019 | 5 |
| SCORE | IMMUNIZATIONS & INFECTIOUS DISEASES | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| | | | | | 1 | | | |
|-----|---------------------------------------|-----------------|-------|------|-------|------|-----------|-----|
| | | cases/ 100,000 | 007.0 | | | | 2222 | 1.6 |
| 1.9 | 2 Gonorrhea Incidence Rate | population | 227.2 | | 262.6 | | 2020 | 16 |
| | | | | | | | | |
| | | cases/ 100,000 | | | | | | |
| 1.9 | 2 Salmonella Infection Incidence Rate | population | 17.4 | 11.1 | 13.7 | | 2019 | 16 |
| | | | | | | | | |
| | COVID-19 Daily Average Case-Fatality | deaths per 100 | | | | | | |
| 1.5 | | cases | 0.3 | | 0.3 | 1.6 | 4-Feb-22 | 11 |
| | | cases/ 100,000 | | | | | | |
| 1.3 | 6 Chlamydia Incidence Rate | population | 437 | | 504.8 | | 2020 | 16 |
| | | cases/ 100,000 | | | | | | |
| 1.2 | 8 Tuberculosis Incidence Rate | population | 0.6 | 1.4 | 1.1 | | 2020 | 16 |
| | | | | | | | | |
| | | | | | | | | |
| | Age-Adjusted Death Rate due to | deaths/ 100,000 | | | | | | |
| 1.0 | | population | 13.5 | | 14.4 | 13.8 | 2017-2019 | 5 |
| | | | | | | | | |
| | | | | | | | | |
| | Adults who Agree Vaccine Benefits | | | | | | | |
| 1.0 | | Percent | 49.2 | | 48.6 | 49.4 | 2021 | 8 |
| | | percent of | | | | | | |
| 0.8 | 6 Overcrowded Households | households | 0.9 | | 1.4 | | 2015-2019 | 1 |
| | | | | | | | | |
| | Persons Fully Vaccinated Against | | | | | | | |
| 0.5 | | percent | 62.1 | | | | 4-Feb-22 | 5 |

| 0.53 | COVID-19 Daily Average Incidence Rate | cases per 100,000 population | 27.6 | | 36.7 | 67.6 | 4-Feb-22 | 11 |
|-------|---|--|------------------|--------|-------|-------|-----------------------|--------|
| SCORE | MATERNAL, FETAL & INFANT HEALTH | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.17 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 336.9 | | 301.6 | 368.2 | 2021 | 7 |
| 2.06 | Babies with Very Low Birth Weight | percent | 1.5 | | 1.4 | 1.3 | 2020 | 17 |
| 2.06 | Mothers who Received Early Prenatal Care | percent | 67 | | 68.9 | 76.1 | 2020 | 17 |
| 1.89 | Preterm Births | percent | 10.5 | 9.4 | 10.3 | | 2020 | 17 |
| 1.75 | Babies with Low Birth Weight | percent | 9 | | 8.5 | 8.2 | 2020 | 17 |
| 1.53 | Teen Birth Rate: 15-17 | <i>live births/ 1,000 females aged 15-17</i> | 6.9 | | 6.8 | | 2020 | 17 |
| 1.42 | Mothers who Smoked During Pregnancy | percent pregnancies/ 1.000 fomolos | 12.6 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| 1.25 | Teen Pregnancy Rate | 1,000 females aged 15-17 | 19.9 | | 19.5 | | 2016 | 17 |
| 1.08 | Infant Mortality Rate | deaths/ 1,000 live births | 4.3 | 5 | 6.9 | | 2019 | 17 |

| SCORE | MEDICATIONS & PRESCRIPTIONS | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|---|------------------|--------|--------|--------|-----------------------|--------|
| 2.33 | Consumer Expenditures: Medical Services | average dollar amount per consumer unit | 1181.4 | | 1098.6 | 1047.4 | 2021 | 7 |
| 2.33 | Consumer Expenditures: Medical Supplies | average dollar amount per consumer unit | 217.8 | | 204.8 | 194.9 | 2021 | 7 |
| 2.33 | Consumer Expenditures: Prescription and Non-Prescription Drugs | average dollar amount per consumer unit | 687.1 | | 638.9 | 609.6 | 2021 | 7 |
| SCORE | MENTAL HEALTH & MENTAL DISORDERS | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.67 | Age-Adjusted Death Rate due to Suicide | deaths/ 100,000 population | 17.5 | 12.8 | 15.1 | 14.1 | 2017-2019 | 5 |
| 1.92 | Depression: Medicare Population | percent | 19.9 | | 20.4 | 18.4 | 2018 | 6 |
| 1.67 | Poor Mental Health: Average Number of Days | days | 4.8 | | 4.8 | 4.1 | 2018 | 9 |

| 1.64 | Alzheimer's Disease or Dementia: Medicare Population | percent | 10.4 | | 10.4 | 10.8 | 2018 | 6 |
|-------|--|---|------------------|--------|-------|-------|-----------------------|--------|
| 1.58 | Poor Mental Health: 14+ Days | percent | 15.7 | | | 13.6 | 2019 | 4 |
| 1.25 | Adults Ever Diagnosed with Depression | percent | 20.3 | | | 18.8 | 2019 | 4 |
| 1.17 | Mental Health Provider Rate | providers/ 100,000 population | 177.8 | | 261.3 | | 2020 | 9 |
| 1.00 | Self-Reported General Health Assessment: Good or Better | percent | 85.8 | | 85.6 | 86.5 | 2021 | 8 |
| 0.42 | Age-Adjusted Death Rate due to Alzheimer's Disease | deaths/ 100,000 population | 28.8 | | 34 | 30.5 | 2017-2019 | 5 |
| SCORE | NUTRITION & HEALTHY EATING | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.17 | Consumer Expenditures: High Sugar Foods | average dollar amount per consumer unit | 548.3 | | 519 | 530.2 | 2021 | 7 |

| | Consumer Expenditures: Fast Food | average dollar amount per | | | | | | |
|-------|---|---|------------------|--------|-------|--------|-----------------------|--------|
| 2.00 | Restaurants | consumer unit | 1521.4 | | 1461 | 1638.9 | 2021 | 7 |
| 1.83 | Consumer Expenditures: High Sugar Beverages | average dollar amount per consumer unit | 330.4 | | 319.7 | 357 | 2021 | 7 |
| 1.33 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 40.9 | | 41.5 | 41.2 | 2021 | 8 |
| 1.17 | Consumer Expenditures: Fruits and Vegetables | average dollar amount per consumer unit | 905.9 | | 864.6 | 1002.1 | 2021 | 7 |
| 1.00 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.7 | | 80.9 | 80.4 | 2021 | 8 |
| | | | | | | | | |
| SCORE | OLDER ADULT HEALTH | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.75 | Age-Adjusted Death Rate due to Falls | deaths/ 100,000 population | 14.5 | | 10.5 | 9.5 | 2017-2019 | 5 |

| | Rheumatoid Arthritis or | | | | | | |
|------|-------------------------------------|---------|------|------|------|------|---|
| 2.75 | Osteoarthritis: Medicare Population | percent | 38.4 | 36.1 | 33.5 | 2018 | 6 |
| | | | | | | | |
| | Atrial Fibrillation: Medicare | | | | | | |
| 2.64 | Population | percent | 10.2 | 9 | 8.4 | 2018 | 6 |
| | | | | | | | |
| 2.64 | Stroke: Medicare Population | percent | 4.7 | 3.8 | 3.8 | 2018 | 6 |
| | | | | | | | |
| 2.58 | Osteoporosis: Medicare Population | paraant | 6.8 | 6.2 | 6.6 | 2018 | 6 |
| 2.30 | Osteoporosis. Medicare Population | percent | 0.0 | 0.2 | 0.0 | 2018 | 0 |
| | | | | | | | |
| 2.47 | Hyperlipidemia: Medicare Population | percent | 53.1 | 49.4 | 47.7 | 2018 | 6 |
| | | , | | | | | |
| 2.31 | Cancer: Medicare Population | percent | 8.9 | 8.4 | 8.4 | 2018 | 6 |
| | | | | | | | |
| | Chronic Kidney Disease: Medicare | | | | | | |
| 2.25 | Population | percent | 25.8 | 25.3 | 24.5 | 2018 | 6 |
| | | | | | | | |
| | Ischemic Heart Disease: Medicare | | | | | | |
| 2.19 | Population | percent | 30.6 | 27.5 | 26.8 | 2018 | 6 |
| | | | | | | | |
| 2.00 | COPD: Medicare Population | percent | 14.5 | 13.2 | 11.5 | 2018 | 6 |

| | | | 1 | | | | r | r | r |
|---|------|---|---------|------|------|------|------|-----------|----|
| | 1.97 | Hypertension: Medicare Population | percent | 61.2 | | 59.5 | 57.2 | 2018 | 6 |
| | | · · · · | | | | | | | |
| : | 1.92 | Depression: Medicare Population | percent | 19.9 | | 20.4 | 18.4 | 2018 | 6 |
| | 1.83 | People 65+ with Low Access to a Grocery Store | percent | 4 | | | | 2015 | 23 |
| | 1.81 | People 65+ Living Alone | percent | 27.5 | | 28.8 | 26.1 | 2015-2019 | 1 |
| | 1.75 | Adults with Arthritis | percent | 31.1 | | | 25.1 | 2019 | 4 |
| | 1.75 | Heart Failure: Medicare Population | porcent | 14.2 | | 14.7 | 14 | 2018 | 6 |
| | 1.75 | Heart Failure: Medicare Population | percent | 14.2 | | 14.7 | 14 | 2018 | 0 |
| | | | | | | | | | |
| | 1.64 | Alzheimer's Disease or Dementia: Medicare Population | percent | 10.4 | | 10.4 | 10.8 | 2018 | 6 |
| | 1.50 | Colon Cancer Screening | percent | 64.5 | 74.4 | | 66.4 | 2018 | 4 |
| | 1.42 | Adults 65+ with Total Tooth Loss | percent | 15.2 | | | 13.5 | 2018 | 4 |

| SCORE | ORAL HEALTH | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|--|---|------------------|--------|------|------|-----------------------|--------|
| 0.72 | | ροραιατιοπ | 20.0 | | 57 | 50.5 | 2017-2015 | |
| 0.42 | Age-Adjusted Death Rate due to Alzheimer's Disease | deaths/ 100,000 population | 28.8 | | 34 | 30.5 | 2017-2019 | 5 |
| 0.53 | People 65+ Living Below Poverty Level | percent | 7 | | 8.1 | 9.3 | 2015-2019 | 1 |
| 0.75 | Adults 65+ who Received Recommended Preventive Services: Males | percent | 36 | | | 32.4 | 2018 | 4 |
| 0.75 | Adults 65+ who Received Recommended Preventive Services: Females | percent | 33.6 | | | 28.4 | 2018 | 4 |
| 0.86 | Diabetes: Medicare Population | percent | 26.3 | | 27.2 | 27 | 2018 | 6 |
| 1.19 | Asthma: Medicare Population | percent | 4.7 | | 4.8 | 5 | 2018 | 6 |
| 1.33 | Consumer Expenditures: Eldercare | average dollar amount per consumer unit | 21.9 | | 20.5 | 34.3 | 2021 | 7 |

| | | | | 1 | 1 | 1 | | 1 |
|-------|--|-----------------|------------------|--------|-------|------|-----------------------|--------|
| | | | | | | | | |
| 1.42 | Adults 65+ with Total Tooth Loss | percent | 15.2 | | | 13.5 | 2018 | 4 |
| | | dentists/ | | | | | | |
| 1 1 7 | Deutist Data | 100,000 | E 1 | | C 4 0 | | 2010 | 0 |
| 1.17 | Dentist Rate | population | 51 | | 64.2 | | 2019 | 9 |
| | | | | | | | | |
| 1.00 | Adults who Visited a Dentist | percent | 52.9 | | 51.6 | 52.9 | 2021 | 8 |
| | | | | | | | | |
| | Oral Cavity and Pharynx Cancer | cases/ 100,000 | | | | | | |
| 0.97 | Incidence Rate | population | 11.2 | | 12.2 | 11.9 | 2014-2018 | 12 |
| | | | | | | | | |
| | | | | | | | | |
| SCORE | OTHER CONDITIONS | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| | | | | | _ | | | _ |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 0.75 | Rheumatoid Arthritis or | | 20.4 | | 26.1 | 22 5 | 2010 | C |
| 2.75 | Osteoarthritis: Medicare Population | percent | 38.4 | | 36.1 | 33.5 | 2018 | 6 |
| | | | | | | | | |
| | | | | | | | | |
| 2.58 | Osteoporosis: Medicare Population | percent | 6.8 | | 6.2 | 6.6 | 2018 | 6 |
| | | | | | | | | |
| | Age-Adjusted Death Rate due to | deaths/ 100,000 | | | | | | |
| 2.25 | Kidney Disease | population | 15.6 | | 14.5 | 12.9 | 2017-2019 | 5 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 2.25 | Chronic Kidney Disease: Medicare Population | percent | 25.8 | | 25.3 | 24.5 | 2018 | 6 |

| | | | | T | | [| | |
|-------|--|------------------------------|------------------|--------|------|------|-----------------------|--------|
| | | | | | | | | |
| 1.75 | Adults with Arthritis | percent | 31.1 | | | 25.1 | 2019 | 4 |
| 1.42 | Adults with Kidney Disease | Percent of adults | 3.3 | | | 3.1 | 2019 | 4 |
| | | | | | | | | |
| SCORE | PHYSICAL ACTIVITY | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.03 | Adults 20+ who are Obese | percent | 36.6 | 36 | | | 2019 | 5 |
| 1.97 | Workers who Walk to Work | percent | 2 | | 2.2 | 2.7 | 2015-2019 | 1 |
| 1.83 | Children with Low Access to a Grocery Store | percent | 6.7 | | | | 2015 | 23 |
| 1.83 | Farmers Market Density | markets/ 1,000 population | 0 | | | | 2018 | 23 |
| 1.83 | People 65+ with Low Access to a Grocery Store | percent | 4 | | | | 2015 | 23 |
| 1.69 | Adults 20+ who are Sedentary | percent | 25.7 | | | | 2019 | 5 |
| 1.67 | Low-Income and Low Access to a Grocery Store | percent | 7.9 | | | | 2015 | 23 |
| 1.64 | Food Environment Index | index | 7.5 | | 6.8 | 7.8 | 2021 | 9 |

| | | stores/ 1,000 | | | | | | |
|-------|---|----------------------------------|------------------|--------|------|------|-----------------------|--------|
| 1.53 | SNAP Certified Stores | population | 0.7 | | | | 2017 | 23 |
| 1.50 | Grocery Store Density | stores/ 1,000 population | 0.2 | | | | 2016 | 23 |
| 1.50 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.42 | Health Behaviors Ranking | | 25 | | | | 2021 | 9 |
| 1.36 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.6 | | | | 2016 | 23 |
| 1.33 | Households with No Car and Low Access to a Grocery Store | percent | 2.1 | | | | 2015 | 23 |
| 1.00 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.7 | | 80.9 | 80.4 | 2021 | 8 |
| | | , | | | | | | |
| 0.83 | Access to Exercise Opportunities | percent | 90.9 | | 83.9 | 84 | 2020 | 9 |
| SCORE | PREVENTION & SAFETY | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| | | | | [| [| [| | |
|-------|--|-------------------------------|------------------|--------|------|------|-----------------------|--------|
| | | deaths/ 100,000 | | | | | | |
| 2.75 | Age-Adjusted Death Rate due to Falls | population | 14.5 | | 10.5 | 9.5 | 2017 <i>·</i> 2019 | 5 |
| 2.20 | Age-Adjusted Death Rate due to | deaths/ 100,000 | 71.1 | 43.2 | 68.8 | 48.9 | 2017-2019 | F |
| 2.39 | Unintentional Injuries | population | /1.1 | 43.2 | 00.0 | 48.9 | 2017-2019 | 5 |
| 2.31 | Age-Adjusted Death Rate due to Unintentional Poisonings | deaths/ 100,000 population | 41.2 | | 40.2 | 21.4 | 2017-2019 | 5 |
| | | deaths/ 100,000 | | | | | | |
| 2.31 | Death Rate due to Drug Poisoning | population | 38.4 | | 38.1 | 21 | 2017-2019 | 9 |
| 1.50 | Age-Adjusted Death Rate due to Motor Vehicle Collisions | deaths/ 100,000 population | 2.7 | | 2.8 | 2.5 | 2015-2019 | 5 |
| | | | | | | | | |
| 0.75 | Severe Housing Problems | percent | 12.8 | | 13.7 | 18 | 2013-2017 | 9 |
| | | | | | | | | |
| SCORE | RESPIRATORY DISEASES | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.03 | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | deaths/ 100,000 population | 56.2 | | 47.8 | 39.6 | 2017-2019 | 5 |

| 2.00 | COPD: Medicare Population | percent | 14.5 | | 13.2 | 11.5 | 2018 | 6 |
|------|---|---|-------|------|-------|-------|-----------|----|
| | | | | | | | | |
| 1.78 | Age-Adjusted Death Rate due to Lung Cancer | deaths/ 100,000 population | 45.4 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
| 1.75 | Adults with COPD | Percent of adults | 9.2 | | | 6.6 | 2019 | 4 |
| 1.75 | Adults with Current Asthma | percent | 10.2 | | | 8.9 | 2019 | 4 |
| 1.67 | Consumer Expenditures: Tobacco and Legal Marijuana | average dollar amount per consumer unit | 474.5 | | 487.9 | 422.4 | 2021 | 7 |
| 1.53 | COVID-19 Daily Average Case-Fatality Rate | deaths per 100 cases | 0.3 | | 0.3 | 1.6 | 4-Feb-22 | 11 |
| 1.42 | Adults who Smoke | percent | 20.7 | 5 | 21.4 | 17 | 2018 | 9 |
| 1.28 | Tuberculosis Incidence Rate | cases/ 100,000 population | 0.6 | 1.4 | 1.1 | | 2020 | 16 |
| 1.19 | Asthma: Medicare Population | percent | 4.7 | | 4.8 | 5 | 2018 | 6 |
| 1.08 | Lung and Bronchus Cancer Incidence Rate | cases/ 100,000 population | 65.8 | | 67.3 | 57.3 | 2014-2018 | 12 |
| 1.03 | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population | 13.5 | | 14.4 | 13.8 | 2017-2019 | 5 |

| 1.00 | Adults Who Used Smokeless | | 0.1 | | | | 2021 | |
|-------|--|---|------------------|--------|-------|-------|-----------------------|--------|
| 1.00 | Tobacco: Past 30 Days | percent | 2.1 | | 2.2 | 2 | 2021 | 8 |
| 0.83 | Adults Who Used Electronic Cigarettes: Past 30 Days | percent | 3.9 | | 4.3 | 4.1 | 2021 | 8 |
| 0.53 | COVID-19 Daily Average Incidence Rate | cases per 100,000 population | 27.6 | | 36.7 | 67.6 | 4-Feb-22 | 11 |
| SCORE | TOBACCO USE | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.67 | Consumer Expenditures: Tobacco and Legal Marijuana | average dollar amount per consumer unit | 474.5 | | 487.9 | 422.4 | 2021 | 7 |
| 1.42 | Adults who Smoke | percent | 20.7 | 5 | 21.4 | 17 | 2018 | 9 |
| 1.00 | Adults Who Used Smokeless Tobacco: Past 30 Days | percent | 2.1 | | 2.2 | 2 | 2021 | 8 |
| 0.83 | Adults Who Used Electronic Cigarettes: Past 30 Days | percent | 3.9 | | 4.3 | 4.1 | 2021 | 8 |

| SCORE | WELLNESS & LIFESTYLE | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|---|------------------|--------|------|--------|-----------------------|--------|
| 2.00 | Consumer Expenditures: Fast Food Restaurants | average dollar amount per consumer unit | 1521.4 | | 1461 | 1638.9 | 2021 | 7 |
| 1.75 | Insufficient Sleep | percent | 39.3 | 31.4 | 40.6 | 35 | 2018 | 9 |
| 1.67 | Poor Physical Health: Average Number of Days | days | 4.2 | | 4.1 | 3.7 | 2018 | 9 |
| 1.58 | Poor Physical Health: 14+ Days | percent | 14.4 | | | 12.5 | 2019 | 4 |
| 1.58 | Self-Reported General Health Assessment: Poor or Fair | percent | 21.1 | | | 18.6 | 2019 | 4 |
| 1.50 | High Blood Pressure Prevalence | percent | 35.1 | 27.7 | | 32.6 | 2019 | 4 |
| 1.42 | Morbidity Ranking | ranking | 40 | | | | 2021 | 9 |
| 1.33 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 40.9 | | 41.5 | 41.2 | 2021 | 8 |
| 1.33 | Life Expectancy | years | 77.7 | | 77 | 79.2 | 2017-2019 | 9 |

| 1.00 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.7 | | 80.9 | 80.4 | 2021 | 8 |
|---------------|---|--|--------------------------------|----------------|----------------------|----------------------|----------------------------------|--------|
| | | | | | | | | |
| 1.00 | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent | 49.2 | | 48.6 | 49.4 | 2021 | 8 |
| 1.00 | Self-Reported General Health Assessment: Good or Better | percent | 85.8 | | 85.6 | 86.5 | 2021 | 8 |
| | | | | | | | | |
| | | | | | | | | |
| SCORE | WOMEN'S HEALTH | UNITS | LORAIN COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| SCORE 2.31 | WOMEN'S HEALTH Breast Cancer Incidence Rate | UNITS cases/ 100,000 females | | HP2030 | Ohio 129.6 | U.S. 126.8 | | Source |
| | | cases/ 100,000 | COUNTY | HP2030 15.3 | | | PERIOD | |
| 2.31 | Breast Cancer Incidence Rate Age-Adjusted Death Rate due to | <i>cases/ 100,000 females</i> <i>deaths/ 100,000</i> | COUNTY 134.8 | | 129.6 | 126.8 | PERIOD 2014-2018 | 12 |
| 2.31 2.22 | Breast Cancer Incidence Rate Age-Adjusted Death Rate due to Breast Cancer | <i>cases/ 100,000 females</i> <i>deaths/ 100,000 females</i> <i>cases/ 100,000</i> | COUNTY 134.8 22.2 | | 129.6 21.6 | 126.8 19.9 | PERIOD 2014-2018 2015-2019 | 12 |

Lorain County Data Sources

Key

Data Source Name

- 1 American Community Survey
- 2 American Lung Association
- 3 Annie E. Casey Foundation
- 4 CDC · PLACES
- 5 Centers for Disease Control and Prevention
- 6 Centers for Medicare & Medicaid Services
- 7 Claritas Consumer Buying Power
- 8 Claritas Consumer Profiles
- 9 County Health Rankings
- 10 Feeding America
- 11 Healthy Communities Institute
- 12 National Cancer Institute
- 13 National Center for Education Statistics
- 14 National Environmental Public Health Tracking Network
- 15 Ohio Department of Education
- 16 Ohio Department of Health, Infectious Diseases
- 17 Ohio Department of Health, Vital Statistics Ohio Department of Public Safety, Office of Criminal Justice
- 18 Services
- 19 Ohio Public Health Information Warehouse
- 20 Ohio Secretary of State
- 21 U.S. Bureau of Labor Statistics
- 22 U.S. Census County Business Patterns
- 23 U.S. Department of Agriculture Food Environment Atlas
- 24 U.S. Environmental Protection Agency
- 25 United For ALICE

| SCORE | ALCOHOL & DRUG USE | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|--|------------------|--------|-------|-------|-----------------------|--------|
| 2.58 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 40.7 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.50 | Consumer Expenditures: Alcoholic Beverages | average dollar amount per consumer unit | 821.2 | | 651.5 | 701.9 | 2021 | 7 |
| 1.92 | Adults who Binge Drink | percent | 17.6 | | | 16.7 | 2019 | 4 |
| 1.33 | Adults who Drink Excessively | percent | 18.5 | | 18.5 | 19 | 2018 | 9 |
| 1.25 | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | Deaths per 100,000 population | 25.1 | | 42 | 22.8 | 2017-2019 | 5 |
| 1.25 | Health Behaviors Ranking | | 4 | | | | 2021 | 9 |
| 1.19 | Mothers who Smoked During Pregnancy | percent | 6.9 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| 1.14 | Death Rate due to Drug Poisoning | deaths/ 100,000 population | 20.1 | | 38.1 | 21 | 2017-2019 | 9 |
| 0.08 | Liquor Store Density | stores/ 100,000 population | 1.7 | | 5.9 | 10.6 | 2018 | 22 |
| SCORE | CANCER | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.64 | Prostate Cancer Incidence Rate | cases/ 100,000 males | 135.8 | | 107.2 | 106.2 | 2014-2018 | 12 |

| 2.58 | Breast Cancer Incidence Rate | cases/ 100,000 females | 134.7 | | 129.6 | 126.8 | 2014-2018 | 12 |
|------|--|-------------------------------|-------|-------|-------|-------|-----------|----|
| 2.58 | Cancer: Medicare Population | percent | 9 | | 8.4 | 8.4 | 2018 | 6 |
| 2.25 | All Cancer Incidence Rate | cases/ 100,000 population | 486.3 | | 467.5 | 448.6 | 2014-2018 | 12 |
| 1.92 | Adults with Cancer | percent | 8.3 | | | 7.1 | 2019 | 4 |
| 1.42 | Oral Cavity and Pharynx Cancer Incidence Rate | cases/ 100,000 population | 11.4 | | 12.2 | 11.9 | 2014-2018 | 12 |
| 1.25 | Age-Adjusted Death Rate due to Prostate Cancer | deaths/ 100,000 males | 18.6 | 16.9 | 19.4 | 18.9 | 2015-2019 | 12 |
| 1.03 | Colorectal Cancer Incidence Rate | cases/ 100,000 population | 38.8 | | 41.3 | 38 | 2014-2018 | 12 |
| 0.94 | Colon Cancer Screening | percent | 68.2 | 74.4 | | 66.4 | 2018 | 4 |
| 0.94 | Mammogram in Past 2 Years: 50·74 | percent | 74.8 | 77.1 | | 74.8 | 2018 | 4 |
| 0.89 | Cervical Cancer Incidence Rate | cases/ 100,000 females | 5.1 | | 7.9 | 7.7 | 2014-2018 | 12 |
| 0.89 | Cervical Cancer Screening: 21-65 | Percent | 86.8 | 84.3 | | 84.7 | 2018 | 4 |
| 0.86 | Lung and Bronchus Cancer Incidence Rate | cases/ 100,000 population | 57.4 | | 67.3 | 57.3 | 2014-2018 | 12 |
| 0.78 | Age-Adjusted Death Rate due to Breast Cancer | deaths/ 100,000 females | 18.2 | 15.3 | 21.6 | 19.9 | 2015-2019 | 12 |
| 0.78 | Age-Adjusted Death Rate due to Cancer | deaths/ 100,000 population | 149 | 122.7 | 169.4 | 152.4 | 2015-2019 | 12 |

| 0.61 | Age-Adjusted Death Rate due to Lung Cancer | deaths/ 100,000 population | 36.5 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
|-------|---|---|------------------|--------|-------|-------|-----------------------|--------|
| 0.44 | Age-Adjusted Death Rate due to Colorectal Cancer | deaths/ 100,000 population | 11.4 | 8.9 | 14.8 | 13.4 | 2015-2019 | 12 |
| SCORE | CHILDREN'S HEALTH | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.33 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 403.8 | | 301.6 | 368.2 | 2021 | 7 |
| 1.83 | Children with Low Access to a Grocery Store | percent | 6.8 | | | | 2015 | 23 |
| 1.72 | Substantiated Child Abuse Rate | cases/ 1,000 children | 7.4 | 8.7 | 6.8 | | 2020 | З |
| 1.33 | Children with Health Insurance | percent | 95.4 | | 95.2 | 94.3 | 2019 | 1 |
| 1.14 | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent | 0.2 | | 0.5 | | 2020 | 19 |
| 1.14 | Blood Lead Levels in Children (>=5 micrograms per deciliter) | percent | 0.6 | | 1.9 | | 2020 | 19 |
| 0.75 | Projected Child Food Insecurity Rate | percent | 11.7 | | 18.5 | | 2021 | 10 |
| 0.50 | Child Food Insecurity Rate | percent | 10.6 | | 17.4 | 14.6 | 2019 | 10 |
| SCORE | COMMUNITY | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |

| 2.64 | Workers who Walk to Work | percent | 0.9 | | 2.2 | 2.7 | 2015-2019 | 1 |
|------|--|--|-------|------|-------|-------|-----------|----|
| 2.58 | Alcohol-Impaired Driving Deaths | percent of driving deaths with alcohol involvement | 40.7 | 28.3 | 32.2 | 27 | 2015-2019 | 9 |
| 2.36 | Solo Drivers with a Long Commute | percent | 43.4 | | 31.1 | 37 | 2015-2019 | 9 |
| 2.22 | Workers Commuting by Public Transportation | percent | 0.3 | 5.3 | 1.6 | 5 | 2015-2019 | 1 |
| 2.19 | Workers who Drive Alone to Work | percent | 86.9 | | 82.9 | 76.3 | 2015-2019 | 1 |
| 2.17 | Consumer Expenditures: Local Public Transportation | average dollar amount per consumer unit | 134.3 | | 121.7 | 148.8 | 2021 | 7 |
| 2.14 | Social Associations | membership associations/ 10,000 population | 9.4 | | 11 | 9.3 | 2018 | 9 |
| 2.03 | Mean Travel Time to Work | minutes | 27.3 | | 23.7 | 26.9 | 2015-2019 | 1 |
| 1.72 | Substantiated Child Abuse Rate | cases/ 1,000 children | 7.4 | 8.7 | 6.8 | | 2020 | 3 |
| 1.25 | Social and Economic Factors Ranking | ranking | 6 | | | | 2021 | 9 |
| 1.19 | People 65+ Living Alone | percent | 26.3 | | 28.8 | 26.1 | 2015-2019 | 1 |
| 1.00 | Households with No Car and Low Access to a Grocery Store | percent | 1.3 | | | | 2015 | 23 |

| | Households with Wireless | | | | | | |
|------|--|-------------------------------|------|-------|------|-----------|----|
| 1.00 | Phone Service | percent | 97 | 96.8 | 97 | 2020 | 8 |
| 0.97 | Linguistic Isolation | percent | 0.5 | 1.4 | 4.4 | 2015-2019 | 1 |
| 0.83 | Adults with Internet Access | percent | 95.8 | 94.5 | 95 | 2021 | 8 |
| 0.83 | Households with a Computer | percent | 88.7 | 85.2 | 86.3 | 2021 | 8 |
| 0.83 | Households with a Smartphone | percent | 82.9 | 80.5 | 81.9 | 2021 | 8 |
| 0.83 | Households with an Internet Subscription | percent | 87.6 | 82.4 | 83 | 2015-2019 | 1 |
| 0.83 | Households with One or More Types of Computing Devices | percent | 93.4 | 89.1 | 90.3 | 2015-2019 | 1 |
| 0.83 | Persons with an Internet Subscription | percent | 90.5 | 86.2 | 86.2 | 2015-2019 | 1 |
| 0.64 | Young Children Living Below Poverty Level | percent | 11.3 | 23 | 20.3 | 2015-2019 | 1 |
| 0.61 | Violent Crime Rate | crimes/ 100,000 population | 41.6 | 303.5 | 394 | 2017 | 18 |
| 0.58 | Voter Turnout: Presidential Election | percent | 82 | 74 | | 2020 | 20 |
| 0.53 | Youth not in School or Working | percent | 0.6 | 1.8 | 1.9 | 2015-2019 | 1 |
| 0.36 | Children Living Below Poverty Level | percent | 8.1 | 19.9 | 18.5 | 2015-2019 | 1 |
| 0.36 | Homeownership | percent | 76.1 | 59.4 | 56.2 | 2015-2019 | 1 |

| | Households without a | | | | | | | |
|-------|---|---|------------------|--------|-------|--------|-----------------------|--------|
| 0.36 | Vehicle | percent | 4.1 | | 7.9 | 8.6 | 2015-2019 | 1 |
| 0.36 | Single-Parent Households | percent | 16 | | 27.1 | 25.5 | 2015-2019 | 1 |
| 0.28 | People Living Below Poverty Level | percent | 6 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| 0.25 | People 25+ with a Bachelor's Degree or Higher | percent | 33.9 | | 28.3 | 32.1 | 2015-2019 | 1 |
| 0.08 | Median Household Income | dollars | 76600 | | 56602 | 62843 | 2015-2019 | 1 |
| 0.08 | Per Capita Income | dollars | 37788 | | 31552 | 34103 | 2015-2019 | 1 |
| SCORE | DIABETES | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.50 | Adults 20+ with Diabetes | percent | 9.2 | | | | 2019 | 5 |
| 0.81 | Diabetes: Medicare Population | percent | 23.9 | | 27.2 | 27 | 2018 | 6 |
| 0.36 | Age-Adjusted Death Rate due to Diabetes | deaths/ 100,000 population | 18.8 | | 25.3 | 21.5 | 2017-2019 | 5 |
| | | | | | | | | |
| SCORE | ECONOMY | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.33 | Consumer Expenditures: Homeowner Expenses | average dollar amount per consumer unit | 9561.5 | | 7828 | 8900.1 | 2021 | 7 |
| 1.86 | SNAP Certified Stores | stores/ 1,000 population | 0.6 | | | | 2017 | 23 |
| 1.64 | Size of Labor Force | persons | 93296 | | | | Sep-21 | 21 |

| 1.50 | | stores/ 1,000 | 0.1 | | | 0016 | 00 |
|------|---|-----------------------|------|------|------|-----------|----|
| 1.50 | WIC Certified Stores | population | 0.1 | | | 2016 | 23 |
| | Low-Income and Low Access to a Grocery | | | | | | |
| 1.33 | Store | percent | 4.2 | | | 2015 | 23 |
| | Social and Economic | | | | | | |
| 1.25 | Factors Ranking | ranking | 6 | | | 2021 | 9 |
| 1.03 | Overcrowded Households | percent of households | 1.1 | 1.4 | | 2015-2019 | 1 |
| 1.00 | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | percent | 73.7 | 61.6 | | 2018 | 25 |
| 1.00 | Households that are Asset Limited, Income Constrained, Employed (ALICE) | percent | 19.3 | 24.5 | | 2018 | 25 |
| 1.00 | Households that are Below the Federal Poverty Level | percent | 7 | 13.8 | | 2018 | 25 |
| 0.83 | Adults who Feel Overwhelmed by Financial Burdens | percent | 13.2 | 14.6 | 14.4 | 2021 | 8 |
| 0.83 | Households with a Savings Account | percent | 74.1 | 68.8 | 70.2 | 2021 | 8 |
| 0.83 | Renters Spending 30% or More of Household Income on Rent | percent | 39.1 | 44.9 | 49.6 | 2015-2019 | 1 |
| 0.75 | Projected Child Food Insecurity Rate | percent | 11.7 | 18.5 | | 2021 | 10 |

| | Projected Food Insecurity | | | | | | |
|------|---|---|--------|--------|--------|-----------|----|
| 0.75 | Rate | percent | 10.1 | 14.1 | | 2021 | 10 |
| 0.67 | Income Inequality | | 0.4 | 0.5 | 0.5 | 2015-2019 | 1 |
| 0.64 | People 65+ Living Below Poverty Level | percent | 5.2 | 8.1 | 9.3 | 2015-2019 | 1 |
| 0.64 | Young Children Living Below Poverty Level | percent | 11.3 | 23 | 20.3 | 2015-2019 | 1 |
| 0.58 | Students Eligible for the Free Lunch Program | percent | 15.8 | | | 2019-2020 | 13 |
| 0.53 | Youth not in School or Working | percent | 0.6 | 1.8 | 1.9 | 2015-2019 | 1 |
| 0.50 | Child Food Insecurity Rate | percent | 10.6 | 17.4 | 14.6 | 2019 | 10 |
| 0.50 | Consumer Expenditures: Home Rental Expenses | average dollar amount per consumer unit | 3057.8 | 3798.7 | 5460.2 | 2021 | 7 |
| 0.50 | Food Insecurity Rate | percent | 9.3 | 13.2 | 10.9 | 2019 | 10 |
| 0.50 | Persons with Disability Living in Poverty (5-year) | percent | 16.4 | 29.5 | 26.1 | 2015-2019 | 1 |
| 0.36 | Children Living Below Poverty Level | percent | 8.1 | 19.9 | 18.5 | 2015-2019 | 1 |
| 0.36 | Families Living Below Poverty Level | percent | 4.1 | 9.9 | 9.5 | 2015-2019 | 1 |
| 0.36 | Homeownership | percent | 76.1 | 59.4 | 56.2 | 2015-2019 | 1 |
| 0.36 | Households with Cash Public Assistance Income | percent | 1.2 | 2.9 | 2.4 | 2015-2019 | 1 |

| | Mortgaged Owners Spending 30% or More of | | | | | | | |
|-------|---|-----------------------|--------|--------|--------|--------|-------------|--------|
| 0.33 | Household Income on Housing | percent | 16.4 | | 19.7 | 26.5 | 2019 | 1 |
| 0.55 | Tiousing | ρειζειπ | 10.4 | | 19.7 | 20.5 | 2019 | |
| | People Living Below | | | | | | | |
| 0.28 | Poverty Level | percent | 6 | 8 | 14 | 13.4 | 2015-2019 | 1 |
| 0.25 | Severe Housing Problems | percent | 10.4 | | 13.7 | 18 | 2013-2017 | 9 |
| 0.25 | Unemployed Workers in Civilian Labor Force | porcont | 3.1 | | 4.3 | 4.6 | Sep-21 | 21 |
| 0.25 | Median Household | percent | 5.1 | | 4.5 | 4.0 | 3ep-21 | 21 |
| 0.08 | Income | dollars | 76600 | | 56602 | 62843 | 2015-2019 | 1 |
| | | | | | | | | |
| 0.08 | People Living 200% Above Poverty Level | percent | 82.8 | | 68.8 | 69.1 | 2015-2019 | 1 |
| 0.08 | | dollars | 37788 | | 31552 | 34103 | 2015-2019 | 1 |
| 0.08 | Per Capita Income | uonars | 37788 | | 31552 | 34103 | 2015-2019 | L |
| | | | | | | | | |
| | | | MEDINA | | | | MEASUREMENT | |
| SCORE | EDUCATION | UNITS | COUNTY | HP2030 | Ohio | U.S. | PERIOD | Source |
| | Consumer Expenditures: | average dollar amount | | | | | | |
| 2.33 | Childcare | per consumer unit | 403.8 | | 301.6 | 368.2 | 2021 | 7 |
| | Consumer Expenditures: | average dollar amount | | | | | | |
| 2.17 | Education | per consumer unit | 1490.7 | | 1200.4 | 1492.4 | 2021 | 7 |
| 1.58 | Student-to-Teacher Ratio | students/ teacher | 18.3 | | | | 2019-2020 | 13 |
| | 8th Grade Students | | | | | | | |
| 1.50 | Proficient in Math | percent | 62.1 | | 57.3 | | 2018-2019 | 15 |
| | | , | | | | | | |
| 1.00 | 4th Grade Students Proficient in Math | percent | 86.3 | | 74.3 | | 2018-2019 | 15 |

| | 4th Grade Students | | | | | | | |
|-------|--|----------------------------------|------------------|--------|------|------|-----------------------|--------|
| | Proficient in | | | | | | | |
| 0.86 | English/Language Arts | percent | 79 | | 63.3 | | 2018-2019 | 15 |
| 0.72 | High School Graduation | percent | 96.3 | 90.7 | 92 | | 2019-2020 | 15 |
| 0.58 | 8th Grade Students Proficient in English/Language Arts | percent | 74 | | 58.3 | | 2018-2019 | 15 |
| 0.25 | People 25+ with a Bachelor's Degree or Higher | percent | 33.9 | | 28.3 | 32.1 | 2015-2019 | 1 |
| | | | | | | | | |
| SCORE | ENVIRONMENTAL HEALTH | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.00 | Grocery Store Density | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.86 | SNAP Certified Stores | stores/ 1,000 population | 0.6 | | | | 2017 | 23 |
| 1.83 | Children with Low Access to a Grocery Store | percent | 6.8 | | | | 2015 | 23 |
| 1.81 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.7 | | | | 2016 | 23 |
| 1.50 | People 65+ with Low Access to a Grocery Store | percent | 2.5 | | | | 2015 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.36 | Number of Extreme Heat Days | days | 14 | | | | 2019 | 14 |

| 1.26 | Number of Extreme | dava | 28 | | | 2010 | 1.4 |
|------|---------------------------------------|-----------------------|-------|---|-------|-----------|-----|
| 1.36 | Precipitation Days | days | | | | 2019 | 14 |
| 1.36 | PBT Released | pounds | 676.8 | | | 2020 | 24 |
| | Recognized Carcinogens | | | | | | |
| 1.36 | Released into Air | pounds | 447 | | | 2020 | 24 |
| | Weeks of Moderate | | | | | | |
| 1.36 | Drought or Worse | weeks per year | 1 | | | 2020 | 14 |
| | | markets/ 1,000 | | | | | |
| 1.33 | Farmers Market Density | population | 0 | | | 2018 | 23 |
| | Low-Income and Low | | | | | | |
| 1.33 | Access to a Grocery Store | percent | 4.2 | | | 2015 | 23 |
| 1.55 | | percent | 7.2 | | | 2015 | 23 |
| 1.05 | Adults with Current | | 0.4 | | | 2010 | 4 |
| 1.25 | Asthma | percent | 9.4 | | 8.9 | 2019 | 4 |
| | Physical Environment | | | | | | |
| 1.25 | Ranking | ranking | 10 | | | 2021 | 9 |
| | Asthma: Medicare | | | | | | |
| 1.19 | Population | percent | 4.7 | 4 | 1.8 5 | 2018 | 6 |
| | Blood Lead Levels in | | | | | | |
| | Children (>=10 | | | | | | |
| 1.14 | micrograms per deciliter) | percent | 0.2 | (|).5 | 2020 | 19 |
| | | | | | | | |
| | Blood Lead Levels in Children (>=5 | | | | | | |
| 1.14 | micrograms per deciliter) | percent | 0.6 | | L.9 | 2020 | 19 |
| 1.11 | Annual Ozone Air Quality | , | А | | | 2017-2019 | 2 |
| 1.11 | Annual Particle Pollution | | A | | | 2017-2019 | 2 |
| | | | | | | | |
| 1.03 | Overcrowded Households | percent of households | 1.1 | - | 1.4 | 2015-2019 | 1 |

| 1.00 | Households with No Car and Low Access to a Grocery Store | percent | 1.3 | | | | 2015 | 23 |
|---------------|---|---|-----------------------------------|--------|-----------------------|-----------------------|------------------------|--------|
| 1.00 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2015 | 23 |
| 0.83 | Access to Exercise Opportunities | percent | 92.1 | | 83.9 | 84 | 2020 | 9 |
| 0.53 | Houses Built Prior to 1950 | percent | 12.5 | | 26.2 | 17.5 | 2015-2019 | 1 |
| 0.36 | Food Environment Index | index | 8.6 | | 6.8 | 7.8 | 2021 | 9 |
| 0.25 | Severe Housing Problems | percent | 10.4 | | 13.7 | 18 | 2013-2017 | 9 |
| 0.08 | Liquor Store Density | stores/ 100,000 population | 1.7 | | 5.9 | 10.6 | 2018 | 22 |
| | | | | | | | | |
| SCORE | HEALTH CARE ACCESS & QUALITY | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| SCORE 2.50 | | UNITS average dollar amount per consumer unit | | HP2030 | Ohio 4371.7 | U.S. 4321.1 | | Source |
| | & QUALITY Consumer Expenditures: | average dollar amount | COUNTY | HP2030 | | | PERIOD | |
| 2.50 | & QUALITY Consumer Expenditures: Health Insurance Consumer Expenditures: | average dollar amount per consumer unit average dollar amount | COUNTY 5410.8 | HP2030 | 4371.7 | 4321.1 | PERIOD 2021 | 7 |
| 2.50 2.50 | & QUALITY Consumer Expenditures: Health Insurance Consumer Expenditures: Medical Services Consumer Expenditures: | average dollar amount per consumer unit average dollar amount per consumer unit average dollar amount | COUNTY 5410.8 1419.1 | HP2030 | 4371.7 1098.6 | 4321.1 1047.4 | PERIOD 2021 2021 | 7 |

| | Non-Physician Primary | providers/ 100,000 | | | | | | |
|-------|---|----------------------------------|------------------|--------|-------|------|-----------------------|--------|
| 1.50 | Care Provider Rate | population | 63.4 | | 108.9 | | 2020 | 9 |
| 1.44 | Dentist Rate | dentists/ 100,000 population | 53.4 | | 64.2 | | 2019 | 9 |
| 1.39 | Persons without Health Insurance | percent | 4.3 | | 6.6 | | 2019 | 1 |
| 1.33 | Adults with Health Insurance | percent | 94.4 | | 90.9 | 87.1 | 2019 | 1 |
| 1.33 | Children with Health Insurance | percent | 95.4 | | 95.2 | 94.3 | 2019 | 1 |
| 1.33 | Mental Health Provider Rate | providers/ 100,000 population | 140.8 | | 261.3 | | 2020 | 9 |
| 1.25 | Clinical Care Ranking | ranking | 4 | | | | 2021 | 9 |
| 0.92 | Adults who have had a Routine Checkup | percent | 79.5 | | | 76.6 | 2019 | 4 |
| 0.83 | Adults who Visited a Dentist | percent | 56.6 | | 51.6 | 52.9 | 2021 | 8 |
| 0.83 | Adults with Health Insurance: 18+ | percent | 92.4 | | 90.2 | 90.6 | 2021 | 8 |
| 0.75 | Adults without Health Insurance | percent | 9.5 | | | 13 | 2019 | 4 |
| SCORE | HEART DISEASE & STROKE | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.31 | Atrial Fibrillation: Medicare Population | percent | 9.4 | | 9 | 8.4 | 2018 | 6 |

| 1.81 | Hyperlipidemia: Medicare Population | percent | 50 | | 49.4 | 47.7 | 2018 | 6 |
|------|---|---|------|------|-------|------|-----------|----|
| 1.42 | Adults who Have Taken Medications for High Blood Pressure | percent | 78 | | | 76.2 | 2019 | 4 |
| 1.33 | High Blood Pressure Prevalence | percent | 33.7 | 27.7 | | 32.6 | 2019 | 4 |
| 1.31 | Hypertension: Medicare Population | percent | 57.5 | | 59.5 | 57.2 | 2018 | 6 |
| 1.28 | Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | deaths/ 100,000 population | 34.1 | 33.4 | 42.5 | 37.2 | 2017-2019 | 5 |
| 1.25 | Cholesterol Test History | percent | 87.1 | | | 87.6 | 2019 | 4 |
| 1.08 | Adults who Experienced Coronary Heart Disease | percent | 6.6 | | | 6.2 | 2019 | 4 |
| 1.08 | High Cholesterol Prevalence: Adults 18+ | percent | 32.8 | | | 33.6 | 2019 | 4 |
| 1.03 | Stroke: Medicare Population | percent | 3.5 | | 3.8 | 3.8 | 2018 | 6 |
| 0.92 | Adults who Experienced a Stroke | percent | 3.2 | | | 3.4 | 2019 | 4 |
| 0.86 | Age-Adjusted Death Rate due to Heart Attack | deaths/ 100,000 population 35+ years | 45.4 | | 55.4 | | 2019 | 14 |
| 0.78 | Age-Adjusted Death Rate due to Coronary Heart Disease | deaths/ 100,000 population | 83.7 | 71.1 | 101.4 | 90.5 | 2017-2019 | 5 |

| | Heart Failure: Medicare | | | | | | | |
|-------|---|-------------------------------|------------------|--------|-------|-------|-----------------------|--------|
| 0.69 | Population | percent | 12.9 | | 14.7 | 14 | 2018 | 6 |
| 0.69 | Ischemic Heart Disease: Medicare Population | percent | 24.7 | | 27.5 | 26.8 | 2018 | 6 |
| SCORE | IMMUNIZATIONS & INFECTIOUS DISEASES | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.92 | Salmonella Infection Incidence Rate | cases/ 100,000 population | 16.2 | 11.1 | 12.9 | | 2018 | 16 |
| 1.72 | Tuberculosis Incidence Rate | cases/ 100,000 population | 1.1 | 1.4 | 1.1 | | 2020 | 16 |
| 1.03 | Overcrowded Households | percent of households | 1.1 | | 1.4 | | 2015-2019 | 1 |
| 0.89 | Gonorrhea Incidence Rate | cases/ 100,000 population | 43 | | 224 | 187.8 | 2019 | 16 |
| 0.83 | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent | 50.9 | | 48.6 | 49.4 | 2021 | 8 |
| 0.75 | Chlamydia Incidence Rate | cases/ 100,000 population | 216.8 | | 561.9 | 551 | 2019 | 16 |
| 0.58 | Persons Fully Vaccinated Against COVID-19 | percent | 62.5 | | | | 28-Jan-22 | 5 |
| 0.36 | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population | 8 | | 14.4 | 13.8 | 2017-2019 | 5 |
| 0.08 | COVID-19 Daily Average Case-Fatality Rate | deaths per 100 cases | 0 | | 0 | 0.5 | 28-Jan-22 | 11 |

| 0.02 | COVID-19 Daily Average | cases per 100,000 | FC 4 | | 100.4 | 177.0 | 20 / 22 | 11 |
|-------|---|--|------------------|--------|--------|--------|-----------------------|--------|
| 0.08 | Incidence Rate | population | 56.4 | | 128.4 | 177.3 | 28-Jan-22 | 11 |
| SCORE | MATERNAL, FETAL & INFANT HEALTH | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.33 | Consumer Expenditures: Childcare | average dollar amount per consumer unit | 403.8 | | 301.6 | 368.2 | 2021 | 7 |
| 1.19 | Mothers who Smoked During Pregnancy | percent | 6.9 | 4.3 | 11.5 | 5.5 | 2020 | 17 |
| 1.11 | Mothers who Received Early Prenatal Care | percent | 74.7 | | 68.9 | 76.1 | 2020 | 17 |
| 0.86 | Teen Birth Rate: 15-17 | <i>live births/ 1,000 females aged 15-17</i> | 1.6 | | 6.8 | | 2020 | 17 |
| 0.86 | Teen Pregnancy Rate | pregnancies/ 1,000 females aged 15-17 | 13.4 | | 19.5 | | 2016 | 17 |
| 0.78 | Infant Mortality Rate | deaths/ 1,000 live births | 1.8 | 5 | 6.9 | | 2019 | 17 |
| 0.78 | Preterm Births | percent | 7.6 | 9.4 | 10.3 | | 2020 | 17 |
| 0.75 | Babies with Low Birth Weight | percent | 5.7 | | 8.5 | 8.2 | 2020 | 17 |
| 0.61 | Babies with Very Low Birth Weight | percent | 0.6 | | 1.4 | 1.3 | 2020 | 17 |
| SCORE | MEDICATIONS & PRESCRIPTIONS | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.50 | Consumer Expenditures: Medical Services | average dollar amount per consumer unit | 1419.1 | | 1098.6 | 1047.4 | 2021 | 7 |

| | | | | | r | r | | |
|-------|---|--|------------------|--------|-------|-------|-----------------------|--------|
| 2.50 | Consumer Expenditures: Medical Supplies | average dollar amount per consumer unit | 259.4 | | 204.8 | 194.9 | 2021 | 7 |
| 2.50 | Consumer Expenditures: Prescription and Non- Prescription Drugs | average dollar amount per consumer unit | 781.2 | | 638.9 | 609.6 | 2021 | 7 |
| SCORE | MENTAL HEALTH & MENTAL DISORDERS | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.92 | Depression: Medicare Population | percent | 19 | | 20.4 | 18.4 | 2018 | 6 |
| 1.89 | Age-Adjusted Death Rate due to Suicide | deaths/ 100,000 population | 15.7 | 12.8 | 15.1 | 14.1 | 2017-2019 | 5 |
| 1.58 | Adults Ever Diagnosed with Depression | percent | 21.2 | | | 18.8 | 2019 | 4 |
| 1.33 | Mental Health Provider Rate | providers/ 100,000 population | 140.8 | | 261.3 | | 2020 | 9 |
| 1.25 | Poor Mental Health: 14+ Days | percent | 14.3 | | | 13.6 | 2019 | 4 |
| 1.17 | Poor Mental Health: Average Number of Days | days | 4.4 | | 4.8 | 4.1 | 2018 | 9 |
| 1.14 | Alzheimer's Disease or Dementia: Medicare Population | percent | 9.4 | | 10.4 | 10.8 | 2018 | 6 |
| 0.97 | Age-Adjusted Death Rate due to Alzheimer's Disease | deaths/ 100,000 population | 28.8 | | 34 | 30.5 | 2017-2019 | 5 |

| 0.83 | Self-Reported General Health Assessment: Good or Better | percent | 88.2 | | 85.6 | 86.5 | 2021 | 8 |
|-------|---|---|------------------|--------|-------|--------|-----------------------|--------|
| SCORE | NUTRITION & HEALTHY EATING | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.50 | Consumer Expenditures: Fast Food Restaurants | average dollar amount per consumer unit | 1814.2 | | 1461 | 1638.9 | 2021 | 7 |
| 2.50 | Consumer Expenditures: High Sugar Foods | average dollar amount per consumer unit | 627 | | 519 | 530.2 | 2021 | 7 |
| 2.33 | Consumer Expenditures: High Sugar Beverages | average dollar amount per consumer unit | 370 | | 319.7 | 357 | 2021 | 7 |
| 1.00 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 40.2 | | 41.5 | 41.2 | 2021 | 8 |
| 0.83 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.2 | | 80.9 | 80.4 | 2021 | 8 |
| 0.67 | Consumer Expenditures: Fruits and Vegetables | average dollar amount per consumer unit | 1043.8 | | 864.6 | 1002.1 | 2021 | 7 |
| SCORE | OLDER ADULT HEALTH | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.58 | Cancer: Medicare Population | percent | 9 | | 8.4 | 8.4 | 2018 | 6 |

| | | 1 | | | | | 1 |
|------|---|---|------|------|------|-----------|----|
| 2.58 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | percent | 37.2 | 36.1 | 33.5 | 2018 | 6 |
| 2.31 | Atrial Fibrillation: Medicare Population | percent | 9.4 | 9 | 8.4 | 2018 | 6 |
| 2.14 | Osteoporosis: Medicare Population | percent | 6.6 | 6.2 | 6.6 | 2018 | 6 |
| 1.92 | Depression: Medicare Population | percent | 19 | 20.4 | 18.4 | 2018 | 6 |
| 1.81 | Hyperlipidemia: Medicare Population | percent | 50 | 49.4 | 47.7 | 2018 | 6 |
| 1.75 | Adults with Arthritis | percent | 30 | | 25.1 | 2019 | 4 |
| 1.67 | Consumer Expenditures: Eldercare | average dollar amount per consumer unit | 24.4 | 20.5 | 34.3 | 2021 | 7 |
| 1.50 | People 65+ with Low Access to a Grocery Store | percent | 2.5 | | | 2015 | 23 |
| 1.47 | Age-Adjusted Death Rate due to Falls | deaths/ 100,000 population | 9.7 | 10.5 | 9.5 | 2017-2019 | 5 |
| 1.42 | Chronic Kidney Disease: Medicare Population | percent | 23 | 25.3 | 24.5 | 2018 | 6 |
| 1.31 | Hypertension: Medicare Population | percent | 57.5 | 59.5 | 57.2 | 2018 | 6 |
| 1.19 | Asthma: Medicare Population | percent | 4.7 | 4.8 | 5 | 2018 | 6 |
| 1.19 | People 65+ Living Alone | percent | 26.3 | 28.8 | 26.1 | 2015-2019 | 1 |

| 1.14 | Alzheimer's Disease or Dementia: Medicare Population | percent | 9.4 | | 10.4 | 10.8 | 2018 | 6 |
|------|---|-------------------------------|------|------|------|------|-----------|---|
| 1.03 | Stroke: Medicare Population | percent | 3.5 | | 3.8 | 3.8 | 2018 | 6 |
| 0.97 | Age-Adjusted Death Rate due to Alzheimer's Disease | deaths/ 100,000 population | 28.8 | | 34 | 30.5 | 2017-2019 | 5 |
| 0.97 | COPD: Medicare Population | percent | 10.8 | | 13.2 | 11.5 | 2018 | 6 |
| 0.94 | Colon Cancer Screening | percent | 68.2 | 74.4 | | 66.4 | 2018 | 4 |
| 0.81 | Diabetes: Medicare Population | percent | 23.9 | | 27.2 | 27 | 2018 | 6 |
| 0.75 | Adults 65+ who Received Recommended Preventive Services: Females | percent | 36.5 | | | 28.4 | 2018 | 4 |
| 0.75 | Adults 65+ who Received Recommended Preventive Services: Males | percent | 38.5 | | | 32.4 | 2018 | 4 |
| 0.75 | Adults 65+ with Total Tooth Loss | percent | 11 | | | 13.5 | 2018 | 4 |
| 0.69 | Heart Failure: Medicare Population | percent | 12.9 | | 14.7 | 14 | 2018 | 6 |
| 0.69 | Ischemic Heart Disease: Medicare Population | percent | 24.7 | | 27.5 | 26.8 | 2018 | 6 |
| 0.64 | People 65+ Living Below Poverty Level | percent | 5.2 | | 8.1 | 9.3 | 2015-2019 | 1 |
| | | | | | | | | |

| SCORE | ORAL HEALTH | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|---|---------------------------------|------------------|--------|------|------|-----------------------|--------|
| 1.44 | Dentist Rate | dentists/ 100,000 population | 53.4 | | 64.2 | | 2019 | 9 |
| 1.42 | Oral Cavity and Pharynx Cancer Incidence Rate | cases/ 100,000 population | 11.4 | | 12.2 | 11.9 | 2014-2018 | 12 |
| 0.83 | Adults who Visited a Dentist | percent | 56.6 | | 51.6 | 52.9 | 2021 | 8 |
| 0.75 | Adults 65+ with Total Tooth Loss | percent | 11 | | | 13.5 | 2018 | 4 |
| SCORE | OTHER CONDITIONS | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.58 | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | percent | 37.2 | | 36.1 | 33.5 | 2018 | 6 |
| 2.14 | Osteoporosis: Medicare Population | percent | 6.6 | | 6.2 | 6.6 | 2018 | 6 |
| 1.75 | Adults with Arthritis | percent | 30 | | | 25.1 | 2019 | 4 |
| 1.42 | Chronic Kidney Disease: Medicare Population | percent | 23 | | 25.3 | 24.5 | 2018 | 6 |
| 0.92 | Adults with Kidney Disease | Percent of adults | 2.8 | | | 3.1 | 2019 | 4 |
| 0.36 | Age-Adjusted Death Rate due to Kidney Disease | deaths/ 100,000 population | 8.7 | | 14.5 | 12.9 | 2017-2019 | 5 |

| SCORE | PHYSICAL ACTIVITY | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
|-------|--|----------------------------------|------------------|--------|------|------|-----------------------|--------|
| 2.64 | Workers who Walk to Work | percent | 0.9 | | 2.2 | 2.7 | 2015-2019 | 1 |
| 2.00 | Grocery Store Density | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.86 | SNAP Certified Stores | stores/ 1,000 population | 0.6 | | | | 2017 | 23 |
| 1.83 | Children with Low Access to a Grocery Store | percent | 6.8 | | | | 2015 | 23 |
| 1.81 | Fast Food Restaurant Density | restaurants/ 1,000 population | 0.7 | | | | 2016 | 23 |
| 1.50 | People 65+ with Low Access to a Grocery Store | percent | 2.5 | | | | 2015 | 23 |
| 1.50 | WIC Certified Stores | stores/ 1,000 population | 0.1 | | | | 2016 | 23 |
| 1.33 | Farmers Market Density | markets/ 1,000 population | 0 | | | | 2018 | 23 |
| 1.33 | Low-Income and Low Access to a Grocery Store | percent | 4.2 | | | | 2015 | 23 |
| 1.25 | Health Behaviors Ranking | | 4 | | | | 2021 | 9 |
| 1.03 | Adults 20+ who are Sedentary | percent | 21.1 | | | | 2019 | 5 |
| 1.00 | Households with No Car and Low Access to a Grocery Store | percent | 1.3 | | | | 2015 | 23 |

| 0.25 | Severe Housing Problems RESPIRATORY | percent | 10.4 MEDINA | | 13.7 | 18 | 2013-2017 MEASUREMENT | 9 |
|-------|---|---------------------------------|------------------|--------|------|------|--------------------------|--------|
| 0.67 | Age-Adjusted Death Rate due to Unintentional Injuries | deaths/ 100,000 population | 43.8 | 43.2 | 68.8 | 48.9 | 2017-2019 | 5 |
| 1.14 | Death Rate due to Drug Poisoning | deaths/ 100,000 population | 20.1 | | 38.1 | 21 | 2017-2019 | 9 |
| 1.47 | Age-Adjusted Death Rate due to Unintentional Poisonings | deaths/ 100,000 population | 23.6 | | 40.2 | 21.4 | 2017-2019 | 5 |
| 1.47 | Age-Adjusted Death Rate due to Falls | deaths/ 100,000 population | 9.7 | | 10.5 | 9.5 | 2017-2019 | 5 |
| SCORE | PREVENTION & SAFETY | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 0.36 | Food Environment Index | | 8.6 | | 6.8 | 7.8 | 2021 | 9 |
| 0.83 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.2 | | 80.9 | 80.4 | 2021 | 8 |
| 0.83 | Access to Exercise Opportunities | percent | 92.1 | | 83.9 | 84 | 2020 | 9 |
| 0.94 | Adults 20+ who are Obese | percent | 27.8 | 36 | | | 2019 | 5 |
| 1.00 | Recreation and Fitness Facilities | facilities/ 1,000 population | 0.1 | | | | 2016 | 23 |

| 1.72 | Tuberculosis Incidence Rate | cases/ 100,000 population | 1.1 | 1.4 | 1.1 | | 2020 | 16 |
|------|---|--|-------|------|-------|-------|-----------|----|
| 1.67 | Consumer Expenditures: Tobacco and Legal Marijuana | average dollar amount per consumer unit | 472.9 | | 487.9 | 422.4 | 2021 | 7 |
| 1.47 | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | deaths/ 100,000 population | 43.7 | | 47.8 | 39.6 | 2017-2019 | 5 |
| 1.42 | Adults with COPD | Percent of adults | 7.9 | | | 6.6 | 2019 | 4 |
| 1.33 | Adults Who Used Smokeless Tobacco: Past 30 Days | percent | 2.3 | | 2.2 | 2 | 2021 | 8 |
| 1.25 | Adults with Current Asthma | percent | 9.4 | | | 8.9 | 2019 | 4 |
| 1.19 | Asthma: Medicare Population | percent | 4.7 | | 4.8 | 5 | 2018 | 6 |
| 0.97 | COPD: Medicare Population | percent | 10.8 | | 13.2 | 11.5 | 2018 | 6 |
| 0.92 | Adults who Smoke | percent | 17.9 | 5 | 21.4 | 17 | 2018 | 9 |
| 0.86 | Lung and Bronchus Cancer Incidence Rate | cases/ 100,000 population | 57.4 | | 67.3 | 57.3 | 2014-2018 | 12 |
| 0.61 | Age-Adjusted Death Rate due to Lung Cancer | deaths/ 100,000 population | 36.5 | 25.1 | 45 | 36.7 | 2015-2019 | 12 |
| 0.50 | Adults Who Used Electronic Cigarettes: Past 30 Days | percent | 3.7 | | 4.3 | 4.1 | 2021 | 8 |

| 0.36 | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population | 8 | | 14.4 | 13.8 | 2017-2019 | 5 |
|-------|--|--|------------------|--------|-------|--------|-----------------------|--------|
| 0.08 | COVID-19 Daily Average Case-Fatality Rate | deaths per 100 cases | 0 | | 0 | 0.5 | 28-Jan-22 | 11 |
| 0.08 | COVID-19 Daily Average Incidence Rate | cases per 100,000 population | 56.4 | | 128.4 | 177.3 | 28-Jan-22 | 11 |
| SCORE | TOBACCO USE | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.67 | Consumer Expenditures: Tobacco and Legal Marijuana | average dollar amount per consumer unit | 472.9 | | 487.9 | 422.4 | 2021 | 7 |
| 1.33 | Adults Who Used Smokeless Tobacco: Past 30 Days | percent | 2.3 | | 2.2 | 2 | 2021 | 8 |
| 0.92 | Adults who Smoke | percent | 17.9 | 5 | 21.4 | 17 | 2018 | 9 |
| 0.50 | Adults Who Used Electronic Cigarettes: Past 30 Days | percent | 3.7 | | 4.3 | 4.1 | 2021 | 8 |
| SCORE | WELLNESS & LIFESTYLE | UNITS | MEDINA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.50 | Consumer Expenditures: Fast Food Restaurants | average dollar amount per consumer unit | 1814.2 | | 1461 | 1638.9 | 2021 | 7 |
| 1.42 | Insufficient Sleep | percent | 37.5 | 31.4 | 40.6 | 35 | 2018 | 9 |

| 0.67 | Poor Physical Health: Average Number of Days | days | 3.6 | | 4.1 | 3.7 | 2018 | 9 |
|------|---|---------|------|------|------|------|-----------|---|
| 0.75 | Self-Reported General Health Assessment: Poor or Fair | percent | 16.5 | | | 18.6 | 2019 | 4 |
| 0.83 | Self-Reported General Health Assessment: Good or Better | percent | 88.2 | | 85.6 | 86.5 | 2021 | 8 |
| 0.83 | Life Expectancy | years | 80.1 | | 77 | 79.2 | 2017-2019 | 9 |
| 0.83 | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent | 50.9 | | 48.6 | 49.4 | 2021 | 8 |
| 0.83 | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent | 80.2 | | 80.9 | 80.4 | 2021 | 8 |
| 0.92 | Poor Physical Health: 14+ Days | percent | 12.5 | | | 12.5 | 2019 | 4 |
| 1.00 | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent | 40.2 | | 41.5 | 41.2 | 2021 | 8 |
| 1.25 | Morbidity Ranking | ranking | 4 | | | | 2021 | 9 |
| 1.33 | High Blood Pressure Prevalence | percent | 33.7 | 27.7 | | 32.6 | 2019 | 4 |

| 2.58 | Breast Cancer Incidence Rate | cases/ 100,000 females | 134.7 | | 129.6 | 126.8 | 2014-2018 | 12 |
|------|--|----------------------------|-------|------|-------|-------|-----------|----|
| 0.94 | Mammogram in Past 2 Years: 50·74 | percent | 74.8 | 77.1 | | 74.8 | 2018 | 4 |
| 0.89 | Cervical Cancer Incidence Rate | cases/ 100,000 females | 5.1 | | 7.9 | 7.7 | 2014-2018 | 12 |
| 0.89 | Cervical Cancer Screening: 21.65 | Percent | 86.8 | 84.3 | | 84.7 | 2018 | 4 |
| 0.78 | Age-Adjusted Death Rate due to Breast Cancer | deaths/ 100,000 females | 18.2 | 15.3 | 21.6 | 19.9 | 2015-2019 | 12 |

Medina County Data Sources

Key

Data Source Name

- 1 American Community Survey
- 2 American Lung Association
- 3 Annie E. Casey Foundation
- 4 CDC · PLACES
- 5 Centers for Disease Control and Prevention
- 6 Centers for Medicare & Medicaid Services
- 7 Claritas Consumer Buying Power
- 8 Claritas Consumer Profiles
- 9 County Health Rankings
- 10 Feeding America
- 11 Healthy Communities Institute
- 12 National Cancer Institute
- 13 National Center for Education Statistics
- 14 National Environmental Public Health Tracking Network
- 15 Ohio Department of Education
- 16 Ohio Department of Health, Infectious Diseases
- 17 Ohio Department of Health, Vital Statistics Ohio Department of Public Safety, Office of Criminal Justice
- 18 Services
- 19 Ohio Public Health Information Warehouse
- 20 Ohio Secretary of State
- 21 U.S. Bureau of Labor Statistics
- 22 U.S. Census County Business Patterns
- 23 U.S. Department of Agriculture Food Environment Atlas
- 24 U.S. Environmental Protection Agency
- 25 United For ALICE

Appendix D: Community Input Assessment Tools

CCF identified key community stakeholders to provide vital perspectives and context around important community health issues. CCF and HCI worked to develop a questionnaire to determine what a community needs to be healthy, what barriers to health exist in the community, how COVID-19 has impacted health in the community and how the challenges identified might be addressed in the future. Below is the complete Key Stakeholder Interview Guide:

WELCOME: Cleveland Clinic *{hospital name}* is in the process of conducting our 2022 comprehensive Community Health Needs Assessment (CHNA) to understand and plan for the current and future health needs of our community. You have been invited to take part in this interview because of your experience working *{at organization}* in the community. During this interview, we will ask a series of questions related to health issues in your community. Our ultimate goal is to gain various perspectives on the major issues affecting the population that your organizations serves and how to improve health in your community. We hope to get through as many questions as possible and hear your perspective as much as time allows.

TRANSCRIPTION: For today's call we are using the transcription feature in MS Teams. This feature produces a live transcript and makes meetings more inclusive for those who are deaf, hard of hearing, or have different levels of language proficiency. Our primary purpose for using this feature is to assist with note taking.

CONFIDENTIALITY: For this conversation, I will invite you to share as much or little as you feel comfortable sharing. The results of this assessment will be made available to the public. Although we will take notes on your responses, your name will not be associated with any direct quotes. Your identity will be kept confidential, so please share your honest opinions.

FORMAT: We anticipate that this conversation will last ~45 minutes to an hour.

Section #1: Introduction

- What community, or geographic area, does your organization serve (or represent)?
 - o How does your organization serve the community?

Section #2: Community Health and Well-being

• From your perspective, what does a community need to be healthy?

• What do you believe are the 2-3 most important issues that must be addressed to improve health and quality of life in your community?

Section #3: Barriers to Health

- What health disparities appear most prevalent in your community?
- What are the barriers or challenges to improving health in the community?
 - o What makes some people healthy in the community while others experience poor health?
 - o What particular parts of the community or geographic areas that are underserved or under-resourced?
 - o What services are most difficult to access?
- What could be done to promote Health Equity?

Section #4: COVID-19

- How has COVID-19 impacted health in your community?
 - o What were the most significant health concerns prior to the pandemic vs now?
 - o What populations have been most affected by COVID-19?
- How has COVID-19 impacted access to care in the community?
 - o What about access to mental health or substance use treatment in the community?
 - o What about emergency and preventative care services?

Section #5: Addressing the Challenges & Solutions

- What are some possible solutions to the problems that we have discussed?
 - o How can organizations such as hospitals, health departments, government, and community-based organizations work together to address some of the problems that have been mentioned?
- How can we make sure that community voices are heard when decisions are made that affect their community?
 - What would be the best way to communicate with community members about progress organizations are making to improve health and quality of life?
- What resources does your community have that can be used to improve community health?

Section #6: Conclusion

• Is there anything else that you think would be important for us to know as we conduct this community health needs assessment?

CLOSURE SCRIPT: Thank you again for taking time out of your busy day to share your experiences with us. We will include the key themes from today's discussion in our assessment. Please remember, your name will not be connected to any of the comments you made today. Please let us know if you have any questions or concerns about this.

Appendix E: Community Partners and Resources

This section identifies other facilities and resources available in the community served by Lutheran Hospital that are available to address community health needs.

Federally Qualified Health Centers

Ohio's Association of Community Health Centers (OACHC) is a not-for-profit membership association representing Federally Qualified Health Centers (FQHCs).³¹ FQHCs are established to promote access to ambulatory care in areas designated as medically underserved. These clinics provide primary care, mental health, and dental services for lower-income members of the community. FQHCs receive enhanced reimbursement for Medicaid and Medicare services and most also receive federal grant funds under Section 330 of the Public Health Service Act. OACHC represents Ohio's 57 Community Health Centers at 400 locations, including multiple mobile units The following FQHC clinics and networks operate in the Lutheran Hospital Community:

- Asian Services in Action, Inc.
- Care Alliance
- Health Source of Ohio
- Lorain County Health and Dentistry
- Medina County Health Department
- <u>MetroHealth Community Health Centers (MHCHC)</u>
- Neighborhood Family Practice
- Northeast Ohio Neighborhood Health Services
- Signature Health, Inc.
- <u>The Centers</u>

Hospitals

In addition to several Cleveland Clinic hospitals in Northeast Ohio, the following is a list of other hospital facilities located in the Lutheran Hospital Community:

³¹ Ohio Association of Community Health Centers, https://www.ohiochc.org/page/178

- Grace Hospital
- Mercy Health (Multiple Locations)
- <u>MetroHealth Medical Centers (Multiple Locations)</u>
- St. Vincent Charity Medical Center
- <u>University Hospitals (Multiple Locations)</u>

Other Community Resources

A wide range of agencies, coalitions, and organizations that provide health and social services is available in the region served by Lutheran Hospital. United Way 2·1·1 Ohio maintains a large, online database to help refer individuals in need to health and human services in Ohio. This is a service of the Ohio Department of Social Services and is provided in partnership with the Council of Community Services, The Planning Council, and United Way chapters in Cleveland. United Way 2·1·1 Ohio contains information on organizations and resources in the following categories:

- Donations and Volunteering
- Education, Recreation, and the Arts
- Employment and Income Support
- Family Support and Parenting
- Food, Clothing, and Household Items
- Health Care
- Housing and Utilities
- Legal Services and Financial Management
- Mental Health and Counseling
- Municipal and Community Services
- Substance Abuse and Other Addictions

Additional information about these resources is available at: <u>http://www.211oh.org/</u>


Appendix F: Acknowledgements

Conduent Healthy Communities Institute (HCI) supported report preparation. HCI works with clients across the nation to drive community health outcomes by assessing needs, developing focused strategies, identifying appropriate intervention programs, establishing monitoring systems, and implementing performance evaluation processes. To learn more about Conduent HCI, please visit <u>www.conduent.com/community-population-health</u>.

Authors for this report are listed below:

Sharri Morley, MPH, Public Health Consultant Era Chaudry, MPH, MBA, Public Health Senior Analyst Gautami Shikhare, MPH, Community Data Analyst II Margaret Mysz, MPH, Community Data Analyst II Dari Goldman, MPH, Public Health Analyst Olivia Dunn, Community Data Analyst II Garry Jacinto, Community Data Analyst





LUTHERAN HOSPITAL 2022 IMPLEMENTATION STRATEGY REPORT

2022 Community Health Needs Assessment Implementation Strategy Report for Years 2023 – 2025

TABLE OF CONTENTS

| I. | Introduction and Purpose | 211 |
|------|--|-----|
| II. | Community Definition | 211 |
| III. | How Implementation Strategy was Developed | 212 |
| IV. | Summary of the Community Health Needs Identified | 213 |
| V. | Needs Hospital Will Address | 213 |

LUTHERAN HOSPITAL 2022 IMPLEMENTATION STRATEGY REPORT

I. INTRODUCTION AND PURPOSE

This written plan is intended to satisfy the requirements set forth in Internal Revenue Code Section 501(r)(3) regarding community health needs assessments and implementation strategies. The overall purpose of the Implementation Strategy is to align the hospital's limited resources, program services, and activities with the findings of the Lutheran 2022 Community Health Needs Assessment ("CHNA"). The Implementation Strategy Report (ISR) includes the priority community health needs identified during the 2022 CHNA and hospital-specific strategies to address those needs from 2023 through 2025.

A. Description of Hospital

Lutheran Hospital is a 192 staffed³² bed acute care facility located in Cleveland, Ohio. Lutheran Hospital offers sophisticated technology and advanced medical care within an intimate and friendly environment. From primary care physicians to leading specialists, Lutheran Hospital provides leading-edge treatments and advanced research and surgery, with specialties in Orthopedics and Spine, Cancer Center, Behavioral Health, Chronic Wound Care, Hispanic Center of Excellence, and an Emergency Department. Additional information on the hospital and its services is available at: https://my.clevelandclinic.org/locations/lutheranhospital.

The hospital is part of the Cleveland Clinic health system, which includes an academic medical center near downtown Cleveland, fourteen regional hospitals in northeast Ohio, a children's hospital, a children's rehabilitation hospital, five southeast Florida hospitals, and several other facilities and services across Ohio, Florida, and Nevada. Additional information about Cleveland Clinic is available at https://my.clevelandclinic.org/.

Lutheran Hospital's mission is:

Caring for life, researching for health, and educating those who serve.

II. COMMUNITY DEFINITION

For purposes of this report, the Lutheran Hospital community definition is an aggregate of 25 zip codes in Cuyahoga, Lorain, and Medina Counties comprising approximately 75% of inpatient, outpatient, and emergency department visits in 2021 (Figure 1).

³² For the purpose of this report and consistent methodology, the Cleveland Clinic MD&A (Q4-2022) interim financial statement is referenced for official bed count. We acknowledge that staffed bed count may fluctuate and may differ from registered or licensed bed counts reflected in other descriptions.

For purposes of this implementation strategy: Lutheran will strive for a local approach as a community hospital with a focus on the 'at risk' population within zip codes: 44113, 44109, 44102 – underserved, uninsured, and underinsured populations including Hispanics, newcomers, LGBTQ+, minority and homeless populations.




Figure 1: Lutheran Hospital Community Definition

III. HOW IMPLEMENTATION STRATEGY WAS DEVELOPED

This Implementation Strategy was developed by members of leadership at Lutheran Hospital and Cleveland Clinic, representing several departments of the organizations, including clinical administration, medical operations, nursing, finance, population health, and community relations. This team incorporated input from the hospital's community and local non-profit organizations to prioritize selected strategies and determine

possible collaborations. Alignment with county Community Health Assessments (CHA) as well as the State Health Assessment (SHA), was also considered. Leadership at Lutheran Hospital will utilize this Implementation Strategy to determine whether changes should be made to better address the health needs of its communities.

IV. SUMMARY OF THE COMMUNITY HEALTH NEEDS IDENTIFIED

Lutheran Hospital's prioritized community health needs, as determined by analyses of quantitative and qualitative data, include:

- Access to Healthcare
- Behavioral Health
- Chronic Disease Prevention and Management
- Maternal and Child Health
- Socioeconomic Issues

In addition to the prioritized community health needs, themes of health equity, social determinants of health, and medical research and education are intertwined in all community health components and impact multiple areas of community health strategies and delivery. Cleveland Clinic is committed to promoting health equity and healthy behaviors in our communities. The hospital addresses these overarching themes through a variety of services and initiatives, including cross-sector health and economic improvement collaborations, local hiring for the hospital workforce, mentoring of community residents, in-kind donation of time and sponsorships, anchor institution commitment, and caregiver training for inclusion and diversity.

COVID-19 Considerations

The COVID-19 global pandemic declared in early 2020 has caused extraordinary challenges for healthcare systems worldwide including Lutheran Hospital. Keeping front-line workers and patients safe, securing protective equipment, developing testing protocols, and helping patients and families deal with the isolation needed to stop the spread of the virus all took priority as the pandemic took hold.

Many of the community benefit strategies noted in the previous 2019 implementation strategy were temporarily paused or adjusted to comply with current public health guidelines to ensure the health and safety of patients, staff, and other participants. Many of the strategies included in the 2023-2025 implementation strategy are a continuation or renewal of those that were paused during the pandemic, as the community needs identified in the 2022 CHNA did not change greatly from those identified in the 2019 CHNA.

See the 2022 Lutheran and other Cleveland Clinic CHNAs for more information: www.clevelandclinic.org/CHNAReports

V. NEEDS HOSPITAL WILL ADDRESS

Each Cleveland Clinic hospital provides numerous services and programs in effort to address the health needs of the community. Implementation of our services focuses on addressing structural factors important for community health, strengthening trust with residents and stakeholders, ensuring community voice in developing strategies, and evaluating our strategies and programs.

Strategies within the ISRs are included according to the prioritized list of needs developed during the 2022 CHNA. These hospitals' community health initiatives combine Cleveland Clinic and local non-profit organizations' resources in unified efforts to improve health and health equity for our community members, especially low-income, underserved, and vulnerable populations.

A. Access to Healthcare

Access to Healthcare data analysis results describe community needs related to consumer expenditures for insurance, medical expenses, medicines, and other supplies. More expansive parameters include limitations to accessing healthcare described in terms of transportation challenges, resource limitations, and availability of primary care and other prevention services in local neighborhoods.

Cleveland Clinic continues to evaluate methods to improve patient access to care. All Cleveland Clinic hospitals will continue to provide medically necessary services to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. The financial assistance policy can be accessed here: Cleveland Clinic Financial Assistance.

Access to Healthcare Initiatives for 2023-2025 include:

Initiatives Including Collaborations and Resources Allocated

- A Bilingual Patient Financial Advocates (PFAs) assist patients in evaluating eligibility for financial assistance or public health insurance programs. Lutheran hires bilingual PFA's to proactively call uninsured patients and offer assistance.
- *B* Increase bilingual caregivers and provider support specializing in internal medicine, gastroenterology, hepatology, general surgery, cardiology, and psychiatry to meet the needs of the local Spanishspeaking population.
- C Address digital equity, utilize medically secure online and mobile platforms, connect patients with Cleveland Clinic providers for telehealth and virtual visits.
- *D* Expand telehealth opportunities for behavioral health, endocrine, cancer and orthopedic care.

Anticipated Impacts

Bilingual services increase the opportunity of eligible individuals to enroll/access various assistance programs for health care.

Reduce language barriers, improve access to specialty care, increased trust and understanding of health conditions, treatment compliance and promote health equity.

Overcome geographical and transportation barriers, improve access to specialized care.

Improve access to specialized care; Overcome geographical and transportation barriers leading to improved community health.

B. Behavioral Health

Lutheran Hospital's 2022 CHNA also identified Behavioral Health as a prioritized need area. Behavioral Health encompasses Mental Health and Substance Use Disorders. Mental Health includes suicide, depression, and self-reported poor mental health rates. Substance Use Disorder relates to alcohol and drug use, including drug overdoses. Community members described mental health challenges in the community, exacerbated by COVID-19 related stressors, resulting in increased alcohol and drug use starting in adolescence as a means of coping.

Behavioral Health Initiatives for 2023-2025 include:

Initiatives Including Collaborations and Resources Allocated

- A Continue services provided through the hospital's Alcohol and Drug Recovery Center (ADRC) delivering high-quality evaluation and treatment for people with alcohol and/or drug dependency problems throughout Cleveland Clinic communities; ADRC offers inpatient care, outpatient services, a supportive step-down care unit, and a new Multidisciplinary Alcohol Program.
- B Continue collaboration in Northeast Ohio Hospital Opioid Consortium and Cuyahoga County Opioid Task Force in coordinated efforts to reduce the widespread effect of the heroin and opioid crisis in Northeast Ohio.
- C Provide substance abuse health and treatment education presentations to local residents, and professional and media organizations.
- D Expand provision of long-acting treatment resistance depression options for community residents.

Anticipated Impacts

Improve access to treatment services and recovery support. Improve effectiveness of the program with evidence-based practice and quantitative measures.

Increase awareness of treatment, and improve early identification of substance use disorder.

Increase awareness of treatment, reduce stigma, and improve early identification of behavioral health conditions.

Improve access, education, and awareness of outpatient treatment modalities, better health outcomes.

C. Chronic Disease Prevention & Management

Lutheran Hospital's CHNA identified chronic disease and other health conditions as prevalent in the community (ex. heart disease, stroke, diabetes, respiratory diseases, hypertension, obesity, cancer, COVID-19). Prevention and management of chronic disease initiatives seek to increase healthy behaviors in nutrition, physical activity, and tobacco cessation.

Chronic Disease Prevention & Management Initiatives for 2023-2025 include:

| Initiatives Including Collaborations and Resources Allocated | Anticipated Impacts |
|---|---|
| A Continue hospital's community outreach services addressing chronic health conditions, access and mental health and providing community education and resources. | Improve access to care and specialty care of mental health and wellness; Promote healthy behaviors and health equity. |
| <i>B</i> Lutheran continues to explore opportunities to transition adult and pediatric primary care into the heart of the Hispanic community. | Remove transportation, language, and access barriers; improve health equity. |
| C Provide bilingual cancer navigator and outreach program services in local neighborhoods to increase access to cancer care and education. | Remove language barriers to care; increase provider trust; improve health equity. |

D. Maternal & Child Health

Lutheran Hospital's 2022 CHNA continued to identify Maternal and Child Health as a prioritized health need in the community. Secondary data indicators include a range of children's health needs from babies with low birth weight to consumer expenditures on childcare. Primary data describes disparities among low-income and ethnic minority populations and link access to healthcare with prenatal care. Infant mortality rates at the local, state, and national levels have been particularly high for Black infants.

Maternal and Child Health Initiatives for 2023-2025 include:

| lı | nitiatives Including Collaborations and Resources Allocated | Anticipated Impacts |
|----|---|---|
| A | Through the Cleveland Clinic enterprise, continue participation in First Year Cleveland, the Cuyahoga County Infant Mortality Task Force to gather data, align programs, and coordinate a systemic approach to improving infant mortality. | Reduce infant mortality inequity, improve the preterm birth rate, decrease sleep- related infant deaths. |
| В | Expand outpatient women's health services to the local community. | Improved access and health equity for very diverse and underserved community. |

E. Socioeconomic Issues


Lutheran Hospital's 2022 CHNA demonstrated that health needs are multifaceted, involving medical as well as socioeconomic concerns. The assessment identified food security, affordable housing, employment, transportation, health literacy, structural racism, poverty, and environmental risk factors as significant concerns. Further, the primary and secondary impacts of COVID-19 have exacerbated many health disparities and barriers that were present before the pandemic. Socioeconomic Issues for this report are defined as a subset of social determinants of health (SDOH). Prevention & Safety, Affordable Housing, Violence, Falls, and Environmental Issues were prioritized socioeconomic issues described by primary and secondary data.

The Socioeconomic Initiatives highlighted for 2023 – 2025 include:

| I | nitiatives Including Collaborations and Resources Allocated | Anticipated Impacts |
|---|---|---|
| A | Continue a Cleveland Clinic common community referral data platform to coordinate services and ensure optimal communication. | Improve active referrals to community-based organizations, non-profits, and other healthcare facilities; track referral outcomes. |
| В | Continue Cleveland Clinic patient navigation programming using Community Health Workers and/or the co-location of community organizations with hospital facilities. | Ensure connection to medical, social, and behavioral services; Improve health equity. |
| С | Partner with community-based organizations to improve equitable access to healthy foods. | Improve self-efficacy associated with healthy eating; improve nutrition. |
| D | Provide workforce development and training opportunities for youth K-12 in clinical and non-clinical areas, empowering Northeast Ohio's next generation of leaders. | Increase diversity within the healthcare workforce, improve trust in providers and improve local provider shortages. |
| Ε | Continue the CLE Homeless, Housing and Healthcare Collaboration, a collaboration of the Lutheran Community Advisory Council, National Alliance on Mental Illness (NAMI), Northeast Ohio Coalition for the Homeless, Legal Aid, and other community partners to provide education and assistance in addressing homelessness in the community. | Increase safe options for homeless persons, provide supportive community resources. |
| F | Provide transportation on a space-available basis to: 1) patients within 5 miles of the Stephanie Tubbs Jones Health Center and Marymount, Euclid, Lutheran, and South Pointe Hospitals and 2) radiation oncology patients within 25 miles of Cleveland Clinic Main Campus, Hillcrest, and Fairview Hospitals. | Prevent missed appointments, increase preventative and well-visit attendance, and improve treatment. |

While this ISR outlines specific strategies and programs identified to address the 2022 CHNA prioritized areas of Access to Healthcare, Behavioral Health, Chronic Disease Prevention and Management, Maternal and Child Health, and Socioeconomic Issues, it does not reflect all the work being done by Lutheran Hospital to improve community health. Through this iterative process, opportunities are identified to grow and expand existing work in prioritized areas as well as implement additional programming in new areas. These ongoing strategic conversations will allow Lutheran Hospital to build stronger community collaborations and make smarter, more targeted investments to improve the health of the people in the communities they serve.

For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementations Strategy Reports, please visit www.clevelandclinic.org/CHNAReports or contact CHNA@ccf.org.



clevelandclinic.org/CHNAreports

23-000-3621401